

INDEX

A

- AAS. *See* American Association of Suicidology
- Abrams, Gen. Creighton, replacement of Gen. Westmoreland with, 18
- ACGME. *See* American Council of Graduate Medical Education
- Achilles in Vietnam* (Shay), 130
- ACS. *See* Army Community Service
- Acute radiation sickness
- atomic weapons dropped on Hiroshima and Nagasaki and, 600
 - symptoms, 596
 - Three Mile Island, PA, nuclear accident and, 599
- ADAPT. *See* Alcohol and other Drug Abuse Prevention Training
- Adjustment disorder
- brief psychotic disorder and, 442
 - fitness for duty and, 180
 - homicidal ideation and, 437
 - prevalence of the diagnosis during Operation Enduring Freedom and Operation Iraqi Freedom, 203, 212
- Adler, Dr. Amy, Battlemind program and, 72
- Adolescents
- books recommended for dealing with trauma and grief, 559–560
 - effects of deployment on, 494–495
 - grief responses, 547
 - response to a combat-injured parent, 515–516, 518
- Aeromedical Evacuation Patient Considerations and Standards of Care* (Air Force Instruction 41-307), 197–198
- Aeromedical Evacuation Patient Record* (Air Force Form 3899), 198
- Aeromedical evacuations
- aeromedical evacuation patient classification codes (table), 198
 - aeromedical evacuation publications (table), 196–197
 - aeromedical staging facilities, 200–203
 - aircraft used for, 194–195
 - behavioral health consultation for medical patients and, 204
 - carrier psychology program and, 125–126
 - contingency aeromedical staging facilities, 192, 195, 200–201
 - Department of Defense Patient Movement System, 195–200
 - description, 192
 - historical background, 192–194
 - Operation Iraqi Freedom and Operation Enduring Freedom and, 192, 203–204
 - patient classification codes, 197–198
 - patient movement precedence, 195, 197
 - patient records and, 198, 200
 - patient-support pallet development, 195
 - psychiatric patients and, 197–198, 200, 445–446
 - sample patient movement request (exhibit), 199
 - survival rate improvement and, 192
 - by the United Kingdom armed forces for behavioral health reasons, 659–660
 - use of restraints and, 200, 446
- Aeromedical staging facilities
- contingency aeromedical staging facilities, 192, 200–201
 - typical mission description, 202–203
- Affective disorders. *See* Mood disorders
- Afghanistan. *See also* Operation Enduring Freedom
- contingency aeromedical staging facilities and, 201
 - history of, 768
 - U.S. military involvement in, 768–769
- Age factors
- anorexia, 451
 - bipolar disorder, 443–444
 - bulimia, 451
 - coping with the stress of deployment, 536
 - divorce, 539
 - schizophrenia, 442, 707
 - spouse maltreatment, 537
- AH-1W Cobra helicopters, aeromedical evacuations and, 195
- AHECs. *See* Area Health Education Centers, description
- Air Force Form 3899: *Aeromedical Evacuation Patient Record*, 198
- Air Force Instruction 41-307: *Aeromedical Evacuation Patient Considerations and Standards of Care*, 197–198
- Air Force Instruction 44-121, drug testing and, 481
- al Qaeda, September 11, 2001, terrorist attacks and, 594
- Alcohol abuse. *See* Alcohol use and abuse
- Alcohol and other Drug Abuse Prevention Training, description, 481
- Alcohol use and abuse
- abstract reasoning abilities and, 474
 - binge drinking definitions for women and men, 475
 - blackouts and, 475
 - bolus drinking, 475
 - brain volume decrease and, 475
 - CAGE questionnaire, 475–476
 - cognitive impairment and, 474
 - coping with stress and, 260
 - homicidal ideation and, 437
 - Land Combat Study and, 78
 - light, moderate, and heavy drinking amounts, 475
 - memory impairment and, 475
 - mild traumatic brain injury and, 233
 - pain management and, 349
 - posttraumatic stress disorder and, 305
 - prevalence of, 475
 - Quantity Frequency Questionnaire, 475
 - screening for, 475–476
 - sleep impairment and, 475
 - suicide and, 425, 429, 431
 - Vietnam War and, 17, 152
 - visual-spatial impairment and, 474
 - visual tracking of objects and, 474
 - withdrawal issues, 475
- Alcoholics Anonymous, Operation Iraqi Freedom 05-07 and, 142
- Alzheimer's disease
- genetic research and, 396
 - vitamin E and, 396
- Ambien, insomnia treatment, 159, 160, 250
- Ambiguous Loss: Learning to Live With Unresolved Grief* (Boss), 560
- AMEDD. *See* Army Medical Department
- AMEDD C&S. *See* Army Medical Department Center & School
- American Academy of Child and Adolescent Psychiatry, description and Web site, 556
- American Academy of Pediatrics
- description and Web site, 556
 - use of lithium during pregnancy, 709
- American Articles of War, birth of American military law and, 694
- American Association of Suicidology
- Suicide Prevention: A Resource Manual for the United States Army*, 405
 - suicide prevention efforts, 404, 405
- American Board of Medical Specialties, core competencies program, 676
- American Council of Graduate Medical Education
- accreditation history of U.S. military psychiatry residencies (table), 671
 - accreditation role, 670, 671, 681, 688
 - competencies (exhibit), 675
 - core competencies, 675, 676

- fellowship programs and, 680
 - program leadership requirements, 673
 - Residency Review Committee requirements for psychiatry residents, as of 2007 (exhibit), 678
 - supervisor meetings, 678
 - time requirements for rotations, 678
- American Medical Association, criminal execution role for physicians, 737
- American Psychiatric Association. *See also Diagnostic and Statistical Manual of Mental Disorders*
- anti-Vietnam War stance, 25
 - founding of, 671
 - guidelines that forbid psychiatrists from being directly involved in interrogations, 736, 737
- American Psychological Association
- anti-Vietnam War stance, 25
 - participation of providers in interrogations and, 736
 - resilience self-help Web site, 50
 - Task Force on Promoting Resilience in Response to Terrorism, 45
- American Red Cross. *See also International Red Cross and Red Crescent Movement*
- occupational therapy and, 359
 - September 11, 2001, terrorist attack response, 583
- American Revolutionary War, military medical evacuations and, 192
- American Society of Addiction Medicine, treatment decision making, 481
- Amphetamines. *See also Stimulants; specific drugs*
- World War II use of, 152
- AN. *See Anorexia nervosa*
- Anderson, A.E., eating disorder research, 454
- Andrews Air Force Base, MD
- aeromedical staging facility role, 201–203
 - Air Force Family Liaison Officer program and, 201
- Annie Loses Her Leg But Finds Her Way* (Philipson and Takatch), 558
- Anorexia nervosa
- age of onset, 451
 - bingeing/purging type, 451
 - comorbid psychiatric disorders, 453, 455
 - course and prognosis, 455
 - deployment and, 463
 - differential diagnosis, 455
 - DSM-IV definition, 451
 - families characteristics and, 453
 - functional impairment and, 455
 - hospitalization and, 458, 459
 - indications for hospitalization in (exhibit), 459
 - laboratory findings, 455
 - medical assessment, 458
 - medical findings, 454
 - medications effective as mono-therapy in placebo-controlled trials for (exhibit), 460
 - medications for, 460–461
 - military population statistics, 456
 - mortality rates, 454, 455, 459
 - oral health effects, 263–264
 - outpatient treatment, 459
 - poor insight and, 458
 - prevalence of, 450
 - psychotherapy, 459
 - rapid refeeding and, 459
 - recovery rate, 455
 - restricting type, 451, 454
 - treatment, 458–459
 - vitamin supplementation and, 459
 - warning signs of (exhibit), 451
- Anthrax attacks
- delayed recognition of, 594
 - long-term effects, 601
 - media and, 598
 - physiological effects, 581
- Anticonvulsants
- binge eating disorder treatment, 462
 - obesity treatment, 462
 - pain management and, 344, 347
- Antidepressants. *See also Tricyclic antidepressants; specific drugs*
- anorexia nervosa treatment, 460
 - binge eating disorder treatment, 462
 - major depressive disorder treatment, 444, 445
 - obesity treatment, 462
 - pain management and, 246, 344, 347
 - posttraumatic stress disorder treatment, 303
- Antipsychotic drugs. *See also specific drugs*
- anorexia nervosa treatment, 460
 - availability in the field, 443
 - bipolar disorder treatment, 158
 - pain management and, 347
 - schizophrenia treatment, 443, 707
 - side effects, 443, 460
 - trauma patients and, 249
 - women and, 707
- Antisocial personality disorder, suicide and, 426
- Anxiety disorders
- combat and operational stress continuum model red zone and, 112
 - complex humanitarian emergency survivors and, 627
 - exercise and, 705
 - fitness for duty and, 180
 - in-theater treatment, 159
 - posttraumatic stress disorder and, 298, 305–306
 - prevalence of the diagnosis during Operation Enduring Freedom and Operation Iraqi Freedom, 203–204, 212
 - sleep disturbances and, 252
 - symptoms, 251
 - traumatic injuries and, 251–253
 - treatment, 304
 - uncontrolled pain and, 246
 - women and, 709–710
- Anxiolytics. *See also specific drugs*
- indications for use of, 153
 - Vietnam War use, 11–12, 34
- Appenzeller, G.N., articles on the roles and responsibilities of division mental health units, 92
- Applied Suicide Intervention Skills Training program, description, 406
- Area Health Education Centers, description, 335
- Aripiprazole, bipolar disorder treatment, 158
- Arlington National Cemetery Commemorative Project, *For Children of Valor: Arlington National Cemetery* gift book, 554
- Armed Forces Health Surveillance Center, EPICON responsibilities, 415
- Armed Forces Mortuary, Dover Air Force Base, DE, behavioral health consultations for workers at, 204
- Armed Service Vocational Aptitude Battery
- job assignments and, 705
 - lowering scores on to meet recruitment goals, 728
- Army Center for Substance Abuse Programs, information paper on challenges of substance abuse issues, 481
- Army Central Registry, reports of family maltreatment, 536–537, 538
- Army Community Service
- behavioral health liaison project and, 571, 572–574
 - deployment of the 25th ID and, 565
 - “Ready 4 Reunion” DVD, 574

- Army Health Promotion* (Army Regulation 600-63), 397, 408
 Army Medical Command
 child maltreatment prevention program, 539
 EPICON responsibilities, 415
 Fatality Review Board findings on family maltreatment, 539
 guidelines on screening for depression in spouses of service members, 538
 suicide prevention and, 406–407
 Suicide Risk Management and Surveillance Office, 407
 Army Medical Department
 Behavioral Health Propensity, 748
 career course, 98, 103
 general officers behavioral health summit, 81
 psychiatrist training and preparation for the Vietnam War, 14–15
 Army Medical Department Center & School
 Battlemind program and, 73, 74, 80
 Professional Quality of Life Scale and, 382–384
 Provider Resiliency Training and, 376
Army Medical Support in Vietnam (Neel), 16, 28
 Army Medical Surveillance Activity, population-wide assessment of the Post-Deployment Health Assessment, 79
 Army Military Family Research Institute, Web site, 501
 Army Physical Disability Evaluation System, improvement initiative for, 328
 Army Regulation 40-5: *Preventive Medicine*, 415
 Army Regulation 40-216: *Neuropsychiatry and Mental Health*, 90, 91
 Army Regulation 40-501: *Standards of Medical Fitness*, 180
 Army Regulation 190-8: *Enemy Prisoners of War, Retained Personnel, Civilian Internees, and Other Detainees*, 101
 Army Regulation 600-63: *Army Health Promotion*, 397, 408
 Army Regulation 600-85, drug testing and, 479, 481
 Army Regulation 608-18, Family Advocacy Program and, 536
 Army Substance Abuse Program
 Alcohol and other Drug Abuse Prevention Training and, 481
 clinical role of providers, 481–482
 employee assistance program model, 480–481
 number of soldiers enrolled in, 480
 treatment recommendations, 481
 unit commanders and, 481–482
 Army Suicide Event Reports
 analysis of data, 145
 command POCs and, 397–398
 data collection (figure), 398
 data collection process, 398
 description, 397
 improving accessibility of ASER data, 399, 400
 replacement of “psychological autopsies” by, 404
 required source information and, 399
 source information required to complete (table), 399
 variables, 398–399
 Army Suicide Prevention Program
 Applied Suicide Intervention Skills Training, 406
 Army National Guard efforts, 408–409
 Army Reserves efforts, 409
 Army Suicide Prevention Task Force, 409
 Behavioral and Social Health Outcomes Program, 409
 Chief of Chaplains and, 405
 community health promotion councils, 408
 G-1 and, 405, 406, 409
 gatekeepers and, 406
 initiatives and efforts to minimize suicidal behavior, 406–409
 Installation Management Command, 408
 Medical Command and, 406–407
 Office of The Surgeon General and, 405
 Operation Iraqi Freedom theater suicide assessment, 409–412
 psychiatric epidemiological consultations, 412–418
 QPR Institute and, 406
 Suicide Prevention and Psychological Autopsy (PAM 600-24) and, 405
 Suicide Prevention Campaign Plan, 405
 Suicide Prevention Task Force, 405
 Army Suicide Prevention Task Force, description, 409, 749
 Army Surgeon General. *See* Office of The Surgeon General; *specific Surgeons General*
 Army War College, Carlisle Barracks, PA, Spouses’ Project recommendation for a care team, 545
 ARNG. *See* U.S. Army National Guard
 Arnold, Caroline, *What We Do When Someone Dies*, 559
 ARS. *See* Acute radiation sickness
 Artiss, Lt. Col. Kenneth, textbook on military psychiatry and, 5, 6
 ASAP. *See* Army Substance Abuse Program
 Asaro, Regina, *Military Widow: A Survival Guide*, 551
 ASERs. *See* Army Suicide Event Reports
 ASFs. *See* Aeromedical staging facilities
 ASIST program. *See* Applied Suicide Intervention Skills Training program
 ASPP. *See* Army Suicide Prevention Program
 ASPTF. *See* Army Suicide Prevention Task Force
 Assisting Marsh Arabs and Refugees, medical civil-military operations in Operation Iraqi Freedom 05-07 and, 616
 ASVAB. *See* Armed Service Vocational Aptitude Battery
 Attention-deficit hyperactivity disorder, clearance for deployment and, 157
 Atypical antipsychotic drugs. *See also specific drugs*
 bipolar disorder treatment, 303–304
 borderline personality disorder treatment, 303–304
 pain management and, 347
 posttraumatic stress disorder treatment, 303–304
 trauma patients and, 249
 Aum Shinrikyo cult’s sarin attack on the Tokyo subway system, 594, 597, 598, 599, 601–602
 AusAID. *See* Australian Agency for International Development
 Australian Agency for International Development, Indian Ocean tsunami disaster relief and, 637–639
 Australian Council for International Aid, complex humanitarian emergencies and, 621
Authentic Happiness: Using the New Positive Psychology to Realize Your Potential for Lasting Fulfillment (Seligman), 560
- ## B
- Bachman, J.G., draft issues during the Vietnam War, 23–24
 Bacon, B.L.
 guidelines for psychiatry residents on becoming a division psychiatrist, 92
 use of psychotropic medications during the Persian Gulf War, 153
Baghdad ER HBO program, 147–148, 777–778
 Baker, Col. Stewart L., Jr., survey of illegal drug use in the Vietnam War, 11
 Balkin, J.J., review of the demoralization of troops fighting in Vietnam, 26
 Bamber, M., stressors for staff working with trauma victims, 255
 Bandura, A., resilience research, 46
 Barbiturates. *See also specific drugs*
 World War II and use of, 152
 Bascaglia, Leo, *The Fall of Freddie the Leaf*, 557
 Battlemind training program
 acronym explanation, 332
 Army Medical Department Center & School and, 73, 74, 80
 background of, 72
 Basic Battlemind, 73
 Battlemind First Aid, 73
 Battlemind for Leaders, 73
 Battlemind Warrior Resiliency Training, 73

- command-requested mental health training, 72
- components (exhibit), 283
- continuum of care for veterans and their families and, 332
- current status, 73–74
- deployment-cycle training and, 65, 73, 80–81
- description, 65, 72, 80, 332
- dynamic nature of, 74
- event-driven psychological debriefing and, 80
- focus of, 80, 283
- fundamental principles, 73, 332
- life-cycle training and, 65
- Mental Health Advisory Team IV report and, 73
- modules under development, 73
- objectives of, 65
- postdeployment training, 72–73, 80
- predeployment modules, 73, 80
- resetting the force and, 283–284
- soldier support training and, 65
- state and community partnerships and, 336
- “Steel Your Battlemind” video, 73
- targets of, 65
- time-driven psychological debriefing and, 80
- training for spouses, 72, 80–81, 332
- training videos, 72–73
- use by other nations, 73
- Walter Reed Army Institute of Research and, 72–74, 80–81
- BCT BHOs. *See* Division psychiatrists and brigade behavioral health officers
- Beardslee, W.R., *Out of the Darkened Room: When a Parent is Depressed*, 517
- Becker, C.B., barriers to clinician use of exposure therapy for PTSD, 311
- BED. *See* Binge eating disorder
- Behavioral and Social Health Outcomes Program, description, 409, 749
- Behavioral health. *See also* Operational behavioral health; *specific aspects of the topic*
 - discussion about this text’s title, 6
 - recent initiatives, 748–750
 - stigma and barriers to care, 4, 78, 117, 126, 327, 425, 564
 - stigma associated with seeking behavioral healthcare (exhibit), 411
- Behavioral health consultations for medical patients, Operation Enduring Freedom and Operation Iraqi Freedom and, 204
- Behavioral health issues for detained individuals. *See also* Hunger strikes
 - acting-out behavior and, 650, 651
 - Bureau of Prisons standard operating procedures and, 646
 - clinical process, 648–649
 - cognitive disorders, 653
 - common syndromes, 653
 - context of care and, 647
 - corrections staff and, 650–651
 - cultural factors, 647, 650, 654
 - distribution of medications, 652
 - emergence as a critical issue, 646
 - “equivalent care” mandate, 646, 647
 - functional impairment and, 650
 - hoarding medications and, 652
 - interacting with other sites, 652–653
 - medical record management and, 653
 - medication distribution process for detainees (exhibit), 652
 - medication management, 651–652
 - nongovernmental organizations and, 646, 649
 - observation and, 651
 - predeployment preparation, 646–648
 - primary care providers and, 649, 654–655
 - privacy and confidentiality and, 653, 654
 - review of the active caseload and, 648
 - screening for behavioral health risk factors, 648
 - secondary gain and, 650
 - security issues, 647–648, 649
 - self-injurious behavior, 647, 649, 651
 - Task Force Medical 115 and, 646–656
 - Task Force Medical 344 and, 646–656
 - therapeutic trust and, 648
 - training the team, 646–649
 - translators and, 649–650
 - treatment planning and, 650–653
 - 24-hour nature of care, 648–649
 - unique nature of the setting, 651, 656
 - unit transition and, 649
- Behavioral health liaison project
 - aim of, 571
 - Army Community Service and, 571, 572–574
 - Army Community Service support, 572
 - “communities of practice” concept and, 565, 574–575
 - community town hall meetings and, 573
 - deployment sustainment and, 573
 - emotional cycle of deployment briefing and, 572
 - family readiness group briefing topics (exhibit), 572
 - family readiness groups and, 572, 573
 - initial challenges, 571
 - job fairs for military spouses, 572–573
 - lessons learned, 574–575
 - predeployment support, 572–573
 - quality of welcome by unit in the behavioral health liaison project (figure), 572
 - redeployment and reintegration and, 573–574
 - team composition, 571
 - training and education opportunities, 573
 - Tropic Lighting University reunion program and, 574
 - unit welcome and, 571–572
 - video teleconferencing for soldiers and families, 573
- Behavioral Health Proponency, description, 748
- Behavioral Science Consultation teams
 - “behavioral drift” and, 699
 - description and role, 699
 - detainees and, 699
 - global war on terror and, 699
 - mission and objectives, 699–700
- Belanger, H.G., traumatic brain injury research, 231
- Belenky, G.L., use of tricyclic antidepressants by Israeli forces, 153
- Bell, C.C., resilience program, 51
- Benadryl, agitation treatment, 159
- Benedek, D.M.
 - integrated use of combat stress detachments and division mental health assets during Operation Joint Endeavor, 153
 - rationale for using a formulary for military operations, 153–154
- Benight, C.C., resilience research, 46
- Benzodiazepines. *See also specific drugs*
 - anxiety disorder treatment, 159, 304
 - indications for use of, 153
 - pain management and, 344, 347, 348
 - posttraumatic stress disorder and, 253, 304
 - potential for abuse of, 158, 159, 253, 304
- Bereavement. *See also* Children and families of fallen service members
 - adult grief responses, 546–547
 - bereavement reaction to traumatic injury, 246
 - children’s grief responses, 547–549
 - 88th Regional Readiness Command COSC program and, 365–366
 - posttraumatic stress disorder and, 306
 - prolonged grief disorder and, 348

- reaction to acute pain, 348
- Bessler, M., overview of problems in civil-military cooperation, 623
- BHL. *See* Behavioral health liaison project
- Bhopal, India, chemical accident, 620
- BICEPS principles. *See* Brevity, immediacy, centrality, expectancy, proximity, and simplicity
- Bill and Melinda Gates Foundation, humanitarian role, 622
- Binge eating disorder
 - oral health effects, 264
 - prevalence of, 450
 - proposed DSM-IV category for, 452
 - treatment, 462
- Biofeedback, occupational therapy and, 369
- Biological and Toxin Weapon Convention, 594
- Biological weapons. *See* Chemical, biological, radiological, nuclear and explosive weapons
- Bipolar disorder
 - age of onset, 442, 443–444
 - bimodal onset, 443
 - evacuation from the combat zone and, 158
 - fitness for duty and, 180
 - in-theater treatment, 158
 - pharmacological treatment, 444
 - presentation of, 444
 - prevalence of the diagnosis during Operation Enduring Freedom and Operation Iraqi Freedom, 212
 - recurrent episodes and, 444
 - treatment, 303–304
 - type I, 444
 - type II, 444
 - women and, 709
- Birgenheier, P.S., women in the military, 493
- Birmingham, C.L., zinc deficiency in anorexia nervosa and, 460
- Blank, Capt. A.S., Jr.
 - antiwar sentiment effect on soldiers, 18
 - posttraumatic stress disorder diagnosis and, 30
- Bloch, Capt. H.S., antiwar sentiment effect on soldiers, 18
- Blum, H.P., loss of self-identity in trauma victims, 246
- BMI. *See* Body mass index
- BN. *See* Bulimia nervosa
- Boake, C., postconcussive disorder research, 232
- Body mass index, eating disorders and, 452, 454, 458
- Bolton, E.E., posttraumatic stress disorder program evaluation, 310
- Bombardier, C.H., posttraumatic stress disorder link with traumatic brain injury, 233
- Bonn, R., *How to Help Children Through a Parent's Serious Illness*, 517
- Borderline personality disorder
 - bulimia nervosa and, 453
 - treatment, 304
- Bosnia
 - gender-based violence and, 626
 - Operation Joint Endeavor and, 76, 79, 153
- Boss, Pauline, *Ambiguous Loss: Learning to Live With Unresolved Grief*, 560
- Boston Publishing Company, historical series on the Vietnam War, 25–26
- Bourne, Maj. Peter
 - “combat provincialism” of troops fighting in Vietnam, 17
 - comparison of U.S. Army psychiatric hospitalization rates in Vietnam with those of the Army of the Republic of Vietnam, 16
 - incidence of combat psychiatric casualties, 18
 - marijuana use by troops in the Vietnam War, 17
 - one-year tours of duty in Vietnam, 17
 - study of physiological, psychological, and social correlates of stress, 11
- BRAC. *See* U.S. Department of Defense Base Realignment and Closure Act
- Bradley, Gen. Omar, division psychiatrist position and, 90
- Bradley, J.C., rationale for using a formulary for military operations, 153–154
- Bradley, R., PTSD treatment outcome studies, 308
- Brain Injury Association, 88th Regional Readiness Command COSC program and, 365
- Breslau, N., major depression in soldiers with PTSD, 305
- Brevity, immediacy, centrality, expectancy, proximity, and simplicity
 - combat and operational stress control and, 66–68, 108
 - Operation Iraqi Freedom 05-07 and, 148
 - unit watch and, 424
- Brief psychotic disorder
 - description and symptoms, 442
 - progression to schizophrenia, 443
- Brief therapies, psychiatry residency programs and competency in, 677
- Brigade behavioral health officers. *See* Division psychiatrists and brigade behavioral health officers
- Brooke Army Medical Center, San Antonio, TX
 - merger with Wilford Hall Air Force Medical Center, 672
 - Parent Guidance Assessment--Combat Injury instrument and, 513, 521–532
 - specialized burn care, 508
- Brown, Marc, *When Dinosaurs Die: A Guide to Understanding Death*, 557
- Brusher, Maj. Edward, Battlemind program and, 73
- Bryan, C.J., suicide research, 395
- Bryant, R., mild traumatic brain injury and posttraumatic stress disorder, 307
- BSCs. *See* Behavioral Science Consultation teams
- Buddy watch, unit watch component, 428–431, 432
- Building Strong and Ready Families Program, description, 501
- Buildup phase of the Vietnam War, 1965–1967
 - alcohol use and abuse, 17
 - combat exhaustion casualties and, 15–16
 - evacuations for psychiatric reasons, 17, 34
 - hospital psychiatrists, 15
 - morale during, 16–17
 - Neuropsychiatric Consultants and, 15, 35
 - organization and preparation of Army psychiatrists, 14–15
 - phasic nature of moods and attitudes affecting soldiers, 17–18
 - psychiatric overview, 17–18
 - psychiatrists reports, 18
 - transition from buildup to drawdown, 1968–1969, 18–21
 - U.S. Army medical and psychiatric support, 14
- Bulimia nervosa
 - age of onset, 451
 - comorbid psychiatric disorders, 453, 455
 - compared with bingeing/purging type of anorexia nervosa, 451
 - deployment and, 463
 - description, 450
 - differential diagnosis, 455
 - DSM-IV definition, 451
 - families characteristics and, 453
 - hospitalization and, 461
 - indications for hospitalization (exhibit), 460
 - laboratory findings, 455
 - medical findings, 454–455
 - medications effective in placebo-controlled trials for (exhibit), 461
 - military population statistics, 456
 - mortality rate, 455
 - nonpurging type, 451

- normal weight and, 454
- oral health effects, 263, 264
- prevalence of, 450
- psychotherapy, 461
- purging type, 451
- recovery rate, 455
- relapse and, 455, 462
- Russell sign and, 455
- treatment, 461–462
 - warning signs of (exhibit), 452
- A Bunch of Balloons* (Ferguson), 556
- Bunting, Eve
 - Memory String*, 558
 - The Wall*, 557
- Bupropion
 - bulimia nervosa treatment, 462
 - depressive disorder treatment, 158
 - posttraumatic stress disorder treatment, 303
 - safety of use during pregnancy, 709
 - side effects, 462
- Bureau of Prisons, standard operating procedures and detained individuals, 646, 647
- Burn casualties
 - Brooke Army Medical Center's specialized care, 508
 - control of metabolic and stress responses and, 340
 - hyperalgesia and, 343
 - stress of treatment, 345
- Burnout
 - definition, 377
 - synergistic effects of primary, secondary, and operational stress, combined with burnout symptoms, on providers (figure), 380
- Bush, Pres. George W., importance of healthcare in medical civil-military operations, 610–611
- Byrdy, Capt. H.S.R., rate of combat stress reactions in his unit, 16

C

- C-17 Globemaster aircraft, aeromedical evacuations and, 195
- C-130 Hercules aircraft, aeromedical evacuations and, 195
- C-9 Nightingale aircraft, aeromedical evacuations and, 195
- CAGE questionnaire, alcohol use and abuse and, 475–476
- Campbell, S.J., article on division mental health units, 92
- Canadian International Development Agency, complex humanitarian emergencies and, 621
- Canadian Medical Education Directions for Specialists, 676
- CAPS. *See* Child and Adolescent Psychiatry Service
- Cardiac disorders, anorexia nervosa and, 454, 455
- Caregivers. *See also* Provider fatigue
 - combat and operational first aid and, 132
 - deployment as individual augmentations, 131–132
 - mission and personnel, 131–132
 - OSCAR communication strategy, 132–133
 - self-help barriers, 132
 - trauma exposure and intervention strategies, 132
 - U.S. Navy support for, 131–133
- Carlton, J.R., eating disorders in the U.S. Navy population, 458
- Carrier psychology program
 - cost savings examples, 126
 - historical background, 125–126
 - prevented medevacs and, 125–126
 - prevention of chronic psychological problems, 126
 - stigma reduction and, 126
- Casey, Gen. George W., Jr., Comprehensive Soldier Fitness program and, 748
- CASFs. *See* Contingency aeromedical staging facilities
- Caspi, A., role of serotonin metabolism in stress reactivity, 46
- Castro, Maj. Carl, Battlemind program and, 72, 73
- CBRNEs. *See* Chemical, biological, radiological, nuclear and explosive weapons
- CBT. *See* Cognitive-behavioral therapy
- CDC. *See* Centers for Disease Control and Prevention
- Celecoxib, pain management and, 344
- Celexa, depressive disorder treatment, 158
- Center for Excellence in Disaster Management and Humanitarian Assistance, civil-military operations centers and, 624
- Center for Health Promotion and Preventive Medicine. *See* U.S. Army Center for Health Promotion and Preventive Medicine
- Center for Mental Health Services, Web site, 500
- Center for the Intrepid rehabilitation facility, description, 328
- Center for the Study of Traumatic Stress
 - dealing with the death of a service member, 555
 - Parent Guidance Assessment--Combat Injury, 513, 521–532
 - Web site, 555
- Centers for Disease Control and Prevention
 - course on emergency risk communication training, 595
 - EPIAID and, 413
 - estimates of traumatic brain injury prevalence and mortality, 226
 - Gulf War syndrome research, 600
 - Hurricanes Katrina and Rita health surveillance, 586–587
 - Injury Statistics Query and Reporting System, 399–400
 - obesity in the U.S. population, 452
 - PsySTART program, 636, 640
 - risk and protective factors for suicide, 411–412
 - Web site, 595
- CH-47 Chinook helicopters, aeromedical evacuations and, 194–195
- CH-46 Sea Knight helicopters, aeromedical evacuations and, 194–195
- Chaplains. *See also* Religious and spiritual issues; U.S. Army Chaplain Corps
 - Army Suicide Prevention Program and, 405
 - Chaplain Annual Sustainment Training course, 408
 - children and families of fallen service members and, 549
 - Combat and Operational Stress/Staff Resiliency program and, 219, 220, 221
 - 88th Regional Readiness Command COSC program and, 365, 366
 - Landstuhl Regional Medical Center role, 211
 - outreach to couples struggling in their marriages, 539
 - provider fatigue and, 380
 - public health model for deployment mental health and, 331
 - September 11, 2001, terrorist attack response, 583
 - state and community partnerships and, 336
 - "Strong Bonds" program, 407, 539
 - suicide awareness training kits, 406–407
 - suicide prevention, 407–408
- Charney, D.S., neurobiological factors in resilience, 46–47
- CHCS-ITT. *See* Composite Health Care System-Interactive Training Tool
- Chemical, biological, radiological, nuclear and explosive weapons
 - acute effects, 597–600
 - acute radiation sickness and, 596
 - availability of, 594
 - biological agents, 598, 601, 602
 - catastrophe description, 595
 - chemical warfare agents, 598, 599, 600–602
 - disaster description, 595
 - disaster fatigue and, 594
 - emergencies description, 595
 - estimating psychological casualties, 597, 602–603
 - explosives, 599, 602
 - lack of provider preparedness for psychological symptoms, 596–597
 - long-term effects, 600–602

- mass casualty events, 595
 mass hysteria description, 594
 mass panic and, 595, 597, 602
 mass psychogenic illness description, 594
 media and, 595, 596
 mental disorders and, 599–600, 601–602
 military experience, 600
 nuclear weapons, 599–600, 601
 outbreaks of multiple unexplained symptoms and, 594, 597–599, 600–601
 psychological effects, 596–597, 602–603
 “radiation response syndrome” and, 600
 radiological agents, 599, 601, 602
 risk communication, 595
 risk perception, 595–596, 603
 terminology, 594–595
 triage and issues of differential diagnosis, 596–597
 “worried well” persons and, 594
- Chernobyl nuclear accident
 description, 599, 620
 mental disorders and, 602
 psychoneurological syndromes following, 601
- CHEs. *See* Complex humanitarian emergencies
- Child abuse and neglect. *See* Family maltreatment
- Child and Adolescent Psychiatry Service
 children of combat-injured service members and, 511
 integrated behavioral health services at Schofield Barracks, HI, and, 565, 569
 Solomon Wellness Educational Program and, 569, 570
- Child maltreatment. *See* Family maltreatment
- Children. *See also* Deployment impact on military families and children; Family maltreatment; *specific age groups*
 COMFORT scale for pain assessment, 346–347
 effect of the death of a child on a service member, 552
 Faces Scale for assessing pain, 347
 pain evaluation and management, 340, 346–347, 349
 Poker Chip Tool for assessing pain, 347
 posttraumatic stress disorder and, 345
- Children and families of combat-injured service members
 case studies, 508, 509
 Child and Adolescent Psychiatry Service support, 511, 512–513
 child response to events resulting from combat injury (figure), 505
 children in the hospital setting and, 510–512
 children’s activity level and, 511
 comorbid psychiatric symptoms and, 505
 cultural factors, 510
 developmental factors in children’s responses, 513–516
 drawing by the 3-year-old son of severely injured service member (figure), 514
 drawing by the 5-year-old son of severely injured service member (figure), 515
 effect of the injury on the parent/service member, 516–518
 family function effects, 504
 Girls Time Out program, 510
 goals for children of injured service member parents (exhibit), 516
 hospitalization phase of recovery, 508–512
 lack of research on, 504–505
 language barriers and, 510
 level of parental disability and, 504
 limiting and structuring hospital visits for children, 511–512
 long-term rehabilitation and transitions, 517–518
 monitoring children who are vulnerable, 516
 moving from known communities and, 518
 nontraditional families and, 508
 notification of injury, 505–508
 parent-child interaction and, 516–517
 Parent Guidance Assessment–Combat Injury instrument, 513, 521–532
 percentage of service members with children, 504
 presence of children as a complicating factor in care, 508
 Preventive Medical Psychiatry role, 509–510
 “Principles of Caring for Combat-Injured Families and Their Children,” 517, 533–534
 principles of caring for families and children of the combat injured (exhibit), 517
 resources (exhibit), 517
 support to, 512–513
 traumatic brain injury and, 504–505
 treatment facilities’ support of families of the combat injured (exhibit), 512
 vignettes, 507–508, 509, 510, 511–512
- Children and families of fallen service members
 adult grief responses, 546–547
 adult grieving process timeline (table), 546
 Casualty and Mortuary Affairs operation center and, 545
 casualty assistance call officers and, 544
 casualty assistance officers and, 544
 children’s emotional and behavioral responses to death (exhibit), 548
 children’s grief responses, 547–549
 death, illness, or injury of a leader, 551
 death of a spouse or child, 552
 ensuring the accuracy of death notices, 545
 Families First Casualty Call Center and, 545
 grief responses, 546–551
 grief symptoms, 546–547
 health grieving, 546
 literature on, 551, 556–562
 mass casualties, 551
 media and, 552
 military care team, 545–546
 military funerals, 549
 military response to the death of a service member, 544–545
 missing in action, 551
 number of service members who have died in Iraq and Afghanistan as of October 2007, 544
 percentage of service members who are parents, 544
 prisoners of war, 551
 protecting children from media exposure, 547
 resources, 554–562
 special circumstances, 551–552
 suicide, 551
 support services and organizations, 550–551, 554–556
 survivor benefits changes, 545
 traumatic death compared with anticipated death, 549
 traumatic grief, 549–550
 unique aspects of military family loss, 547
- Chloral hydrate, World War I and use of, 152
- Chlorine gas, attacks with during World War I, 597
- CHPPM. *See* U.S. Army Center for Health Promotion and Preventive Medicine
- Cigarette smoking. *See* Tobacco use
- Cisapride, anorexia nervosa treatment, 460
- Citalopram
 anxiety disorder treatment, 253
 bulimia nervosa treatment, 462
 posttraumatic stress disorder treatment, 303
- Civil-Military Relationship in Complex Emergencies*, 620
- Civil War, medical evacuations and, 192
- Clark, D.M.
 cognitive model of trauma, 45
 Cognitive Theory of PTSD, 299–300
 social support effect on posttraumatic stress disorder, 46
- Clifton, Lucille, *Everett Anderson’s Goodbye*, 557

- Clonazepam, insomnia treatment, 159–160
- Clonidine, posttraumatic stress disorder treatment and, 304
- Cocaine, patterns of use, 477
- Cody, Col. Samuel F., use of aircraft for medical evacuations and, 192
- Cognitive-behavioral therapy
 - anorexia nervosa, 459
 - bulimia nervosa, 461, 462
 - panic disorder, 710
 - premenstrual dysphoric disorder treatment, 708
 - psychiatry residency programs and competency in, 677
- Cognitive disorders
 - detained individuals and, 653
 - traumatic injuries and, 245–246, 253–254
- Cognitive impairment
 - alcohol use and abuse and, 474
 - traumatic brain injury and, 231–235, 253
- Cognitive processing therapy, posttraumatic stress disorder, 302, 308, 309, 311
- Cognitive therapy
 - pain management and, 246
 - posttraumatic stress disorder, 302, 304
 - traumatic injury patients and, 252
- Cohen, Judith, *Treating Trauma and Traumatic Grief in Children and Adolescents*, 562
- Cohn, Janice, *I Had a Friend Named Peter: Talking to Children About the Death of a Friend*, 556
- Colbach, Col. Edward, overview of U.S. Army mental health activities in Vietnam, 16
- Combat and operational stress behavior
 - adaptive stress reactions, 63
 - combat and operational stress reaction and, 63–64
 - description, 61, 62
 - impact of combat and operational experiences on all soldiers, 62
 - misconduct behaviors, 64
 - overlap with combat and operational stress reaction, posttraumatic growth, and posttraumatic stress disorder, 64
 - physical and behavioral effects of stress, 61–62
 - postcombat and operational stress and, 62–63, 64
 - potentially traumatic events and, 62
- Combat and operational stress continuum model
 - background and development, 108–110
 - chaplain's role, 117
 - the combat and operational stress continuum model with its four color-coded stress zones (figure), 110
 - the combat and operational stress decision matrix flowchart (figure), 115, 123
 - core leader functions, 112–117, 122, 132
 - decision flowchart for, 114–116, 123
 - “demedicalized” model of combat stress reactions and, 108, 109
 - description, 122
 - distinguishing between normative and abnormal stress reactions, 122–123
 - first aid for stress injuries, 116
 - green “ready” zone description and attributes, 110, 112, 114, 117, 122
 - leadership and, 113
 - “leaky bucket” metaphor for stress (figure), 114
 - “operational stress injury” concept and, 109–110
 - orange “injured” zone description and attributes, 111–112, 115, 117
 - psychological or medical treatment for stress injuries, 116–117
 - red “ill” zone description and attributes, 112, 115–116, 117
 - reintegration of stress casualties, 117
 - stigma and, 117
 - stress mitigation and, 113–114
 - training to strengthen service members, 113
 - unit cohesion and, 113
 - yellow “reacting” zone description and attributes, 110–111, 112, 114–115, 117, 122
- Combat and operational stress control
 - adaptive stress reactions, 63
 - assessments for, 66
 - Battlemind program, 65, 72–74
 - behavioral health treatment component, 69
 - BICEPS principles, 66–68, 108
 - cohesion and morale and, 65
 - combat and operational stress behavior and, 61–64
 - combat and operational stress intervention model (figure), 67
 - combat and operational stress reactions, 63–64
 - combat and operational stressors (exhibit), 61
 - consultation and education component, 68
 - continuum of behaviors, 64
 - definition, 60, 108
 - “demedicalized” model of combat stress reactions and, 108
 - deployment cycle support phases (figure), 65
 - description, 64–65, 69–70
 - 88th Regional Readiness Command COSC program for soldiers and their families, 361–366
 - examples of combat and operational stressors (exhibit), 62
 - functional areas, 68–69
 - goal of, 60, 64
 - indicated interventions, 66
 - interventions, 66–69
 - leadership component, 66, 70
 - management principles, 66–68
 - mental and physical stressors, 61
 - misconduct stress behaviors, 64
 - model of stress and its potential soldier and family outcomes (figure), 63
 - occupational therapy and, 360, 361–366
 - Operation Iraqi Freedom 05-07 and, 142, 143–144
 - postcombat and operational stress and, 64
 - posttraumatic growth and, 62, 64
 - potentially traumatic events and, 61, 62
 - professional disciplines and, 66, 70
 - purpose of, 65
 - reconstitution support and, 69
 - religious and spiritual support and, 66, 70
 - return to duty and, 66, 67, 69
 - selective interventions, 66
 - soldier reconditioning component, 69
 - soldier restoration component, 69
 - sources of stress, 61, 123
 - stabilization component, 69
 - stress threat and, 60–61
 - traumatic events management, 68–69
 - treatment interventions, 66
 - triage for, 69
 - unit needs assessment and, 68
 - universal interventions, 66
- Combat and Operational Stress Control* (Field Manual 4-02.51), 60, 91, 154, 175, 219
- Combat and Operational Stress Control Manual for Leaders and Soldiers* (Field Manual 6-22.5), 60
- Combat and operational stress first aid, principles of, 116, 117
- Combat and operational stress reactions
 - combat and operational stress behavior and, 64
 - incidence of during the Vietnam War, 16
 - new pharmacologic agent use during the Vietnam War, 11–12
 - Operation Iraqi Freedom 05-07 and, 144, 146
 - percentage of battlefield casualties due to, 60
 - return to duty and, 60
 - symptoms, 60

- Combat and Operational Stress/Staff Resiliency program
 - central point of contact for, 222
 - challenges and future directions, 221–222
 - chaplains' role, 219, 220, 221
 - committee meetings, 221
 - confidential visits and, 220
 - daily operations, 221
 - data collection and, 222
 - debriefings, 220–221
 - director for, 220, 221
 - growth of, 222
 - hallway consultations *versus* office visits, 220
 - member dispersal, 221
 - operational stressors and, 219, 222
 - staff resiliency and, 221–222
 - stigma and, 222
 - structure and focus of, 219–221
 - surveys, 221, 222
 - team membership, 220
- Combat driving behaviors, modification of for the home front, 372
- “Combat Duty in Iraq and Afghanistan, Mental Health Problems, and Barriers to Care” (Hoge), 326
- Combat/Operational Stress Control Workload Activity Reporting System, Operation Iraqi Freedom 05-07 and, 139, 144
- Combat Psychiatry* (Glass), 91–92
- Combat Stress Control in a Theater of Operations: Tactics, Techniques, and Procedures* (Field Manual 8-51), 91, 154
- Combat stress control teams
 - chaplains and, 168–169
 - preventive psychiatry missions, 175–176
- COMFORT scale, pain measurement in children, 346–347
- Command interest profile. *See* Unit watch
- Compassion fatigue. *See also* Provider fatigue
 - definition, 378
 - description and causes, 219, 376
 - Figley's model of, 377–378, 385, 387–388
- Compassion stress
 - definition, 377, 378
 - factors contributing to, 378–380
 - provider fatigue and, 378, 379
- Compassion trap, definition, 378
- Compassionate Therapy* (Kottler), 377
- Compazine, as most commonly used psychotropic medication during the Vietnam War, 152
- Complex humanitarian emergencies
 - acute phase issues, 627–628
 - civil-military coordinations: four approaches to liaison arrangements (figure), 624
 - civil-military operations centers and, 623–624
 - clinical expertise and, 629
 - cultural competence and, 620, 629
 - environmental threats and, 626–627
 - event descriptions, 620
 - factors influencing survivor psychic distress, 625
 - gender-based violence and, 626
 - gradient of exposure and, 625
 - grief issues, 627
 - high-risk groups and, 626–627
 - humanitarian space and, 620, 629
 - importance of behavioral health services, 620
 - information sharing and, 623
 - international community and, 621–622
 - key players and, 620–622, 629
 - living conditions and, 626
 - magnitude of personal loss and, 625, 626
 - military support to other players, 622
 - most common behavioral health diagnoses, 627
 - nongovernmental organizations and, 620, 622, 623
 - ongoing threat of armed aggression and, 625
 - operating principles learned from successful civil-military operations centers (exhibit), 624
 - politically mediated excess mortality and morbidity and, 625
 - postconflict environment and, 625–626
 - practical considerations, 623–624
 - principles and practice of civil-military collaboration in behavioral health, 622–624
 - principles of behavioral healthcare in humanitarian environments, 627–628
 - psychic trauma and, 621
 - psychological first aid and, 628
 - reconsolidation phase issues, 628
 - reestablishment of basic services and, 627–628
 - reopening of schools and, 628
 - retributive violence and, 625–626
 - security needs and, 623
 - special behavioral health considerations, 624–627
 - survivor characteristics, 625
 - sustainable economic support programs and, 628
- Composite Health Care System-Interactive Training Tool, Operation Iraqi Freedom 05-07 and, 140
- Comprehensive Behavioral Health System of Care, description, 749–750
- Comprehensive Soldier Fitness program, description, vision, and mission, 748–749
- Computed tomography, traumatic brain injury and, 230
- Concussion. *See* Mild traumatic brain injury
- Confidentiality issues. *See* Privacy and confidentiality issues
- Connor, K., Connor-Davidson Resilience Scale and, 49
- Connor-Davidson Resilience Scale, description, 49
- Consultant to The Surgeon General, U.S. Army. *See also* Office of The Surgeon General
 - assignments and, 184
 - key functions, 184–185
 - location, 184
 - mental health record reviews, 185
 - position description, 184
 - strategic communications, 185
 - tasking for deployment, 184–185
- Contingency aeromedical staging facilities
 - in Afghanistan, 201
 - attendants for psychiatric patients, 200
 - description, 192
 - in Kuwait, 201
 - locations for, 200–201
 - mission of, 200
 - Ramstein Air Base, Germany, facility, 201
 - restraints and, 200
 - staffing composition, 200
- Continuum of care for veterans and their families
 - Battlemind training program and, 332
 - Department of Defense role, 326–336
 - Department of Veterans Affairs role, 326–336
 - Joint Conference on Postdeployment Mental Health and, 330
 - Mental Illness Research, Education, and Clinic Center, 333
 - new programs, 330–333
 - overview of the Department of Veterans Affairs, 326–328
 - Post-Deployment Health Reassessment and, 331–332
 - provisional mental health diagnoses among OEF/OIF veterans presenting for VA medical care (table), 329
 - public health model for deployment mental health, 330–331
 - seamless transition, care management and social work, 327–328
 - Services for Returning Veterans-Mental Health, 332–333
 - services for veterans of OIF and OEF, 329–336
 - state and community partnerships, 334–336
 - U.S. Congress's *Handoff or Fumble? Do DoD and VA Provide*

Seamless Health Care Coverage to Transitioning Veterans? and, 326
Vet Centers and, 327
Controlled Substances Act, 477
Conversion disorders, traumatic injuries and, 253–254
Coping skills training, posttraumatic stress disorder and, 301–302
Coping with Death and Grief (Heegaard), 558
Core leader functions for psychological health
 identify stress reactions, injuries, and illnesses, 114–116
 mitigate stressors, 113–114
 reintegrate stress casualties, 117
 strengthen service members, 113
 treat stress injuries and illnesses, 116–117
Cornum, Brig. Gen. Rhonda, Battlemind program and, 74
Corson, Lt. Col. (Ret.) William, demoralization of soldiers during the drawdown phase of the Vietnam War, 26
COSB. *See* Combat and operational stress behavior
COSC. *See* Combat and operational stress control
COSC-WARS. *See* Combat/Operational Stress Control Workload Activity Reporting System
COSFA. *See* Combat and operational stress first aid, principles of
COSR/SR. *See* Combat and Operational Stress/Staff Resiliency program
COSRs. *See* Combat and operational stress reactions
Covey, Dr. Jane, reunion after deployment workshops and, 574
Covey, Dr. John, reunion after deployment workshops and, 574
Cox, Lt. Col. Anthony, Battlemind program and, 72
COX-2 inhibitors. *See* Cyclooxygenase-2 inhibitors
CPT. *See* Cognitive processing therapy
Creamer, M., posttraumatic stress disorder program evaluation, 310
Criminal Investigations Division, “Summary of Theater Suicides” and, 410–412
Criminal justice system. *See* Forensic mental health care
Croatia, Operation Provide Promise and, 76
CSCs. *See* Combat stress control teams
CT. *See* Cognitive therapy
Cultural factors
 care of combat-injured service members, 510
 detained individuals and, 647, 650, 654
 eating disorders, 453
 hunger strikes and, 654, 655
 presentation of psychosis and, 647
Cyclooxygenase-2 inhibitors. *See also specific drugs*
 pain management and, 343, 344
Cymbalta, depressive disorder treatment, 158
Cyprohepadine, anorexia nervosa treatment, 460

D

Dads at a Distance, Web site, 501
Datel, W.E.
 epidemiological data on the effects of the Vietnam War on the U.S. Army as a whole, 32
 use of psychotropic medications by physicians deployed to Vietnam in 1967, 152–153
Davidson, J.R., Connor-Davidson Resilience Scale and, 49
Davison, E., late-onset stress symptomatology, 306–307
DCoE. *See* Defense Centers of Excellence
DCSP. *See* Deployment Cycle Support Program
DD Form 2624, Specimen Custody Document: Drug Testing, 479–480
Deceased service members. *See* Children and families of fallen service members; Operations involving death and the dead
Defense and Veterans Brain Injury Center
 in-theater management of TBI, 233, 253
 traumatic brain injury definition, 226–227
Defense Centers of Excellence, mission statement, 748
Defense Centers of Excellence for Psychological Health and Traumatic Brain Injury, combat and operational stress continuum model, 108–117
Dehydroepiandrosterone, resilience and, 46, 47
Dementia, suicide and, 426
Dental caries
 causes, 261
 extensive accumulation of bacterial plaque after cessation of oral hygiene (figure), 261
 fluoride and, 261, 264
 plaque accumulation, tobacco staining, gingival inflammation, and generalized caries resulting from a combination of inadequate oral hygiene, tobacco use, and refined carbohydrate intake (figure), 260
 sugar consumption and, 261
Dental erosion, description and causes, 262
Deployment Cycle Support Program
 behavioral health surveillance, 281
 description, 276
 families and, 278–279
 reentry challenges and, 278–281
 return-to-readiness period, 278
 suicide prevention and, 169
Deployment Health Clinical Center, phone number and Web site, 501
Deployment impact on military families and children. *See also* Family maltreatment
 children’s developmental responses, 493–495, 496
 common emotional reactions to each stage of deployment (figure), 489
 “deployment” definition, 488
 deployment stage, 490–491
 effects on spouses, 493, 564
 foreign-born or non-English-speaking spouses and, 488
 intergenerational transmission of the effects of war and combat trauma, 495–497
 late deployment stage, 491–492
 negative emotional and behavioral changes in children during deployment (table), 489
 postdeployment stage, 492–493
 predeployment stage, 489–490
 resources for military families, 500–501
 school enrollment issues, 488
 stages of the deployment cycle, 488–493
 sustainment stage, 491
 varying length of missions, 488
Deployment Risk and Resilience Inventory
 postwar factors, 49
 prewar factors, 48–49
 war-zone factors, 49
Deployment Risk and Resilience Inventory, posttraumatic stress disorder and, 301
Depression. *See also* Major depressive disorder; Postpartum depression; Premenstrual dysphoric disorder
 age of onset, 442
 anorexia nervosa and, 453
 combat and operational stress continuum model red zone and, 112
 complex humanitarian emergency survivors and, 627, 628
 deployment-related stress and, 60
 exercise and, 705
 guidelines on screening for depression in spouses of service members, 538
 oral hygiene and, 264
 percentage of soldiers returning from combat in Iraq and Afghanistan with, 78
 Persian Gulf War veterans with PTSD and, 305
 posttraumatic stress disorder and, 298, 305

- prevalence during Operation Iraqi Freedom, 153
 prevalence of the diagnosis during Operation Enduring Freedom and Operation Iraqi Freedom, 212
 social support and, 46
 suicide and, 395, 410
 symptoms, 707
 traumatic injuries and, 251
 uncontrolled pain and, 246
 Vietnam veterans with PTSD and, 305
 women and, 707–709
- Detainees
 behavioral health issues, 646–656
 Behavioral Science Consultation teams and, 699
 ethical issues, 731–742
 hunger strikes and, 653–656, 739–742
 interrogation and, 732–739
 medical treatment of, 738–739
 nonmedical treatment of, 732–735
 occupational therapy issues, 366–368
 sanity boards on, 695–696
- Developmental responses of children
 to a combat-injured parent, 513–516
 to deployment, 493–495, 496
- Devilly, G., eye movement desensitization and reprocessing, 309
- Dexedrine. *See* Dextroamphetamine
- Dexmedetomidine, pain management and, 344
- Dextroamphetamine, Vietnam War and use of, 152
- DHEA. *See* Dehydroepiandrosterone
- Diagnostic and Statistical Manual of Mental Disorders*, 3rd Edition,
 posttraumatic stress disorder and, 30, 33
- Diagnostic and Statistical Manual of Mental Disorders*, 3rd Edition,
 revised, prevalence of mental health problems in the U.S. Navy
 and, 122
- Diagnostic and Statistical Manual of Mental Disorders*, 4th Edition
 anorexia nervosa definition, 451
 bulimia nervosa definition, 451
 postconcussive disorder diagnosis, 232
 posttraumatic stress disorder and, 109
 secondary trauma and, 377
 severe psychiatric diagnosis basis, 442–446
- Diebold, Col. C.J., Soldier Assistance Center and, 568
- Diphenhydramine agitation treatment, 159
- Disaster psychiatry
 areas for future research, 587–588
 community support, education, and definitive care and, 582
 disaster stress reaction relation to physiological symptoms, 580
 education of disaster psychiatrists and, 588
 essential domains of disaster mental health interventions
 (table), 581
 evolution of the field, 580
 historical background, 580–582
 mental health of disaster workers and, 582
 Project Liberty and, 582
 psychiatric conceptualization of trauma and response, 581–582
 recent missions, 582–587
 research needs, 588
 self-soothing and, 582
 self-triage and, 582
 September 11, 2001, terrorist attacks and, 582, 583–585
 Uniformed Services University of the Health Sciences Disaster
 Psychiatry Fellowship, 680
- Disaster relief. *See* Complex humanitarian emergencies; Humanitarian assistance missions
- Disengagement/detachment
 definition, 378
 provider fatigue and, 378, 379
- Dissociative disorders, fitness for duty and, 180
- Division mental health units
 Army regulation outlining responsibilities, 90
 combat operational stress course and, 98
 current structure of (figure), 91
 future directions for, 102
Military Medicine articles, 92
 mission and role of, 91
 modular structure, 90–91, 92, 102
 “ownership” by the division and, 101
 pre- and post-deployment screening and, 96
 preventive psychiatry missions, 175–176
 prior structure of (figure), 90
 responsibilities, 92
 traumatic event response and, 97
- Division psychiatrists and brigade behavioral health officers
 access to mental health technicians and, 101
 administrative duties, 99–100
 advice and consultant role, 93
 AMEDD principles of treatment, evacuation, and restoration
 and, 93
 Army Behavioral Health Short Course and, 98
 Army regulation outlining responsibilities, 90
 assumption of unanticipated roles and, 101
 case studies, 94, 97
 challenges of the position, 100–103
 clinician role, 93
 commanders’ expectations, 93–94
 consultations to commanders and command surgeons on
 behavioral health trends and issues and, 97–98
 continuing education and, 98
 coordination of behavioral health resources and, 101
 coordination of external resources and, 96–97
 direct care of patients and, 99
 discretionary and nondiscretionary referrals and, 99–100
 distribution of resources and, 94
 doctrine on responsibilities, 91–92
 duties and responsibilities, 94–100, 185
 duties and responsibilities of the unit behavioral health officer
 (exhibit), 95–96
 future directions for, 102
 as junior officers, 93, 100–101
 licensure requirements, 93
 personnel issues, 101–102
 perspectives on the position of the division psychiatrist (figure), 93
 perspectives on the positions, 92–94
 planning and oversight for behavioral healthcare and, 94,
 96–97
 pre- and post-deployment screening and, 96
 primary care providers and, 98–99
 psychotropic medications and, 94, 96
 role as officers in the unit, 100
 supervision of enlisted mental health technicians and, 98
- Divorce
 hospitalization of combat-injured service members and,
 508–509
 Operation Iraqi Freedom and Operation Enduring Freedom
 and rates of, 277
 posttraumatic stress disorder and, 307
 “stress hypothesis” of, 538–539
 suicide and, 426
- DMHs. *See* Division mental health units
- DoD. *See* U.S. Department of Defense
- DoDSERs. *See* U.S. Department of Defense, Suicide Event Reports
- Domestic violence. *See* Family maltreatment
- Donald J. Cohen National Child Traumatic Stress Initiative, description of services, 500
- Dopamine, eating disorders and, 452
- Drawdown phase of the Vietnam War, 1969–1972

behavior problems and misconduct, 27, 32, 33
biopsychosocial stressors and, 25–26
cultural polarization and, 22–24
demoralization of soldiers and, 25–26
ethics of combat psychiatry and, 24–25
evacuations for psychiatric reasons, 26–27, 34
heroin epidemic, 27–28
My Lai massacre and, 22
negative effects of the abandonment of hopes for military victory, 22
Nixon’s “peace with honor,” 21
psychiatric overview, 26–28
psychiatrist reports, 28–29
“Vietnamization” concept, 21
Drinking behavior. *See* Alcohol use and abuse
DRRI. *See* *Deployment Risk and Resilience Inventory*
DSM-III. *See* *Diagnostic and Statistical Manual of Mental Disorders*, 3rd Edition
DSM-III-R. *See* *Diagnostic and Statistical Manual of Mental Disorders*, 3rd Edition, revised
Dual agency
graduate medical education and, 670, 679, 686
malingering and, 697–698
psychiatric consultation to command and, 182–183
Duckworth, Liz, *Ragtail Remembers--A Story That Helps Children Understand Feelings of Guilt*, 556–557
Duloxetine
pain management and, 344
posttraumatic stress disorder treatment, 303
Dunmore, E., social support effect on posttraumatic stress disorder, 46
Durkheim, Emile, suicide research, 404
DVBIC. *See* Defense and Veterans Brain Injury Center
Dyergrov, A., support for disaster workers, 255
Dysthymic disorder, in-theater treatment, 158–159

E

Earthquake disaster relief, description and factors in, 641
EAT model
description, 385
visual description (figure), 385
Eating disorder not otherwise specified
binge eating disorder and, 452, 462
deployment and, 463
examples of, 452
military population statistics, 456
mortality rate, 455–456
normal weight and, 454
prevalence of, 450, 452
treatment, 462
Eating disorders. *See also specific disorders*
biological factors, 452–453
body mass index and, 452, 454, 458
body weight “set point” or “settling point” and, 453
clinical features, 454–455
course and prognosis, 455–456
cultural factors, 453
deployment issues, 450, 463–464
description, 450
differential diagnosis, 455
etiology of, 452–454
excessive exercise and, 454
family factors, 453
future research needs, 463–464
genetic factors, 452–453
hidden nature of, 454
ideal body image as portrayed in the media, 450

laboratory studies, 455
medical and psychiatric treatment, 458–462
medical findings, 454–455
mortality rates, 464
obesity increase, 450
oral health effects of, 263–264
overview of, 450–452
personal fitness assessments and, 450, 456, 457, 463, 704
posttraumatic stress disorder and, 464
psychological factors, 453
rate of in the military, 450
research on abnormal eating in the military, 456–458
social factors, 453
summary of abnormal eating behavior studies in military populations (table), 457
treatment issues in the combat environment, 462–463
underdiagnosing of, 450
EDNOS. *See* Eating disorder not otherwise specified
Education and training
behavioral health liaison project, 573
disaster psychiatrists, 588
military psychiatrist graduate medical education, 670–689
Ehlers, A.
cognitive model of trauma, 45
Cognitive Theory of PTSD, 299–300
social support effect on posttraumatic stress disorder, 46
88th Regional Readiness Command COSC program
activity summary, April 2003–December 2006 (table), 364
bereavement support, 365–366
community outreach and, 366
core features, 364
deployment cycle support briefings (exhibit), 367
description, 363
educational stress briefings, number of participants, 2003–2007 (figure), 363
expected outcomes, 363–364
family readiness groups and, 364
first responder training (exhibit), 365
goals of, 363
stress reduction techniques and, 364
well-being program, 364–365
Ellison, Chaplain James, death of a parent as a life-changing experience on three levels, 549
EMDR. *See* Eye movement desensitization and reprocessing
Emotional contagion, definition, 376, 377
Empathic ability
definition, 378
provider fatigue and, 378, 379
Empathic concern, definition, 377
Empathic responses
definition, 378
provider fatigue and, 378, 379
Empathic supportive exposure therapy, trauma patients and, 249, 252
Employment issues
job fairs for military spouses, 572–573
provider fatigue, 382
work reintegration programs, 361, 369–371
Enemy Prisoners of War, Retained Personnel, Civilian Internees, and Other Detainees (Army Regulation 190-8), 101
Engel, C.C., article on division mental health units, 92
EPICONS. *See* Epidemiological consultations
Epidemiological consultations
activities on the ground, 416
agencies involved, 415
basic questions, 417–418
basic strategies, 417
common behavioral health epidemiological consultation

- themes (table), 413
 - common findings, 418
 - daily situation reports and, 417
 - data sources, 416–417
 - description and background, 412–415, 418–419
 - “epi-curve” and, 418
 - Fort Bragg, NC, 414
 - Fort Campbell, KY, 414
 - Fort Leonard Wood, MO, 413–414
 - Fort Riley, KA, 414
 - G-1 responsibilities, 415
 - index cases, 418
 - initiation of, 415–416
 - media attention and, 418
 - methods in, 417–418
 - operational support for, 415–416
 - psychiatric EPICONS in the U.S. Army, 412–418
 - resources for, 414–415
 - results and lessons learned, 418
 - of suicide and homicide clusters, 77
 - suicide prevention, 406
 - team membership, 415
 - timeline for, 415
 - writing the report for, 418
 - Equanil, use of during the Vietnam War, 152
 - Escitalopram, posttraumatic stress disorder treatment, 303
 - Ethical issues
 - deployment phase, 731–742
 - detainees, 731–742
 - distress of deployment, 730
 - ethics of combat psychiatry, 24–25
 - interrogation of detainees, 732–739
 - medical treatment of detainees, 738–739
 - pain management, 349–350
 - postdeployment phase, 742–744
 - predeployment phase, 728–731
 - psychiatric consultation to command and, 182–184
 - psychotropic medication prescribing, 160
 - recruitment goals, 728–729
 - traumatic brain injury, 743
 - treatment concerns, 729–731
 - treatment decisions made “outside the box,” 743–744
 - verbal dissent by soldiers, 742
 - vignettes, 731
 - Ethnic factors. *See* Racial/ethnic factors
 - European Community Humanitarian Office, complex humanitarian emergencies and, 621
 - Everett Anderson’s *Goodbye* (Clifton), 557
 - Eye movement desensitization and reprocessing, posttraumatic stress disorder treatment, 302, 304, 308, 309
- F**
- Faces Scale, pain assessment, 347
 - Facing Change: Falling Apart and Coming Together Again in the Teen Years* (O’Toole), 560
 - The Fall of Freddie the Leaf* (Bascaglia), 557
 - Fallen service members. *See* Children and families of fallen service members; Operations involving death and the dead
 - Families. *See also* Children; Children and families of combat-injured service members; Children and families of fallen service members; Deployment impact on military families and children
 - Battlemind program for spouses, 72, 80–81, 332
 - continuum of care for veterans of OIF and OEF and, 326–336
 - eating disorders and, 453–454
 - 88th Regional Readiness Command COSC program and, 363–366
 - family support link to resilience, 52
 - model of stress and its potential soldier and family outcomes (figure), 63
 - posttraumatic stress disorder and, 306, 307, 312
 - prolonged grief disorder and, 348
 - resetting the force and, 276, 277, 280–281, 284
 - supportive counseling for, 254–255
 - traumatic injuries and, 247, 253–255
 - United Kingdom armed forces’ research on the impact of military service on family life, 663
 - Family Advocacy Program
 - case review process, 536–537
 - description, 536
 - New Parent Support Program, 539
 - objective of, 536
 - sources of reports of abuse incidents, 536
 - Family maltreatment. *See also* Deployment impact on military families and children
 - Army’s response to family stress and deployment, 539–540
 - chaplains and, 539
 - child maltreatment, 537–538
 - child neglect, 538
 - communicating with the deployed person and, 536
 - definition of, 536
 - domestic violence, 306, 536–537
 - Family Advocacy Program and, 536–537, 538, 539, 540
 - family readiness support assistants and, 539
 - marriage and family therapy, 540
 - military life effect on, 537–538
 - prevalence of, 537–538
 - respite care for parents of children while the other parent is deployed, 540
 - “stress hypothesis,” 538–539
 - stress of deployment and, 536–540
 - traumatic brain injury and, 711
 - Family readiness groups
 - behavioral health liaison project and, 572, 573
 - 88th Regional Readiness Command COSC program and, 364
 - family readiness group briefing topics (exhibit), 572
 - Family therapy
 - anorexia nervosa, 459
 - family maltreatment and, 540
 - FAP. *See* Family Advocacy Program
 - Farberow, Norman, key concepts in suicide, 404, 405
 - Farmer, Maj. Gen. Kenneth, Jr., Suicide Risk Management and Surveillance Office and, 397
 - FDA. *See* U.S. Food and Drug Administration
 - Federal Child Abuse Prevention and Treatment Act, 536
 - Federal Tort Claims Act, malpractice lawsuits and, 436
 - Fellowship programs
 - child and adolescent psychiatry, 680
 - geriatric psychiatry, 680
 - Military Forensic Psychiatry, 697
 - Fenfluramine, bulimia nervosa treatment, 462
 - Fentanyl, drug tests and, 477
 - Feres doctrine, malpractice lawsuits and, 436, 437
 - Ferguson, Dorothy, *A Bunch of Balloons*, 556
 - Field, N.P., bereavement and posttraumatic stress disorder, 306
 - Field Manual 6-22.5: *Combat and Operational Stress Control Manual for Leaders and Soldiers*, 60
 - Field Manual 8-51: *Combat Stress Control in a Theater of Operations: Tactics, Techniques, and Procedures*, 91, 154
 - Field Manual 4-02.51: *Combat and Operational Stress Control*, 60, 91, 144, 154, 175, 219
 - Figley, Charles, compassion fatigue model, 377–378, 385, 387–388
 - Finding My Way: A Teen’s Guide to Living With a Parent Who Has Experienced Trauma* (Sherman and Sherman), 560
 - Fire in My Heart, Ice in My Veins--A Journal for Teenagers Experiencing Loss* (Traisman), 559

Firearms access
 posttraumatic stress disorder and, 306
 unit watch and, 424, 425, 435

Fisher, Lt. Cdr. H.W., account of his Vietnam War experience, 29

Fitzgerald, Helen, *The Grieving Teen: A Guide for Teenagers and Their Friends*, 559

Fluoxetine
 anorexia nervosa treatment, 460
 bulimia nervosa treatment, 462
 depressive disorder treatment, 158
 posttraumatic stress disorder treatment, 303, 308
 safety of use during pregnancy, 709

Flutamide, bulimia nervosa treatment, 462

Fluvoxamine, bulimia nervosa treatment, 462

Foa, E.
 fear-related memories and PTSD, 299
 prolonged exposure treatment, 302

Forbes, D., imagery rehearsal therapy, 309

Force feeding, hunger strikes and, 655–656, 739–742

Forensic mental health care
 Article 32 investigations, 695
 behavioral science consultation teams, 699–700
 board certification requirements, 697
 case studies, 695, 697, 698, 699
 core topics, 694
 criminal justice system and, 694–697
 detainees and, 695–696
 expert consultants and expert witnesses, 696–697
 Fifth Amendment of the Constitution and, 695
 forensic psychiatry in the military compared with the civilian world, 694
 insanity defense and, 695
 levels of courts-martial and, 694–695
 malingering, 697–698
 military law and, 694–695
 Military Rules of Evidence and, 694, 696
 psychological autopsies after suicides, 698–699
 “sanity boards” and, 695–696

Formulary of medications
 example psychiatric formulary for deployment (table), 155
 Operation Iraqi Freedom 05-07 and, 139
 pain management medications, 348
 rationale for using for military operations, 153–154

Fort Bragg, NC
 cluster of suicides and homicides, 77
 EPICON following two murders and two murder-suicides, 414, 418

Fort Campbell, KY, EPICON following 14 soldier suicides between 2006 and 2007, 414, 418

Fort Carson, CO, EPICON focusing on homicides, 414

Fort Hood, TX, EPICON following 22 suicides between 2003 and 2005, 414, 418

Fort Leonard Wood, MO, EPICON following the deaths of two recruits by suicide, 413–414, 418

Fort Lewis, WA, Soldier Wellness Assessment Pilot Program, 282–284

Fort Riley, KA, EPICON following six suicides in 14 months, 414, 418

Fractures, anorexia nervosa and, 454

Frank, Jerome, resilience and, 330

Freedom of Information Act, 698

Freud, Sigmund, psychiatric conceptualization of trauma and response, 581–582

FRGs. *See* Family readiness groups

Friedman, Matthew, M.D., PhD., instruction of primary care providers at Schofield Barracks and, 568

Friedman, M.J., disaster psychiatry research, 581

Fry, Virginia Lynn, *Part of Me Died, Too: Stories of Creative Survival*

Among Bereaved Children and Teenagers, 559

Fullerton, C.S., disaster psychiatry research, 581

G

G-1
 Army Suicide Prevention Program, 405, 406, 409
 epidemiological consultations, 415

Gabapentin
 mechanism of action, 344
 pain management and, 343, 344

Gabriel, R.A., incidence of soldiers attacking their superiors (“fragging”), 25

Galai-Gat, T., uncontrolled pain as a stressor, 246, 249

Galanin, resilience and, 46, 47

Galveston Orientation and Amnesia Test, traumatic brain injury and, 231

Gambling. *See* Pathological gambling

Garfield, R.M., World War I and World War II casualty rates, 625

Gastroesophageal reflux disease
 oral health and, 262
 treatment, 262

Gastrointestinal disorders
 anorexia nervosa and, 454
 bulimia nervosa and, 455

Gaynes, B.N., suicide research, 395

GCS. *See* Glasgow Coma Scale

Gender factors. *See also* Men; Women
 anxiety disorders, 709
 bipolar disorder, 709
 depression, 707
 personal fitness assessments, 704
 posttraumatic stress disorder, 709
 seasonal affective disorder, 707
 traumatic brain injury, 710–711, 710–712

Generalized anxiety disorder. *See also* Anxiety disorders
 in-theater treatment, 159
 percentage of soldiers returning from combat in Iraq and Afghanistan with, 78
 posttraumatic stress disorder and, 303, 305
 prevalence during Operation Iraqi Freedom, 153
 treatment, 253, 303

Genetic factors
 Alzheimer’s disease, 396
 eating disorders, 452–453
 pain management, 345–346
 posttraumatic stress disorder, 46

Geneva Agreement, Vietnam War and, 12

Geneva Conventions, treatment of POWs, 731

Geodon, psychotic disorder treatment, 159

Geranium Morning (Powell), 557

GERD. *See* Gastroesophageal reflux disease

Gingivitis
 management of, 265–266
 oral hygiene and, 265

Ginsburg, Kenneth R., *A Parent’s Guide to Building Resilience in Children and Teens: Giving Your Child Roots and Wings*, 561

Girls Time Out program, mission and description, 510

Giuliani, Mayor Rudolph, effectiveness of communications after the September 11, 2001, terrorist attacks, 595

Glasgow Coma Scale, traumatic brain injury and, 227, 231

Glass, Col. Albert
 Combat Psychiatry, 91–92
 combat stress control teams and, 176
 Neuropsychiatry in World War II, 5, 91
 PIES principles, 5, 6, 108

Glicker, D., *Learning from Resilient People: Lessons We Can Apply to Counseling and Psychotherapy*, 168

- Gliko-Brado, Majel, *Grief Comes to Class: An Educator's Guide*, 561
- Global Patient Movement Requirements Center
 coordination with the Joint Patient Movement Requirement Centers to establish CONUS destinations for patients, 202
 role and responsibilities, 195
- Global war on terror
 behavioral science consultation teams and, 699
 graduate medical education and, 673
 increase in behavioral health problems and, 672
 posttraumatic stress disorder treatment and, 688
 resetting the force and, 276, 284
 special forces operations, 278
 Support Assignment orders, 131
 U.S. Navy and, 122, 128
- Glynn, S.M., imaginal exposure for PTSD, 309
- GME. *See* Graduate medical education
- GOAT. *See* Galveston Orientation and Amnesia Test
- Goiania, Brazil, radiological contamination accident
 depression and anxiety in victims, 599
 long-term effects, 601
 outbreak of multiple unexplained symptoms and, 598
 psychological casualties, 597
 screening for radiation exposure and, 599
- Gold Star Wives of America
 description and services, 550, 555
 Web site, 555
- Goldberg, G., provider fatigue and, 381–382
- Goldman, Linda
Life and Loss: A Guide to Help Grieving Children, 560
Raising Our Children to Be Resilient, 560
- Goldstein, R.B., suicide research, 395
- Gonzales, L., survival skills, 51
- A Good Day* (Henkes), 556
- Gootman, Marilyn, *When a Friend Dies: A Book for Teens about Grieving and Healing*, 559
- Gourevitch, P., gender-based violence in Rwanda, 626
- Government Accountability Office
 COSC-WARS reporting system and, 144
 pre- and post-deployment screening and, 96
- GPMRC. *See* Global Patient Movement Requirements Center
- Graduate medical education
 ACGME competencies and, 675
 American Council of Graduate Medical Education accreditation and, 670, 671, 673, 675, 676, 678, 680, 681, 688
 American Council of Graduate Medical Education Accreditation history of U.S. military psychiatry residencies (table), 671
 American Council of Graduate Medical Education competencies (exhibit), 675
 as an essential aspect of military medicine, 670, 688
 annual common task training, 670
 case studies, 683–684, 687
 characteristics of military psychiatrists, 686–687
 closure of psychiatry residency programs, 671–672
 completion requirements, 678
 contracting to civilian schools, 687–688
 core competencies, 676–677
 curriculum, 675–680
 Department of Defense command-directed mental health evaluations and, 683
 deployment to combat zones and, 673
 development of appropriate attitudes, 686–687
 didactic learning and, 678
 documents and reports prepared by military psychiatrists (exhibit), 685
 dual agency and, 670, 679, 686
 faculty development, 674–675
 general psychiatry residency curriculum, 677–678
 a graphic timeline of accredited U.S. military psychiatry programs (figure), 672
 historical background, 670–672
 interpersonal skills and, 684
 issues emphasized in the military psychiatry curriculum, 679
 knowledge aspects, 681–684
 length of residency programs, 677
 managed care and, 673, 677
 military performance rating system and, 685–686
 military psychiatrists as military officers, 679
 military psychiatrists compared with civilian psychiatrists, 684–685
 military psychiatry curriculum, 679–680
 military structure and, 679
 military-unique tasks, 670
 mission performance relevance, 680–687
 official documents with which U.S. Army psychiatrists should be familiar (table), 682
 postresidency fellowships, 680
 primary mission of, 670
 program director role, 673–674
 program leadership, 672–675
 psychotherapy competencies, 677
 recruitment and retention of faculty and, 673–675, 688–689
 research and scholarly activity, 678–679
 residency review committees and, 676, 678, 680
 Rule for Court-Martial 706 evaluations and, 670
 skills required of military psychiatrists, 684–686
 summary of American Council of Graduate Medical Education Residency Review Committee requirements for psychiatry residents, as of 2007 (exhibit), 678
 team learning, practice, and interpersonal communication, 676–677
 technical skills requirements, 685
 unique skills required of military psychiatrists (exhibit), 684
 unit commanders and, 684
 unit structure and dynamics and, 679
 vignettes, 686, 687
- Grenier, Lt. Col. Stephane, “operational stress injury” concept and, 109
- Grief. *See* Bereavement; Children and families of fallen service members
- Grief Comes to Class: An Educator's Guide* (Gliko-Brado), 561
- The Grieving Teen: A Guide for Teenagers and Their Friends* (Fitzgerald), 559
- Gritzner, S., zinc deficiency in anorexia nervosa and, 460
- Gross, Michael, military medical ethics, 732, 733
- Group for the Advancement of Psychiatry, effectiveness of preventive psychiatry, 172
- Group therapy, trauma patients and, 249, 252
- GTO program. *See* Girls Time Out program
- Guanfacine, posttraumatic stress disorder treatment and, 304
- A Guide for the Survivors of Deceased Army Members*, 544
- Guide to the Prevention of Suicide and Self-Destructive Behavior* (PAM 600-70), 405
- Guidelines on the Use of Military and Civil Defence Assets in Disaster Relief*, 622
- Gulf War syndrome
 description, 600
 expert witness testimony and, 696
- Gull, Sir William, anorexia nervosa description, 450
- Gusman, Frederick, MSW, instruction of primary care providers at Schofield Barracks and, 568
- GWOT. *See* Global war on terror
- H**
- Haas, D.M., survey of pregnant military and civilian women to

- measure stress levels, 493
- Haiti, Operation Uphold Democracy and, 76
- Haldol, psychotic disorder treatment, 159
- Hall-Jones, P., nongovernmental organizations, 622
- Haloperidol
 - pain management and, 348
 - psychotic disorder treatment, 159
- Hanson, Frederick, forward treatment of combat stress, 5
- Harman, D.R., aeromedical evacuation of psychiatric patients, 203
- Harris Poll, of Vietnam veterans, 30
- Harvey, C., supportive counseling for families, 254–255
- Hatkoff, Craig, *Owen & Mzee*, 558
- Hatkoff, Isabella, *Owen & Mzee*, 558
- Hawaii, integrated behavioral health services at Schofield Barracks, 564–575
- The Healing Your Grieving Heart Journal for Teens* (Wolfelt and Wolfelt), 559
- Health Affairs Policy 9700029, substance abuse care for active duty service members, 481
- Health Insurance Portability and Accountability Act, impact on psychiatric consultation to command, 183–184
- Health Risk Appraisal questionnaires, description, 281
- Heegaard, Marge Eaton, *Coping with Death and Grief*, 558
- Helicopter ambulances, Vietnam War and, 14
- Helping Children Cope With the Loss of a Loved One: A Guide for Grownups* (Kroen), 560
- Helping Children Grieve & Grow--A Guide for Those Who Care* (O'Toole), 561
- Henkes, Kevin, *A Good Day*, 556
- The Hero in My Pocket* (Lee), 558
- Heroin
 - drug tests and, 477
 - postdeployment effects of use, 28
 - Vietnam War and use of, 24, 25, 27–38, 34, 152
- Heyman, R.E., relationship between the length of deployment and spousal aggression, 537
- Hill, J.V., guidelines for psychiatry residents on becoming a division psychiatrist, 92
- Hillbom, M., relationship of alcohol use to trauma, 233
- HIPAA. *See* Health Insurance Portability and Accountability Act
- Historical background
 - aeromedical evacuations, 192–194
 - Army psychiatry in the Vietnam War, 11–12
 - Battlemind program, 72
 - chaplains, 164–165
 - combat and behavioral health, 4–7
 - combat and operational stress continuum model, 108–110
 - community mental healthcare in the military, 564
 - disaster psychiatry, 580–582
 - family notification of combat deaths, 544
 - graduate medical education, 670–672
 - humanitarian assistance missions, 610–615
 - occupational therapy, 358–359, 373
 - Operational Stress Control and Readiness program, 126–127
 - pain management, 347
 - psychiatric command consultation, 172–173
 - psychiatry volumes of the textbooks of military medicine, 5–6
 - Special Psychiatric Rapid Intervention Teams, 124
 - suicide prevention in the Army, 404–405
 - Suicide Risk Management and Surveillance Office, 397
 - United Kingdom armed forces behavioral health, 658–660
 - U.S. Navy carrier psychology program, 125–126
 - use of psychotropic medications, 152–154
- Hoge, Col. Charles
 - Battlemind program and, 72, 332
 - “Combat Duty in Iraq and Afghanistan, Mental Health Problems, and Barriers to Care,” 326, 330
 - posttraumatic stress disorder research, 233, 329
 - prevalence of mental health problems among soldiers returning from OEF, 333, 564
 - stigma attached to seeking help, 568
 - trauma patients’ perception of psychiatry, 246
- Holloway, Col. Harry C., survey of illegal drug use in the Vietnam War, 11, 28
- Homicide
 - access to lethal means and, 437
 - EPICONS concerning, 414
 - managing suicide and homicide risk during deployment (table), 435
 - managing suicide and homicide risk in garrison (table), 427
 - “military-specific homicidal ideation” and, 425
 - risk factors, 437
 - suicidal or homicidal thoughts association with diagnosable mental illness, 424
 - unit watch concept and, 424–438
 - WRAIR epidemiological consultations of homicide clusters, 77
- HOOAH4HEALTH--Deployment, Web site, 501
- Horowitz, M.J., bereavement reaction to traumatic injury, 246
- How Do We Tell Children: Helping Children Understand and Cope When Someone Dies* (Lyons and Schaefer), 561
- How It Feels When a Parent Dies* (Krementz), 558–559
- How to Go on Living When Someone You Love Dies* (Rando), 561
- How to Help Children Through a Parent’s Serious Illness* (Bonn and McCue), 517
- HRA I and II. *See* Health Risk Appraisal questionnaires
- Huebner, A.J., adolescents’ responses to deployment, 494
- Hughes, J., provider fatigue and, 381–382
- Hughes, Lynne, *You Are Not Alone: Teens Talk About Life After the Loss of a Parent*, 559–560
- Humanitarian assistance missions. *See also* Complex humanitarian emergencies; Medical civil-military operations in Operation Iraqi Freedom 05-07; *specific missions and locations*
 - civil dimensions, 611
 - earthquake disaster relief, 641
 - historical background, 610–615
 - importance of healthcare and, 610–611
 - purpose of, 610
- Hunger strikes
 - assessment issues, 654–655
 - autonomy of the individual and, 739–742
 - behavioral healthcare providers and, 739–742
 - competence to fast and, 654
 - consultation with command, 655–656
 - cultural factors, 654, 655
 - daily reassessment of emotional and cognitive status, 654–655
 - depression and, 655
 - differential diagnosis, 653
 - ethical issues, 739–742
 - focus of psychological management, 655
 - follow-up assessments, 655
 - force feeding and, 655–656, 739–742
 - informed consent and, 654
 - initial interview and, 654
 - international standards for treatment, 654
 - intervention, 655
 - observation and, 654
 - political nature of, 654
 - primary care providers and, 654–655
 - reactive food refusal and, 654
 - theater policy and, 654
 - typical protocol for, 654
- Hurricane Andrew, Special Psychiatric Rapid Intervention Teams role, 124
- Hurricane Ivan, Special Psychiatric Rapid Intervention Teams role, 124
- Hurricane Rita. *See* Hurricanes Katrina and Rita

- Hurricanes Katrina and Rita
 disaster response, 586
 Disaster Response Teams and, 636
 health surveillance by the CDC, 586–587
Mercy model of population-based disaster relief and, 635
 Project Recovery and, 587
 Special Psychiatric Rapid Intervention Teams role, 124
- Hyams, K.C., reporting of mental health problems by OIF/OEF veterans, 329
- Hydromorphone, drug tests and, 477
- Hypnotherapy, trauma patients and, 249
- ## I
- I Don't Have an Uncle Phil Anymore* (Pellegrino), 557
- I Had a Friend Named Peter: Talking to Children About the Death of a Friend* (Cohn), 556
- I Miss You--A First Look at Death* (Thomas), 557–558
- ICD-CM. *See International Classification of Disease, 9th Edition, Clinical Modification*
- Illegal drugs. *See also* Substance use and abuse; *specific drugs*
 “Amnesty Program” and, 28
 Army Forensic Drug Testing Program, 141–142
 Controlled Substances Act and, 477
 Korean conflict and use of, 32
 urine drug screening system and, 25, 28
 Vietnam War and use of, 11, 17, 20–21, 24, 25, 27–28, 32, 34, 152
- Imagery rehearsal therapy, posttraumatic stress disorder and, 309
- In an Instant: A Family's Journey of Love and Healing* (Woodruff and Woodruff), 517
- Indian Ocean tsunami
 description, 634, 639
 just-in-time training and, 586
Mercy model of population-based disaster relief and, 634–644
 number of dead and missing, 585
 operating environment, 620
 Operation Unified Assistance and, 585, 634, 636
 Project HOPE and, 585, 587
- Individual augmentation
 administrative issues, 131
 description, 128–129
 distance from Navy Medicine infrastructure and, 131
 family support and, 131
 isolation issues, 130–131
 training and deployment cycle and, 129–130
 unit cohesion and, 130–131
 Warrior Transition Program and, 129–130
- Indonesia. *See* Indian Ocean tsunami; *Mercy* model of population-based disaster relief
- Infants. *See also* Pregnancy
 effects of deployment on, 493
 grief responses, 547
 response to a combat-injured parent, 513–514
- Informed consent
 hunger strikes and, 654
 use of psychotropic drugs during pregnancy and, 708
- Ingraham, L.H., heroin use during the Vietnam War, 27–28
- Ingram, Lee M., *That's My Hope: Featuring a Gallery of Multigenerational Artwork*, 517
- Insanity Defense Reform Act, provisions, 695
- Insomnia
 behavioral interventions for, 159
 in-theater treatment, 159–160
 nursing care and, 250, 252
 relaxation techniques and, 250
 sleep hygiene and, 250
 trauma patients and, 250
 uncontrolled pain and, 246
- Institute of Medicine
 Committee on Treatment of Posttraumatic Stress Disorder, 309
 Web site, 501
- Integrated behavioral health services at Schofield Barracks, HI
 ages and gender of children evaluated at Solomon Elementary School in the Solomon Wellness Educational Program, from August 2001 to February 2007 (figure), 571
 algorithms for calculating provider numbers (exhibit), 567
 allocation of mental health resources within the Army system and, 575
 Army Community Service and, 565, 571
 behavioral health liaison project, 571–575
 Child and Adolescent Psychiatry Service and, 565
 conflict within, 575
 early efforts, 565–566
 family readiness group briefing topics (exhibit), 572
 family readiness groups and, 565, 572
 monthly patient or client visits in the three Soldier and Family Assistance Center clinics, January 2005 to November 2006 (figure), 569
 projected demand for providers based on population (table), 568
 quality of welcome by unit in the behavioral health liaison project (figure), 572
 recommendations developed from the program, 575
 school-based mental healthcare, 569–571
 Soldier and Family Assistance Center and, 565, 566–569, 575
 Soldier and Family Assistance Center five areas of care (exhibit), 567
 Solomon Wellness Educational Program, 569–571
 Tripler Army Medical Center and, 565
- InterAction, description, 622
- Intergenerational trauma transmission
 family communication patterns and, 496–497
 Holocaust survivors and, 495
 mechanisms of, 496
 veterans' posttraumatic stress disorder and, 495–496
- International Association for the Study of Pain, pain definition, 341
- International Classification of Disease, 9th Edition, Clinical Modification*, posttraumatic stress disorder and, 30, 77
- International Classification of Disease, 10th Edition, Clinical Modification*, postconcussive disorder and, 232
- International Medical Corps, medical civil-military operations in Operation Iraqi Freedom 05-07 and, 616
- International Organization for Migrations, complex humanitarian emergencies and, 621
- International Red Cross and Red Crescent Movement. *See also* American Red Cross
 complex humanitarian emergencies and, 621
 entities comprising, 621–622
 observer status at the United Nations, 622
- Interpersonal therapy, anorexia nervosa, 459
- Interpreters. *See* Translators
- Interrogation of detainees
 improving conditions over time, 734–735
 international codes and, 735
 limits on, 733–734
 military medical care provider involvement and, 735–739
 permitted interrogation approaches, 732–734
 persons' dignity and, 733
- IPT. *See* Interpersonal therapy
- Iraq. *See also* Operation Iraqi Freedom; Operation Telic
 civilian deaths in Haditha, 148, 778
- IRCRM. *See* International Red Cross and Red Crescent Movement
- Ireland, UK Operation Banner and, 658
- Israel, symptoms of Israeli civilians near Scud missile attacks, 580,

596, 598
 Israeli Defence Forces
 anorexia nervosa among female soldiers, 459
 combat stress reactions and casualty rate, 52
 operational use of tricyclic antidepressants during the war with Lebanon, 153
 posttraumatic stress disorder and, 496
 Iverson, G.L., traumatic brain injury research, 231
 Ivins, B.J., trends in TBI-related hospitalizations, 226

J

Janet, Pierre, psychiatric conceptualization of trauma and response, 581–582
 Japan
 atomic weapons dropped on Hiroshima and Nagasaki, 599–600, 601
 Aum Shinrikyo cult's sarin attack on the Tokyo subway system, 594, 597, 598, 599, 601–602
 Japanese International Cooperation Agency, complex humanitarian emergencies and, 621
 Jaycox, L., prolonged exposure treatment, 302
 Jensen, P.S., children's responses to deployment, 494
 Jobs. *See* Employment issues
 Johnson, A.W., Jr.
 overview of Army psychiatry in Vietnam, 11, 15, 26, 27
 use of psychotropic medications by physicians deployed to Vietnam in 1967, 152–153
 Johnson, D.R., inpatient program for posttraumatic stress disorder among Vietnam veterans, 310
 Johnson, Joy, *What Does That Mean? A Dictionary of Death, Dying and Grief Terms for Grieving Children and Those Who Love Them*, 558
 Johnson, Pres. Lyndon, Vietnam War and, 13, 18
 Johnston, J., draft issues during the Vietnam War, 23–24
 Joinson, C., provider fatigue description, 376–377
 Joint Commission, pain management and, 340
 Joint Conference on Postdeployment Mental Health, description and participants, 330
 Joint Patient Movement Requirement Centers
 coordination with the Global Patient Movement Requirements Center to establish CONUS destinations for patients, 202
 tracking of patients, 195
 Jones, Col. Franklin Del
 "evacuation syndromes," 32–33
 military psychiatry textbook, 5–6
 overview of Army psychiatry in Vietnam, 11, 15, 26, 27, 30, 32–33
 War Psychiatry, 108
Just the Facts...Dealing With the Stress of Recovering Human Dead Bodies, 52

K

Kahumbu, Paula, *Owen & Mzee*, 558
 Kang, H.K., reporting of mental health problems by OIF/OEF veterans, 329
 Kanyer, Laurie A., *25 Things to Do: Activities to Help Children Suffering Loss or Change*, 561
 Kauffman, J., social support effect on the development of depression in traumatized foster children, 46
 KBR, Operation Iraqi Freedom 05-07 and, 140, 142
 KC-135 Stratotanker aircraft, aeromedical evacuations and, 195
 KC-10A Extender aircraft, aeromedical evacuations and, 195
 KCMHR. *See* King's Centre for Military Health Research
 Kelley, M.L., children's responses to deployment, 494
 Kennedy, Pres. John F., assassination of, 22, 23
 Kennedy, Robert, assassination of, 23
 Ketamine, pain management and, 344, 348

Kiley, Lt. Gen. Kevin, *Baghdad ER* HBO program and, 147
 King, Rev. Martin Luther, assassination of, 23
 King's Centre for Military Health Research, description and research subjects, 663
 Kirk, Donald, demoralization of troops fighting in Vietnam, 20, 26
 Kirkland, Faris, *War Psychiatry*, 276–277
 Kleiger, J.H., reintegration stress in families, 488
 Kobasa, D.M., "mental toughness" models, 45
 Koenen, K.C., PTSD among Vietnam War veterans, 298
 Kolk, B.A., PTSD treatment modalities, 308
 Korean War
 Americans wounded in action, 13, 14
 combat stress control teams and, 176
 communication issues, 536
 family notification of combat deaths, 544
 fixed tours and, 18
 helicopters used for aeromedical evacuations, 192–193
 illegal drug use and, 32
 indifference of the public toward returning soldiers, 277
 psychiatric casualties, 11, 26
 psychological casualties, 5
 survival rates of those injured in, 226
 Koren, D., posttraumatic stress disorder rates in injured Israeli war veterans, 233
 Kosovo, Operation Joint Guardian and, 76
 Kottler, J.A., *Compassionate Therapy*, 377
 Kozak, M., fear-related memories and PTSD, 299
 Krasney, Laurie, *When Dinosaurs Die: A Guide to Understanding Death*, 557
 Kremetz, Jill, *How It Feels When a Parent Dies*, 558–559
 Kroen, William, *Helping Children Cope With the Loss of a Loved One: A Guide for Grownups*, 560
 Kudler, Dr. Harold, Joint Conference on Postdeployment Mental Health and, 330
 Kulka, R.A., Vietnam veterans with comorbid PTSD and alcohol abuse, 305
 Kurds, Operation Provide Comfort and, 622
 Kussman, Dr. Michael J., VA Seamless Transition Office and, 327
 Kuwait
 arrival of troops for Operation Iraqi Freedom One, 753–754
 contingency aeromedical staging facility, 201
 Saddam Hussein's invasion of, 659

L

Lamberg, L., school enrollment issues, 488
 Land Combat Study
 Battlemind program and, 73
 description, 77–78
 posttraumatic stress disorder diagnosis and, 78
 stigma and barriers to care and, 78
 use in other research areas, 81
 Landsman, I.S., bereavement reaction to traumatic injury, 246
 Landstuhl Regional Medical Center
 augmentees as staff, 214–215
 case studies, 212–213, 216–217
 catchment area, 210
 challenges of providing psychiatric care to evacuees, 212–217
 characteristics of psychiatric evacuees, 211–212
 circumventing mental healthcare in theater (figure), 215
 circumvention of evacuation channels and, 214
 Combat and Operational Stress/Staff Resiliency program, 219–222
 comparison between Operation Iraqi Freedom/Operation Enduring Freedom evacuations and available clinicians at Landstuhl Outpatient Behavioral Health Clinic (figure), 215
 compassion fatigue and, 219
 dangerous patients, 212

- Deployed Warrior Medical Management Center, 211
 emergency mental health model, 215–217
 evacuation of patients to, 201
 impact of Operation Iraqi Freedom and Operation Enduring Freedom on patient load: a typical day at Landstuhl. Comparison between 2001 and 2006 (table), 211
 initial assessments, 210–211
 inpatient psychiatry, 217–219
 Joint Patient Movement Requirement Center coordination with the Global Patient Movement Requirements Center to establish CONUS destinations for patients, 202
 Landstuhl Regional Medical Center inpatient admissions, 2002 through July 2007 (figure), 218
 Landstuhl Regional Medical Center inpatient admissions, 2003 through July 2007 (figure), 218
 Landstuhl Regional Medical Center psychiatric consultation to medical and surgical wards, September 1, 2006, to February 1, 2007 (figure), 216
 local area support area, 217
 location of, 210
 medical and surgical evacuees, 211
 Medical Transient Detachment, 211
 mission of, 210
 nonactive duty patients and, 218
 nursing personnel and, 217
 Operation Enduring Freedom/Operation Iraqi Freedom evacuations by year (figure), 212
 Operation Iraqi Freedom/Operation Enduring Freedom total evacuations compared to return to duty by year until February 2007 (figure), 214
 outreach to wounded warriors, 215
 patient actions and behaviors, 212–214
 potential harm to self or others of psychiatric patients, 213
 psychiatric patient load increase, 217–218
 psychiatrist role in inpatient care, 217–218
 psychological stressors for staff, 218–219
 rear-echelon presentation of psychiatric patients, 214
 resilience of staff and, 219
 returning soldiers to combat duty stations for psychiatric care, 214
 rotating staff, 214–215
 staff characteristics and actions, 210, 214–215
 supervision of psychiatric patients, 212–213
 top five Landstuhl Regional Medical Center outpatient psychiatry diagnoses for Operation Iraqi Freedom and Operation Enduring Freedom (figure), 212
 wartime role, 210–212
- Lange, C., guidelines for psychiatry residents on becoming a division psychiatrist, 92
 Lao Tzu, *Mercy* model of population-based disaster relief and, 634, 635
 Lauder, T.D., eating disorders in military populations, 456
Learning from Resilient People: Lessons We Can Apply to Counseling and Psychotherapy (Glick), 168
 Lee, Marlene, *The Hero in My Pocket*, 558
 Legal issues
 Feres doctrine, 436, 437
 medical decision-making by family members, 508
 unit watch, 436–437
 Leskin, Gregory, PhD, instruction of primary care providers at Schofield Barracks and, 568
 Letterman, Dr. Jonathan, medical evacuation program and, 192
 Letterman Army Medical Center, San Francisco, CA, behavioral health liaison project, 571
 Librium, use of during the Vietnam War, 152
 Lieberman, Alicia, *Losing Parents to Death in the Early Years*, 561–562
Life and Loss: A Guide to Help Grieving Children (Goldman), 560
 Life disruptions
 definition, 378
 provider fatigue and, 378, 380
 LIFELines organizations, help in dealing with issues facing children in military families, 500
 Lifton, Robert Jay, atrocities during war, 148
 Limited wars, description and reentry / reintegration responsibilities, 277
 Lincoln, Pres. Abraham, Veterans Administration establishment, 326
 Linden, E., incidence of soldiers attacking their superiors (“ragging”), 26
 LINN. *See* Living in the New Normal initiative
 Lithium, safety of use during pregnancy, 709
 Living in the New Normal initiative
 description, 550, 554
 Web site, 554
 Living Works programs, suicide prevention and, 406
 Llewellyn, Capt. D.M., support for *Mercy* model of population-based disaster relief, 636–637
 Lorazepam, insomnia treatment, 159–160
 Los Angeles Suicide Prevention Center, description, 404
Losing Parents to Death in the Early Years (Lieberman), 561–562
 LRMC. *See* Landstuhl Regional Medical Center
 Lyons, Christine, *How Do We Tell Children: Helping Children Understand and Cope When Someone Dies*, 561
- ## M
- MACE. *See* Military Acute Concussion Evaluation
 Maddi, S.R., “mental toughness” models, 45
 Madigan Army Medical Center, Tacoma, WA, Army Family Readiness Course, 280
 Magnetic resonance imaging, traumatic brain injury, 230
 Major depressive disorder. *See also* Depression
 effect on performance, 444–445
 environmental stress and, 444
 in-theater treatment, 158–159
 posttraumatic stress disorder and, 298, 303
 treatment, 444, 445
 Major wars, description and reentry / reintegration responsibilities, 277
 Malcolm Grow Air Force Hospital, National Capital Area Consortium and, 672
 Malingering
 challenge for forensic psychiatrists, 697
 description, 697
 diagnosis of compared with the criminal offense of, 698
 dual agency and, 697–698
 as a maladaptive response to stress, 697
 posttraumatic stress disorder and, 694
 reluctance to diagnose, 697
 treatment of, 697–698
Man Against Himself (Menninger), 404
 Mancini, J.A., adolescents’ responses to deployment, 494
 Mann, J.J., suicide prevention research, 406
 Marijuana
 patterns of use, 477
 Vietnam War and use of, 17, 20, 24, 152
 Mark, M., anorexia nervosa treatment protocol, 459
 Marrazzi, M.A., eating disorder treatment research, 460–461
 Marriage therapy, family maltreatment and, 540
 Marshall, Brig. Gen. (Ret.) S.L.A.
 debriefing process, 175
 morale of troops fighting in Vietnam, 17
 Marshall, Gen. George C., importance of religion to soldiers, 167
 Marvingt, Marie, use of aircraft for medical evacuations and, 192
 Mass casualties, effect on family members, 551

- Mass panic
 - description, 595, 5997
 - mass anxiety compared with, 597
- McBride, Lt. Col. Sharon, Battlemind program and, 73
- McCue K., *How to Help Children Through a Parent's Serious Illness*, 517
- MCEC. *See* Military Child Education Coalition
- McFall, M., smoking cessation intervention for PTSD, 305
- McGurk, Maj. Dennis, Battlemind program and, 73
- McHale, S., security and informational requirements in complex humanitarian emergencies, 623
- McNulty, P.A., abnormal eating behaviors in military populations, 456, 458
- McVeigh, Timothy, Oklahoma City (OK) Murrah Federal Building bombing and, 594
- MEDCAPS. *See* Medical civic action programs
- MEDCOM. *See* Army Medical Command
- Medevac program. *See* Aeromedical evacuations
- Media
 - anthrax attacks and, 595, 598
 - Baghdad ER* HBO program and, 147–148, 777–778
 - basics of interacting with, 776
 - epidemiological consultations and, 418
 - fallen service members and, 552
 - Haditha civilian deaths and, 148, 778
 - ideal body image portrayed in, 450
 - issues and concerns with behavioral health reporting on Iraq, 776–778
 - Operation Iraqi Freedom 05-07 and, 6–7, 146–148, 776–779
 - pre- and post-deployment screening and, 96
 - protecting children from media exposure, 547
 - September 11, 2001, terrorist attacks and, 598
 - suicide rate increase and, 147
 - terrorism and chemical, biological, radiological, nuclear and explosive weapons and, 595, 596, 598
- Medical civic action programs, Operation Iraqi Freedom 05-07 and, 611, 613
- Medical civil-military operations in Operation Iraqi Freedom 05-07
 - assumptions made, 611–612
 - building projects focus, 611
 - compared with humanitarian missions in the 1990s, 611
 - cooperative medical engagements and, 613
 - eight tasks for, 612
 - G-5 role, 612–613
 - goals of, 613
 - historical background, 610–615
 - Iraqi healthcare officials' involvement and, 613
 - Iraqi medical facilities takeover of the health "battlespace" and, 616
 - medical civic action programs, 611, 613
 - mission statement for, 612
 - Nine Principles of Reconstruction and Development (exhibit), 613, 614–615
 - nongovernmental organizations and, 610, 616, 617
 - peacetime concepts and, 612
 - sewer, water, electricity, and trash projects, 616
- Medical malpractice, lawsuits concerning, 436–437
- Medical profiling
 - commanders and, 180–181
 - conditions that require a rating, 180
 - profile serial system, 180
- Medical Record Consultation Sheet (Standard Form 513), 478
- Medical review officers, role in substance abuse treatment, 477–480
- Memory String* (Bunting), 558
- Men. *See also* Gender factors; Women
 - age of onset for schizophrenia, 442
 - binge drinking definition, 475
 - drinking alcohol as a way to cope with stress, 260
 - eating as a way to cope with stress, 260
 - eating disorders and, 450, 455–456
 - heavy drinking amount, 475
 - light drinking amount, 475
 - moderate drinking amount, 475
 - periodontal disease prevalence (figure), 266
 - PTSD rates, 298
 - smoking as a way to cope with stress, 260
 - temporomandibular dysfunction and, 268
- Menninger, Dr. William C.
 - failure to meet basic needs as a contributor to the incidence of psychiatric casualties in combat, 173
 - Psychiatry in a Troubled World*, 33–34
- Menninger, Karl, *Man Against Himself*, 404
- Mental Health Advisory Team II Report*, 101
- Mental Health Advisory Team IV
 - Battlemind and, 73
 - findings in Operation Iraqi Freedom 05-07, 139
 - Haditha civilian deaths and, 148
 - mail system reliability and, 140–141
- Mental Health Advisory Team V, Operation Iraqi Freedom suicide prevention and surveillance program, 409–412
- Mental Health Advisory Teams
 - composition of, 185
 - key recommendations, 185
 - responsibilities, 185
- Mental Health Casualty Tracker for OIF
 - information sources, 145
 - suicide rates, 147
- Mental Illness Research, Education, and Clinic Centers, role of, 333
- Mercy* model of population-based disaster relief
 - "assembly line" for choosing program content, 639, 644
 - case study, 637–638
 - description, 634–635, 643
 - "diplomatic pants" incident, 637–638
 - evaluation of, 644
 - final preparation, 639
 - focus on paraprofessionals and nonprofessionals, 643–644
 - future planning needs, 636
 - "Go West and Do Good Things" precept, 636–639, 643
 - initial assessments and collaboration, 637
 - initial decision points, 637
 - integrating USPHS teams, 638
 - "Leadership of the Open Hand" concept, 635–636
 - mission definition and, 636
 - nongovernmental organizations and, 634, 637
 - partnering with Indonesian colleagues and, 638–639
 - precepts of, 635, 643–644
 - program development and delivery, 638–639
 - PsySTART program and, 636, 640
 - public health leadership approach, 635
 - sensitivity of the behavioral health climate, 637
 - Sternberg's "wisdom, intelligence, and creativity, synthesized" model and, 636
 - success of the program, 640
 - support for, 636–637
 - suspicion of U.S. personnel and efforts, 637, 639–640, 643
 - training programs, 639
 - western psychological/psychiatric interventions and, 637, 641
- Messer, Dr. Steven, Battlemind program and, 72
- Methylphenidate, Vietnam War and use of, 152
- Meyer, Adolf, occupational therapy and, 358
- MHATs. *See* Mental Health Advisory Teams
- MHCTO. *See* Mental Health Casualty Tracker for OIF
- Mild traumatic brain injury

- cognitive sequelae, 231–235, 253
 comorbidity with other physical injuries, 505
 educational interventions, 235
 Galveston Orientation and Amnesia Test and, 231
 hormonal issues, 710
 in-theater management of, 233
 initial management of concussion in a deployed setting (figure), 234–235
 postconcussive disorder, 231–233
 postconcussive symptoms, 230–231, 710–711
 posttraumatic stress disorder and, 233, 307, 711
 psychological therapies for, 235
 rest and, 235
 return-to-duty and, 235
 Standardized Assessment of Concussion, 233
 substance abuse and, 233
 symptom treatment, 235
 underreporting of, 230
 variability in rate of recovery, 231
 women and, 710–711
- Military Acute Concussion Evaluation
 form (exhibit), 236–237
 mild traumatic brain injury and, 230, 233
- Military Assistance Program, description of services, 500
- Military care team, children and families of fallen service members and, 545–546
- Military Child Education Coalition
 Living in the New Normal initiative, 550, 554
 recommended books for children coping with trauma, grief, and loss, 556–562
- Military children and families
 combat-injured service members and, 504–534
 fallen military service members and, 544–562
 family maltreatment and military deployment, 536–540
 impact of deployment, 488–501
 integrated behavioral health services at Schofield Barracks, 564–575
- Military funerals
 children and families of fallen service members and, 549
 dignified care for the dead and, 724
- Military Homefront, description and Web site, 554
- Military Life: The Psychology of Serving in Peace and Combat*, 81
- Military Medicine*, articles on division mental health units, 92
- Military OneSource
 combat driving behavior modification brochures, 372
 description and services, 331, 335, 336, 554
 88th Regional Readiness Command COSC program and, 365
 phone number, 501
 resource for identifying community services for families, 551
 services offered to Army Reserves and Army National Guard service members, 409, 554
 Sesame Workshop Talk, Listen, Connect: Deployments, Homecomings, Changes DVD, 517
 support for soldiers and their families, 500
 Web site, 500, 501, 517, 554
- Military Psychiatry: Preparing in Peace for War*, 6
 role of division psychiatrists, 92
- Military Support for Stability, Security, Transition, and Reconstruction Operations* (Department of Defense Directive 3000.05), 586
- Military training
 physical fitness component, 52, 450, 456, 457, 463, 704–705, 706
 resilience and, 51–52
- Military Widow: A Survival Guide* (Steen and Asaro), 551, 560
- Millikin, Col. Charles S., Battlemind program and, 72–73
- Mimesulide, pain management and, 344
- MIRECCs. *See* Mental Illness Research, Education, and Clinic Centers
- Mirtazapine
 insomnia treatment, 250
 posttraumatic stress disorder treatment, 303
- Missing in action soldiers, effect on family members, 551
- Mississippi, Project Recovery and, 587
- MNC-I. *See* Multi-National Corps-Iraq
- MNF-I. *See* Multi-National Force-Iraq
- Monoamine oxidase inhibitors
 bulimia nervosa treatment, 461–462
 posttraumatic stress disorder treatment, 303
- Mood disorders. *See also specific disorders*
 bulimia nervosa and, 453
 complex humanitarian emergency survivors and, 627
 fitness for duty and, 180
 in-theater treatment of, 158–159
 prevalence of the diagnosis during Operation Enduring Freedom and Operation Iraqi Freedom, 203
 suicide and, 395, 426
 traumatic injuries and, 251
- Morphine
 nonmedical use of, 477
 pain management and, 344
- Mortuary operations. *See* Operations involving death and the dead
- Moskos, Charles, morale of troops fighting in Vietnam, 17
- Mott, R., humanitarian assistance missions, 610, 611, 612, 613
- Mozambique, kidnapping and induction of male adolescents, 626
- MRI. *See* Magnetic resonance imaging
- MROs. *See* Medical review officers
- mTBI. *See* Mild traumatic brain injury
- Multi-National Corps-Iraq
 Focused Stabilization Task Force, 610
 Humanitarian Assistance Working Group, 616
 medical civil-military operations in Iraq and, 610–617
 Operation Iraqi Freedom 05-07 and, 142, 143, 146, 147
 Operation Iraqi Freedom theater suicide prevention, 410–412
- Multi-National Force-Iraq, Operation Iraqi Freedom 05-07 and, 139, 140, 144
- Muriel, Anna C., *Raising an Emotionally Healthy Child When a Parent Is Sick*, 517, 560
- Myers, Charles S., military psychologist role, 658

N

- Naltrexone, bulimia nervosa treatment, 462
- Narcotics. *See* Illegal drugs; *specific drugs*
- National Association of State Directors of Veterans Affairs, program description, 334
- National Athletic Trainers' Association, traumatic brain injury definition, 227
- National Capital Area Consortium
 medical centers participating in, 672
 Military Forensic Psychiatry Fellowship Program, 697
- National Cemetery Administration, description of services, 326
- National Center for Grieving Children and Families, *35 Ways to Help a Grieving Child*, 561
- National Center for Posttraumatic Stress Disorder
 combat and operational stress first aid and, 116
 instruction of primary care providers at Schofield Barracks, 568
 long-term tasks for behavioral health providers in complex humanitarian emergencies, 628
 Response to Stressful Experiences Scale, 49
 Web site, 501
- National Center on Shaken Baby Syndrome, awareness campaign, 539
- National Child Traumatic Stress Network
 description and services, 555
 online guideline for help with children's responses to trauma,

- 500
 - psychological first aid and, 116
 - Web site, 555
- National Comorbidity Survey, PTSD findings, 298
- National Comorbidity Survey Replication, prevalence of bulimia nervosa in men, 450
- National Defense Authorization Act, 545
- National Geographic Society, *For Children of Valor: Arlington National Cemetery* gift book, 554
- National Guard. *See* U.S. Army National Guard
- National Guard Bureau, partnership with the Department of Veterans Affairs, 328
- National Institute of Mental Health, Behavioral and Social Health Outcomes Program and, 409
- National Long Distance Relationship Building Institute, Dads at a Distance Web site, 501
- National Mental Health Act, provisions, 671
- National Military Family Association
 - description and services, 550, 555
 - Web site, 555
- National Naval Medical Center, National Capital Area Consortium and, 672
- National Practitioner Data Bank, adverse privileging information and, 437
- National Survey on Drug Use, patterns of illegal drug use, 477
- National Vietnam Veterans Readjustment Study
 - findings, 333, 495
 - posttraumatic stress disorder rates among veterans, 30, 298
 - purpose of, 495
- Natsios, A.
 - local ownership, capacity building, and sustainability as the “iron triad” of successful reconstruction and development projects, 628
 - Nine Principles of Reconstruction and Development (exhibit), 613, 614–615
- NE. *See* Norepinephrine
- Necrotizing ulcerative gingivitis, prevention and treatment, 268
- Neel, Maj. Gen. Spurgeon, *Army Medical Support in Vietnam*, 16, 28
- Nefazodone
 - in-theater treatment and, 159
 - posttraumatic stress disorder treatment, 303
- Neidig, P.H., relationship between the length of deployment and spousal aggression, 537
- NES. *See* Night-eating syndrome
- Neugut, A.E., World War I and World War II noncombatant casualty rates, 625
- Neuroleptics. *See also specific drugs*
 - use of during Operation Restore Hope, 153
 - Vietnam War use, 11–12, 34
- Neuropeptide Y, resilience and, 46–47
- Neuropsychiatry and Mental Health* (Army Regulation 40-216), 90, 91
- Neuropsychiatry in World War II* (Glass), 5, 91
- New Parent Support Program, description of services, 539
- New York University Child Study Center, Web site dedicated to advancing the field of child mental health, 500
- Nichols, Terry, Oklahoma City (OK) Murrah Federal Building bombing and, 594
- Niemela, O., relationship of alcohol use to trauma, 233
- Night-eating syndrome, description and prevalence of, 452
- Nightingale, L., guided imagery and, 368
- Nixon, Pres. Richard, Vietnam War and, 21, 22
- Nongovernmental organizations. *See also specific organizations*
 - behavioral health issues for detained individuals and, 646, 649
 - complex humanitarian emergencies and, 620, 622, 623
 - Indian Ocean tsunami and, 585, 587
 - medical civil-military operations in Operation Iraqi Freedom 05-07 and, 610, 616, 617
 - Mercy* model of population-based disaster relief and, 634, 637
 - neutrality of, 616, 620
 - World Bank definition of, 622
- Nonsteroidal antiinflammatory drugs, pain management and, 344, 347
- Norepinephrine
 - eating disorders and, 452
 - resilience and, 47
- North, C.S., elevated rates of posttraumatic stress disorder following the Oklahoma City bombing, 580
- North Carolina, Governor’s Focus on Returning Combat Veterans and Their Families, 335
- Nortriptyline, posttraumatic stress disorder treatment, 303
- Norwood, A.E., disaster psychiatry research, 581
- Notification of service member’s injury
 - communicating with children about, 506–507
 - effect of adults’ reactions on children, 506–507
 - family separations and, 507–508
 - process of, 505–506
 - travel to military medical facilities and, 507
 - vignettes, 507–508
 - withholding information from children, 507
- NPDB. *See* National Practitioner Data Bank
- NPSP. *See* New Parent Support Program
- NPY. *See* Neuropeptide Y
- Nuclear weapons. *See* Chemical, biological, radiological, nuclear and explosive weapons
- NVVRS. *See* National Vietnam Veterans Readjustment Study

O

- Obesity
 - binge eating disorder and, 452
 - body mass index and, 452
 - night-eating syndrome and, 452
 - prevalence of, 452
 - social and cultural factors, 453
- Obsessive-compulsive disorder
 - in-theater treatment, 159
 - posttraumatic stress disorder and, 305
- Occupational therapy
 - combat and operational stress control and, 360, 361–363
 - combat driving behavior modification and, 372
 - current services, 359–363
 - description, 358, 374
 - educational component, 359, 362
 - 88th Regional Readiness Command COSC program for soldiers and their families, 363–366
 - functional approach of, 373
 - historical background, 358–359, 373
 - on the home front, 372
 - job task analysis and, 359
 - mission of, 360
 - observation component, 362
 - occupational therapy assistant role, 361
 - Operation Iraqi Freedom detainee healthcare and, 366–368
 - peak performance training and, 360–361, 368–369
 - recreational programs and, 359
 - service-dog training and, 361
 - specialty areas, 360
 - stressor identification and, 362
 - therapeutic riding programs and, 361
 - training and licensure of practitioners, 361, 371
 - unit needs assessment and, 362–363
 - U.S. Army occupational therapy scope of practice (exhibit), 360
 - warrior transition units and, 361, 363, 369–372
 - work reintegration programs, 361, 369–372

- Wounded Warrior Clothing Support Program and, 361
- Office of The Surgeon General. *See also* Consultant to The Surgeon General, U.S. Army
- Army Suicide Prevention Program and, 405, 406–407
 - Division of Physical Reconstruction, 358
 - EPICON responsibilities, 415
 - occupational therapy and, 358
 - survey instrument assessing the mental health effects of employees after the September 11, 2001, terrorist attacks, 77
- OIH. *See* Opioid-induced hyperalgesia
- Oklahoma City (OK) Murrah Federal Building bombing
- description, 594
 - posttraumatic stress disorder following, 580, 602
- Olanzapine
- anorexia nervosa treatment, 460
 - bipolar disorder treatment, 158
 - psychotic disorder treatment, 159
- Olson, Maj. Gen. Eric, integrated behavioral health services at Schofield Barracks, HI and, 565–566
- OMUS. *See* Outbreaks of multiple unexplained symptoms
- Ondansetron, bulimia nervosa treatment, 462
- ONE. *See* Operation Noble Eagle
- Operation Banner, United Kingdom armed forces behavioral health and, 658
- Operation Enduring Freedom
- aeromedical evacuations and, 192, 203–204, 244
 - case studies, 773–774
 - casualty rates, 203, 244
 - the characteristics of major wars, limited wars, and rapid deployment operations overlap in Operation Iraqi Freedom and Operation Enduring Freedom (figure), 277
 - clinical operations, 771
 - common mental health presentations, 771
 - communication issues, 772
 - consultation with command, 771, 772
 - continuum of care for veterans of, 326–336
 - data collection, 772
 - divorce rate for soldiers, 277
 - documentation of medical information, 772
 - eating disorders and, 462–463
 - education plan, 771
 - logistical issues, 772
 - mental health operations in Afghanistan, 771–772
 - mental health operations in deployment, 769–771
 - most common health problems of veterans, 329
 - operational psychiatry in, 768–774
 - outreach efforts, 769–770
 - peak performance training and, 368
 - Pincus’s emotional cycle of deployment and, 488
 - Post-Deployment Health Assessment and, 79, 203, 327, 331–332
 - posttraumatic stress disorder and, 564
 - predeployment planning, 769
 - prevalence of mental health problems, 122, 203
 - prevention of mental health issues, 770–771
 - principles of forward treatment of casualties and, 6
 - returning home after combat and, 276
 - survival rates of those injured in, 226, 244
 - traumatic brain injury and, 710
 - traumatic event management and, 770, 771
 - travel through the area of operations, 772
 - treatment at Landstuhl Regional Medical Center, 210, 211
 - Walter Reed Army Institute of Research and, 76–82
 - Web site, 501
- Operation Granby, United Kingdom armed forces behavioral health and, 659
- Operation Iraqi Freedom
- aeromedical evacuations and, 192, 203–204, 244
 - casualty rates, 203, 244
 - the characteristics of major wars, limited wars, and rapid deployment operations overlap in Operation Iraqi Freedom and Operation Enduring Freedom (figure), 277
 - continuum of care for veterans of, 326–336
 - detainee healthcare and, 366–368
 - divorce rate for soldiers, 277
 - eating disorders and, 462–463
 - media coverage and, 6–7, 776–779
 - most common health problems of veterans, 329
 - occupational therapy in support of detainees and, 366–368
 - peak performance training and, 368
 - Pincus’s emotional cycle of deployment and, 488
 - Post-Deployment Health Assessment and, 79, 203, 327, 331–332
 - posttraumatic stress disorder and, 299, 564
 - prevalence of mental health problems, 122, 203
 - principles of forward treatment of casualties and, 6
 - released psychiatric inpatients and, 646
 - returning home after combat and, 276
 - review of psychiatric service use during, 153
 - suicide assessment, 409–412
 - survival rates of those injured in, 226, 244
 - traumatic brain injury and, 710
 - treatment at Landstuhl Regional Medical Center, 210, 211
 - Walter Reed Army Institute of Research and, 76–82
 - Web site, 501
- Operation Iraqi Freedom 05-07
- Baghdad ER* special on HBO and, 147–148, 777–778
 - BICEPS principles and, 148
 - casualty statistics and, 144–145
 - changing dynamics of the conflict, 138–146
 - civilian deaths in Haditha reports, 148, 778
 - clinical environments for mental health services, 139
 - Combat/Operational Stress Control Workload Activity Reporting System and, 139, 144
 - command and control of echelon-above-division stress control personnel improvements, 142–143
 - communications improvements, 140
 - Composite Health Care System-Interactive Training Tool, 140
 - convoy procedure standardization, 138
 - documentation of COSR cases, 144
 - DoD policy changes, 141–142
 - enemy sophistication and, 138
 - formulary for medications, 139
 - forward operating base developments and, 138–141
 - increase in psychiatric patients, 139
 - increased mental health services, 140–141
 - KBR employees and, 140, 142
 - living and working condition improvements, 138–140
 - mail system reliability and, 140–141
 - media and, 6–7, 146–148, 776–779
 - medical civil-military operations, 610–617
 - Mental Health Advisory Team IV and, 139, 148
 - Mental Health Casualty Tracker for OIF, 145, 147
 - Multi-National Corps-Iraq and, 142, 143, 146, 147
 - Multi-National Force-Iraq and, 139, 140, 144
 - multiple deployments and, 141
 - Operational Stress Control and Readiness teams and, 142
 - peer review of mental health charts and, 146
 - planning improvements, 142–143
 - psychotropic medication prescribing guidelines, 145
 - psychotropic prescription data challenges, 139–140
 - quality of care and, 145–146
 - sexual assault and, 141
 - situational awareness improvement, 142
 - staff assistance visits, 145–146
 - standardization of practices and, 143–145

- suicide rate and, 145, 147, 777
- Operation Iraqi Freedom One
 - arrival in Kuwait, 753–754
 - behavioral health service provision during, 752–766
 - case studies, 758–759, 760, 763
 - combat stress control units and, 759–762
 - combat support hospitals and, 754–759
 - division mental health sections, 762–765
 - echelons in treatment in the combat theater, 752–753
- Operation Joint Endeavor
 - integrated use of combat stress detachments and division mental health assets during, 153
 - psychological health of soldiers and, 76, 79
- Operation Joint Guardian, psychological health of soldiers and, 76
- Operation Just Cause, psychological health of soldiers and, 76
- Operation Noble Eagle
 - Pincus's emotional cycle of deployment and, 488
 - Web site, 501
- Operation Provide Comfort, description, 622
- Operation Provide Promise, psychological health of soldiers and, 76
- Operation Restore Hope
 - psychological health of soldiers and, 76
 - use of psychotropic medications during, 153
- Operation Solace, description, 77, 679–680
- Operation Special Delivery, services for pregnant women, 500–501
- Operation Unified Assistance
 - division into three groups, 585
 - Mercy* model of population-based disaster relief and, 634–644
 - providing care *in situ* and, 585
 - telecommunications and, 586
 - USNS *Mercy* and, 585–586
- Operation Uphold Democracy, psychological health of soldiers and, 76
- Operational behavioral health
 - behavioral health issues for detained individuals, 646–656
 - complex humanitarian emergencies, 620–629
 - disaster psychiatry, 580–588
 - medical civil-military operations in Operation Iraqi Freedom 05-07, 610–617
 - Mercy* model of population-based disaster relief, 634–644
 - terrorism and chemical, biological, radiological, nuclear, and explosive weapons, 594–603
 - United Kingdom armed forces and, 658–664
- Operational Navy Instruction 5350.4C, drug testing and, 481
- Operational Stress Control and Readiness program
 - capabilities, 127–128
 - historical background, 126–127
 - Operation Iraqi Freedom 05-07 and, 142
 - staffing issues, 127
 - team design, 128
 - U.S. Marine Corps and, 102, 116, 126–128
 - U.S. Navy and, 126–128
- Operational stress injuries
 - elements of, 109
 - “injury” definition, 109
 - working group on, 109–110
- Operations Desert Shield/Storm
 - aeromedical evacuations and, 193
 - reintegration stress in families and, 488
- Operations involving death and the dead
 - Army Quartermaster Corps and, 718–719
 - assisting soldiers with exposure to mass death, 722–724
 - emotional involvement and, 720–721
 - “exposure to death” definition, 718
 - “exposure to the dead” definition, 718
 - guidelines for assisting soldiers and commanders in caring for the dead (exhibit), 722
 - how do mortuary affairs soldiers say they deal with stress (exhibit), 722
 - level of exposure relationship to level of distress, 721
 - logistical support for workers, 724
 - military care-of-the-dead policy and training, 718–719
 - organizational support for workers, 723–724
 - personal effects of the deceased and, 720–721
 - personal safety issues, 720
 - personal support for workers, 723
 - physical characteristics of remains and, 719–720
 - psychological effects of caring for remains, 721
 - reasons why mental health personnel should be familiar with the topic, 718
 - reinforce the positive (exhibit), 723
 - role of the mental healthcare provider in mass death situations, 721–724
 - signs of stress, 721–722
 - signs of stress in mortuary operations and coping with the work (exhibit), 722
 - social effects of proper care of the dead, 724
 - stresses of exposure to remains, 719–721
 - terminology, 718
 - types of remains causing the most distress, 720
- Opiates. *See also specific drugs*
 - nonmedical use of, 477
 - opioid-induced hyperalgesia and, 344
 - pain management and, 340, 344, 347
- Opioid-induced hyperalgesia, description and effects of, 344
- Oral contraceptives
 - periodontitis and, 267–268
 - temporomandibular dysfunction and, 268–269
- Oral health effects of combat stress
 - beverages and, 260, 262, 265
 - a case of gingivitis (figure), 266
 - causes of oral disease, 260
 - dehydration and, 261
 - dental caries, 261
 - dental emergency rates in combat, 260
 - dental erosion, 262
 - dental hard-tissue diseases and, 261–265
 - Department of Defense Survey of Health-Related Behaviors Among Active-Duty Military Personnel findings, 260
 - Department of Defense Survey of Health-Related Behaviors in the Reserve Component findings, 260
 - dietary changes during deployment and, 261
 - duty performance and, 260
 - eating disorders and, 263–264
 - eating habits and, 260, 265
 - erosion of enamel and exposure of the dentin layer in a patient with GERD (figure), 262
 - erosion of the facial enamel and exposure of the underlying dentin (figure), 264
 - erosion of the lingual, occlusal, and incisal surfaces of the maxillary teeth in a patient with bulimia (figure), 263
 - extensive accumulation of bacterial plaque after cessation of oral hygiene (figure), 261
 - fluoride and, 261, 264
 - foods and, 260, 265
 - gastroesophageal reflux disease and, 262
 - generalized demineralization and loss of enamel on the facial surfaces of teeth (figure), 262
 - gingival edema, erythema, and cratering of the interdental papilla and purulent exudate are visible in this patient with acute necrotizing ulcerative gingivitis (figure), 268
 - gingival erythema edema, and recession...in patient with periodontal disease (figure), 266
 - gingivitis, 265–266
 - health literacy and, 260

- necrotizing ulcerative gingivitis, 268
occlusal wear and dentin exposure due to erosion in a patient with bulimia (figure), 263
oral disease prevalence as nonbattle injuries, 260
oral hygiene effects, 260–261, 264
periodontal disease, 265–268
periodontitis, 266–268
plaque accumulation, tobacco staining, gingival inflammation, and generalized caries resulting from a combination of inadequate oral hygiene, tobacco use, and refined carbohydrate intake (figure), 260
prevalence of periodontal disease (figure), 266
prevention strategies, 260, 264–265
refined carbohydrates as a cause of oral disease, 260
temporomandibular dysfunction, 268–269
tobacco use and, 260
translucency of the maxillary central incisors due to erosion in a patient with bulimia (figure), 263
treatment, 265
undernutrition and, 261
xerostomia, 265
xylitol gum or mints and, 264–265
- Orlistat, obesity treatment, 462
Orman, Col. David, Soldier Assistance Center and, 568
OSCAR. *See* Operational Stress Control and Readiness program
Oslo Guidelines. *See* *Guidelines on the Use of Military and Civil Defence Assets in Disaster Relief*
Osteoporosis, anorexia nervosa and, 454
OT. *See* Occupational therapy
O'Toole, Donna
Facing Change: Falling Apart and Coming Together Again in the Teen Years, 560
Helping Children Grieve & Grow--A Guide for Those Who Care, 561
OTSG. *See* Office of The Surgeon General
OUA. *See* Operation Unified Assistance
Out of the Darkened Room: When a Parent is Depressed (Beardslee), 517
Outbreaks of multiple unexplained symptoms
chemical, biological, radiological, nuclear and explosive weapons and, 594, 597–599, 600–601
Overweight. *See* Obesity
Owen & Mzee (Hatkoff, Hatkoff, and Kahumbu), 558
Oxycodone, drug tests and, 477
- ## P
- Pain management
acute pain and, 340
adverse effects of pain, 345
amputations of limbs and, 349
anatomic locations and, 340, 341
behavioral measurements, 346–347
benzodiazepines and, 340
biology of pain, 343–344, 350
burn casualties and, 340, 343–344, 345, 349
case studies, 341–342
children and, 340, 346–347, 349
chronic pain and, 340
endogenous opioid pathways and, 344
ethical issues, 349–350
ethnic and social factors, 346
gene therapy, 346
genetic factors, 345–346
hyperalgesia and, 343
inflammation and, 343–344
Joint Commission focus, 340
multidisciplinary teams for, 340, 350
multiple traumas and, 349
nerve blocks and, 340
nociceptors and, 343
nonopiate pain adjuncts, 343
opiates and, 340, 344
opioid system and, 343
overview of methods, 347
pain assessment methods, 346–347
pain definition, 341
pharmacological management of acute pain, 347–348
physiological dependence and, 347
posttraumatic stress disorder and, 340, 350
principles of, 344
prior alcohol or substance addiction, 349
prolonged grief disorder and, 348
psychiatric risk factors for pain complications, 349
psychological effects of pain, 345
psychological management, 340, 348
psychophysiological indices, 346
relief of pain as a primary task of medical personnel, 340
research needs, 340
self-report measures, 346
somatic sensory and association cortex and, 343
special problems, 349
spinalthalamic tract and, 343
uncontrolled pain as a stressor, 246, 340
ventilated patients, 349
weaning regimen, 347, 349
- PAM 40-11: *Preventive Medicine*, 415
PAM 600-24: *Suicide Prevention and Psychological Autopsy*, 405, 406
PAM 600-70: *Guide to the Prevention of Suicide and Self-Destructive Behavior*, 405
Panama, Operation Just Cause and, 76
Panic disorder
in-theater treatment, 159
posttraumatic stress disorder and, 303, 305
treatment, 253, 303, 710
women and, 709–710
- Parent Guidance Assessment--Combat Injury, 513, 521–532
A Parent's Guide to Building Resilience in Children and Teens: Giving Your Child Roots and Wings (Ginsburg), 561
Pargament, K.L., *The Psychology of Religion and Coping*, 168
Paris, J., suicide research, 395
Paroxetine
depressive disorder treatment, 158
posttraumatic stress disorder treatment, 303
safety of use during pregnancy, 709
- Parrish, Col. Matthew, overview of U.S. Army mental health activities in Vietnam, 16, 20
Parsons, T., disease as a biomedical process, 330
Part of Me Died, Too: Stories of Creative Survival Among Bereaved Children and Teenagers (Fry), 559
Pathological gambling, posttraumatic stress disorder and, 305
Patient privacy. *See* Privacy and confidentiality issues
Pavlov, Ivan Petrovich, psychiatric conceptualization of trauma and response, 581–582
PCLS. *See* Psychiatry Consultation Liaison Service
PCOS. *See* Postcombat and operational stress
PDHA. *See* Post-Deployment Health Assessment
PDHRA. *See* Post-Deployment Health Reassessment
PE. *See* Prolonged exposure
Peak performance training
biofeedback and, 369
case study, 369
concept of, 368
core elements, 368
group intervention and, 368
individual training and, 368
mental imagery and, 368

- occupational therapy and, 360–361, 368–369
 - stress and energy management model, 369
 - Warrior Training and Rehabilitation Program and, 369, 370
- Pechacek, Mary Ann, EAT model and, 385
- Pecko, Col. Joseph
- Battlemind program and, 73
 - role of leadership in provider fatigue resolution, 387
- Peebles-Kleiger, M.J., reintegration stress in families, 488
- Pellegrino, Marjorie, *I Don't Have an Uncle Phil Anymore*, 557
- Pennsylvania, Three Mile Island nuclear accident and, 599, 601
- Periodontitis
- bone loss and, 266–267
 - classification of, 266
 - description, 266
 - model of periodontitis depicting the multifactorial nature of periodontal disease (figure), 267
 - oral contraceptives and, 267–268
 - risk factors, 266
 - untreated gingivitis and, 266
- Persian Gulf War. *See also* Operations Desert Shield /Storm
- Gulf War syndrome and, 600
 - symptoms of Israeli civilians near Scud missile attacks, 580, 596, 598
 - use of psychotropic medications during, 153
 - younger wives' ability to cope with the absence of their husbands and, 536
- Personal fitness assessments
- body fat measurement and, 704
 - eating disorders and, 450, 456, 457, 463, 704
 - weight control programs and, 704
 - women and, 704–705, 706
- Personality disorders. *See also specific disorders*
- fitness for duty and, 180
 - homicidal ideation and, 437
 - prevalence of the diagnosis during Operation Enduring Freedom and Operation Iraqi Freedom, 203
- Peterson, A.L., bulimic weight-loss behaviors in the Air Force, 458
- PFA. *See* Personal fitness assessments
- PGA-CI. *See* Parent Guidance Assessment--Combat Injury instrument
- Phantom limb pain, treatment for, 246
- PHC(P). *See* Public Health Command (Provisional)
- Phentermine, obesity treatment, 462
- Philipson, Sandra J., *Annie Loses Her Leg But Finds Her Way*, 558
- Phobias. *See also* Social phobia
- posttraumatic stress disorder and, 305
- PIES principles. *See* Proximity, immediacy, expectancy, and simplicity
- Pincus, Simon
- emotional cycle of deployment concept, 488, 572
 - integrated use of combat stress detachments and division mental health assets during Operation Joint Endeavor, 153
- Pivar, I.L., bereavement and posttraumatic stress disorder, 306
- Plague outbreaks, effects on behavior, 598
- PMDD. *See* Premenstrual dysphoric disorder
- PMP. *See* Preventive Medical Psychiatry
- Poker Chip Tool, pain assessment in children, 347
- Pokorny, A.D., suicide research, 395
- Policy Guidance for Deployment-Limiting Psychiatric Conditions and Medications*, 156
- Post-Deployment Health Assessment
- description, 77, 174, 327
 - Operation Iraqi Freedom and Operation Enduring Freedom and, 79, 203
 - population-wide assessment, 79
 - sample form (exhibit), 288–290
 - timing of the screening process, 79
 - validation of, 79
- Post-Deployment Health Reassessment
- DD Form 2900 and, 331
 - description, 331
 - development of, 331
 - goal of, 331–332
 - local events, 335–336
 - timing of, 79, 174
 - validation of, 79
- Postcombat and operational stress
- combat and operational stress and, 62
 - combat and operational stress behavior and, 62–63, 64
 - length of effects, 62–63
 - posttraumatic stress disorder and, 64
- Postconcussive disorder
- research criteria for postconcussive disorder (exhibit), 232
 - scope of, 232–233
 - symptoms, 231–232
 - women and, 710–711
- Postpartum depression, description and treatment, 709
- Postpartum psychosis, description and risks, 709
- Posttraumatic growth
- combat and operational stress and, 62, 64
 - combat and operational stress behavior and, 64
 - description, 64
- Posttraumatic stress disorder
- active engagement and alliance building and, 300–301
 - anger and violence and, 306
 - assessment and monitoring of treatment effectiveness and, 301
 - barriers to seeking help, 300
 - basic dimensions of, 298
 - challenging negative thoughts and, 302
 - children and, 345
 - children of combat veterans with, 496
 - chronic, 299, 309–310
 - cognitive processing therapy, 302, 308, 309, 311
 - cognitive theory of, 299–300
 - cognitive therapy, 302, 304
 - combat and operational stress behavior and, 64
 - combat and operational stress continuum model red zone and, 112
 - combat-related physical injuries and, 204, 245
 - comorbid mental health disorders, 298, 304–307, 312, 445
 - complex humanitarian emergency survivors and, 627, 628
 - complicated or traumatic bereavement, 306
 - coping skills training and, 301–302
 - “copycat” scenario, 742–743
 - dangerous firearm-related behaviors and, 306
 - delayed-onset PTSD, 298
 - Department of Defense and VA Clinical Practice Guidelines for Management of Post-Traumatic Stress, 116, 300–301, 311, 326
 - deployment-related stress and, 60, 298–312, 495
 - Deployment Risk and Resilience Inventory and, 301
 - description, 298
 - Diagnostic and Statistical Manual of Mental Disorders*, 3rd Edition and, 30, 33
 - divorce and, 307
 - domestic violence and, 306
 - dual representation theory, 299
 - early detection and treatment, 126
 - eating disorders and, 464
 - emotional processing theory, 299
 - ethical issues, 742–743
 - event characteristics that increase the risk for, 298
 - expert witnesses and, 696
 - eye movement desensitization and reprocessing and, 302, 304, 308, 309
 - families and, 307, 312
 - functional impairment and, 298, 307–308

- future research needs, 310
 genetic factors, 46
 imagery rehearsal therapy, 309
 imaginal exposure and, 308–309
 improvement of services for, 311
 in-theater treatment, 159
International Classification of Disease, 9th Edition, *Clinical Modification* and, 30, 77
 Land Combat Study and, 78
 late-onset stress symptomatology and, 306–307
 level of exposure to combat and, 108
 level of traumatic injury and, 249
 malingering and, 694
 mild traumatic brain injury and, 233
 multiple deployments and, 300
 Oklahoma City (OK) Murrah Federal Building bombing and, 580, 602
 Operation Enduring Freedom and Operation Iraqi Freedom and, 6, 212, 329
 outreach interventions, 300–301
 pain management and, 340, 345, 350
 patient education and, 301
 patterns of, 298
 percentage of soldiers returning from combat in Iraq and Afghanistan with, 78
 pharmacotherapy, 303–304
 physical health problems and, 306–307
 postcombat and operational stress and, 64
 program evaluation, 310
 prolonged exposure treatment, 302, 308, 309, 311
 psychological theories of PTSD and treatment, 299–300
 quality of life issues, 304–305
 relapse prevention, 304
 research with veterans and active duty military personnel, 308–310
 Response to Stressful Experiences Scale, 49
 risk factors for developing, 298
 sarin attacks on the Tokyo subway system and, 602
 screening programs and, 300
 sexual trauma and, 298
 social connections and, 307
 social support and, 46, 53
 stigma and, 300, 303, 329
 stress inoculation training and, 302, 308
 stress reactions and, 47
 subthreshold presentations, 298
 symptoms, 298, 345, 445
 trauma and, 44–45, 48
 traumatic brain injury and, 108, 307, 711
 traumatic grief and, 550
 treatment, 253, 299, 300–304
 treatment delivery and accessibility, 311
 treatment outcome research, 308–310
 uncontrolled pain and, 246
 United Kingdom legal case concerning, 661–662
 veterans *versus* civilians with, 310
 vicarious victimization and, 377
 Vietnam War and, 29–30, 33
 workplace and work performance issues, 308
- Potentially traumatic events, combat and operational stress behavior and, 62
- Powell, Sandy, *Geranium Morning*, 557
- Prazosin
 - anxiety disorder treatment, 159
 - insomnia treatment, 160, 250
 - posttraumatic stress disorder treatment, 304, 309
- Pre-Deployment Health Assessment, sample form (exhibit), 286–287
- Pregnancy
 - administrative separation and, 706
 - bipolar disorder and, 709
 - deployment and, 706
 - FDA guidance on safety of medications during, 708–709
 - maternity leave and, 706
 - physical fitness requirements and, 706
 - physical training and, 706–707
 - postpartum depression and, 709
 - resentment of the pregnant soldier by the other soldiers in the unit, 706
 - schizophrenia and, 707
 - schizophrenia treatment and, 707
 - 6-month bonding period and, 706–707
 - U.S. Food and Drug Administration categories and labeling requirements for drug use during pregnancy (exhibit), 708
- Premenstrual dysphoric disorder
 - description, 707–708
 - emotional symptoms, 708
 - physical symptoms, 708
 - treatment, 708
- Preparing for deployment
 - resilience models, 45–53
 - stress models, 44, 53
 - trauma models, 44–45, 53
- Preschool-age children
 - effects of deployment on, 494
 - response to a combat-injured parent, 514
- Prescription drugs. *See also specific drugs*
 - abuse of, 477
- President's New Freedom Commission on Mental Health, principles of, 330
- Preventive Medical Psychiatry
 - families and, 254–255
 - follow-up care, 254
 - goals of, 256
 - hospitalized combat-injured service members and families and, 509–510
 - Psychiatry Consultation Liaison Service changed to, 246
 - Therapeutic Intervention for the Prevention of Psychiatric Stress model, 247–256
 - traumatic brain injury and, 253
- Preventive Medicine* (Army Regulation 40-5), 415
- Preventive Medicine* (PAM 40-11), 415
- Preventive psychiatric consultation
 - postdeployment psychological screening and, 174
 - primary prevention, 174
 - secondary prevention, 174–175
 - tertiary prevention, 175
- Primary traumatic stress, definition, 377
- Principi, Anthony, VA Seamless Transition Office and, 327
- "Principles of Caring for Combat-Injured Families and Their Children," 517, 533–534
- Prisoners of war. *See* Detainees
- Privacy and confidentiality issues
 - chaplains and, 165–166
 - Combat and Operational Stress/Staff Resiliency program and, 220
 - Composite Health Care System-Interactive Training Tool and, 140
 - detained individuals and, 653, 654
 - hunger strikes and, 654
 - military rule of evidence and, 166
 - psychiatric consultation to command and, 183
 - sanity boards and, 695
- Pro-QOL. *See* Professional Quality of Life Scale
- Professional Quality of Life Scale
 - data analysis, 383–384

- description, 376, 382
- Medical Command observed compassion fatigue cut score frequencies compared to expected frequencies based on ProQOL data (table), 384
- percentage of Medical Command personnel who meet compassion fatigue cut score (table), 383
- percentage of ProQOL respondents with compassion fatigue compared to U.S. Army Medical Command personnel with compassion fatigue (figure), 384
- percentage of U.S. Army Medical Command personnel, by specialty, who completed the ProQOL survey in 2008 (figure), 383
- Trauma / Compassion Fatigue Scale items, 382–383
- Project HOPE
 - Hurricane Katrina response and, 587
 - Indian Ocean tsunami rescue efforts and, 585
- Project Liberty, description, 582
- Prolonged exposure
 - definition, 378
 - posttraumatic stress disorder treatment, 302, 308, 309, 311
 - provider fatigue and, 378, 379
- Prolonged grief disorder, description and symptoms, 348
- Propofol, pain management and, 348
- Propranolol, posttraumatic stress disorder treatment and, 304
- “Protecting the Force,” 749
- Provider fatigue
 - behavior changes after exposure to trauma, 381–382
 - behavioral markers for, 381
 - cognitive markers for, 381
 - combatting, 385–387
 - compassion stress and, 378, 379
 - “cost of caring” and, 376
 - description, 376–377
 - detachment and, 378, 379
 - EAT model and, 385
 - elements of, 377–378
 - emotional markers for, 381
 - emotional renewal and, 386
 - empathic ability and, 378, 379
 - empathic concern and, 379
 - empathic response and, 378, 379
 - empathy and, 378
 - exposure to the client and, 379
 - factors contributing to, 378–380
 - Figley’s model, 377–378, 385, 387–388
 - focus on the provider is essential to combating (figure), 385
 - holistic approach to renewal, 386–387
 - identification of, 381–384
 - leadership and, 387
 - life disruption and, 378, 380
 - markers for, 381
 - mental renewal and, 386
 - military-specific operational stress elements, 380
 - personal history of trauma and, 378
 - physical renewal and, 386
 - posttraumatic stress disorder and, 377
 - Professional Quality of Life Scale and, 376, 382–384
 - prolonged exposure and, 378, 379
 - Provider Resiliency Training and, 376
 - secondary trauma concept and, 376
 - sense of achievement and, 378, 379
 - social markers for, 381
 - social renewal and, 387
 - somatic markers for, 381
 - spiritual markers for, 381
 - spiritual renewal and, 386–387
 - synergistic effects of, 380
 - synergistic effects of primary, secondary, and operational stress, combined with burnout symptoms, on providers (figure), 380
 - terms and definitions, 376–377
 - traumatic recollections and, 378, 379–380
- Provider Resiliency Training
 - focus of, 376
 - maintenance phase, 376
 - phases of, 376
 - Professional Quality of Life Scale and, 376, 382–384
 - self-care plans and, 376
- Proximity, immediacy, expectancy, and simplicity
 - description, 5, 6, 108
 - unit watch and, 424
- PRT. *See* Provider Resiliency Training
- Psychiatric consultation to command
 - assignments and, 184
 - case studies, 177, 178
 - command-directed evaluations, 182
 - confidentiality issues, 183
 - consultant to The Surgeon General, U.S. Army, 184–185
 - consultative team formation, 176–177
 - cross-service consultations, 178
 - deployed *versus* garrison environment, 174
 - deployment clearance, 181
 - development of relationships with commanders, 183
 - discretionary command-directed referrals, 182
 - disqualifying conditions, 180
 - division mental health *versus* combat stress detachment resources, 175–176
 - division psychiatrist /brigade behavioral health officer role and responsibilities, 185
 - double agency and, 182–183
 - establishing rapport with the unit, 177
 - ethical issues, 182–184
 - explaining the purpose of the consultation, 177–178
 - factors associated with, 174–176
 - fitness for duty, 180–182
 - formulating the consultation question, 177
 - getting soldiers to “buy in” to the process, 179
 - impact of HIPAA, 183–184
 - investigation *versus* consultation, 183
 - level of professional degree and, 182
 - local *versus* remote behavioral health resource, 176
 - medical profiling, 180–181
 - Mental Health Advisory Team membership, 185
 - mental health records review, 185
 - nondiscretionary command-directed referrals, 182
 - objectivity and, 183
 - origin and history of, 172–173
 - performing the consultation, 176–180
 - positions and descriptions of responsibilities, 184–185
 - preventive consultation level, 174
 - preventive psychiatry, 173
 - primary prevention, 174
 - realistic interventions and, 179
 - recruiting and retaining medical personnel and, 185
 - risks to the consultant, 182–184
 - screening for vulnerability and determining fitness for duty, 172–173
 - secondary prevention, 174–175
 - separation from the military, 181–182
 - short *versus* long consultations, 183
 - tasking for deployment, 184–185
 - terminating the consultation, 179
 - terminology and language and, 178
 - tertiary prevention, 175
 - uniforms and, 178
 - unit structures and functions and, 178

- written report of the consultation, 179–180
- Psychiatry Consultation Liaison Service
description, 244
goal of, 244
goals of PCLS for disaster injured (exhibit), 584
name change to Preventive Medical Psychiatry, 246
PCLS lessons learned in the response to the September 11, 2001, attacks (exhibit), 585
Preventive Medical Psychiatry service, 509–510
role following the September 11, 2001, attacks on the Pentagon, 244
September 11, 2001, terrorist attacks and, 583, 584
- Psychiatry in a Troubled World* (Menninger), 33–34
- Psychodynamic therapy
psychiatry residency programs and competency in, 677
traumatic injury patients and, 252
- Psychoeducation, traumatic injury patients and, 252
- Psychological autopsies
cases requiring, 698–699
privacy issues, 698
suicide and, 404, 698–699
- Psychological simple triage and rapid treatment program, description, 636
- Psychologists. *See* Division psychiatrists and brigade behavioral health officers
- The Psychology of Religion and Coping* (Pargament), 168
- Psychotic disorders. *See also specific disorders*
cultural factors in the presentation of, 647
early intervention and, 443
fitness for duty and, 180
in-theater treatment, 159
postpartum psychosis, 709
presentation of in the military setting compared with the civilian setting, 443
suicide and, 426
- Psychotropic medications. *See also specific medications*
anxiety disorder in-theater treatment, 159
case studies, 156–157
clearance for deployment and, 156–157
data challenges during Operation Iraqi Freedom 05-07, 139–140
dispensing in theater, 157–158
doctrine and policy for the use of, 154–156
DoD's *Policy Guidance for Deployment-Limiting Psychiatric Conditions and Medications* and, 156
ethical issues, 160
example psychiatric formulary for deployment (table), 155
extrapyramidal side effects, 443
FDA guidance on safety of use during pregnancy, 708–709
history of use of, 152–154
hoarding of, 652
insomnia in-theater treatment, 159–160
key points in the November 2006 *Policy Guidance for Deployment-Limiting Psychiatric Conditions and Medications* (exhibit), 156
management and distribution of to detained individuals, 652
mood disorder in-theater treatment, 158–159
oversight and monitoring of, 94, 96
pharmacologic treatment of mental health conditions during deployment, 158–160
posttraumatic stress disorder treatment, 303–304
predeployment actions, 156–157
prescribing guidelines, 145
psychopharmacologic planning for deployment, 157
psychotic disorder in-theater treatment, 159
schizophrenia treatment, 443
security issues, 157–158
storage issues, 157–158
trauma patients and, 249
waivers for, 157
“Zoloft with a Rifle” article and, 147
- PsySTART program. *See* Psychological simple triage and rapid treatment program
- PTG. *See* Posttraumatic growth
- PTSD. *See* Posttraumatic stress disorder
- Public Health Command (Provisional). *See also* U.S. Army Center for Health Promotion and Preventive Medicine
Behavioral and Social Health Outcomes Program, 409
88th Regional Readiness Command COSC program and, 365
EPICON responsibilities, 415
EPICON surveys and, 417
renaming of U.S. Army Center for Health Promotion and Preventive Medicine as, 406
- Public health model for deployment mental health. *See also* U.S. Public Health Service
allies in, 331
chaplains and, 331
origin of, 330
President's New Freedom Commission on Mental Health
principles and, 330
problems in living for veterans and families, 330
“recovery” and, 330
“resilience” and, 330
stigma issues and, 331
traditional medical model and, 330–331
veterans' families and, 331
- ## Q
- QPR Institute. *See* Question, Persuade, Refer Institute
- Quantity Frequency Questionnaire, alcohol use and abuse and, 475
- Question, Persuade, Refer Institute, description, 406
- Quetiapine, bipolar disorder treatment, 158
- ## R
- Racial/ethnic factors
pain management, 346
spouse maltreatment, 537
- Radiological weapons. *See* Chemical, biological, radiological, nuclear and explosive weapons
- Ragtail Remembers--A Story That Helps Children Understand Feelings of Guilt* (Duckworth), 556–557
- Raising an Emotionally Healthy Child When a Parent is Sick* (Muriel and Rauch), 517, 560
- Raising Our Children to Be Resilient* (Goldman), 560
- Ramstein Air Base, Germany, contingency aeromedical staging facility, 201
- RAND Corporation, Center for Military Health Policy Research
study of the prevalence of mental health problems among U.S. Navy servicemen, 122
- Rando, Terese A., *How to Go on Living When Someone You Love Dies*, 561
- Rapid-deployment operations, description and reentry / reintegration responsibilities, 277–278
- Ratner, Maj. R., account of his Vietnam War experience, 28–29
- Rauch, Paula K., *Raising an Emotionally Healthy Child When a Parent Is Sick*, 517, 560
- RCS. *See* Vet Centers
- Readjustment Counseling Service. *See* Vet Centers
- Ready, D.J., posttraumatic stress disorder program evaluation, 310
- Reagan, Pres. Ronald, Executive Order 12564 mandating federal drug testing, 477
- Recovery, definition, 330
- Recruitment and retention issues
criminal history of recruits, 728

- ethical issues, 728–729
- graduate medical education faculty, 673–675, 688–689
- lowering of ASVAB scores, 728
- posttraumatic stress disorder and, 743
- “probational” track for special populations, 728–729
- racist or gang membership of recruits, 728
- recruiting and retaining medical personnel, 185
- Redeployment. *See* Resetting the force
- Reentry. *See* Resetting the force
- Regehr, C., provider fatigue and, 381–382
- Relaxation techniques
 - premenstrual dysphoric disorder and, 708
 - sleep disturbances and, 250
 - traumatic injury patients and, 252–253
- Religious and spiritual issues. *See also* Chaplains
 - combat stress, 66, 70
 - provider fatigue, 381, 386–387
- Remeron
 - depressive disorder treatment, 158–159
 - insomnia treatment, 158–159
- Renner, Lt. Cdr. J.A., Jr., rise of psychiatric disorders during the Vietnam War, 21
- Reserve Affairs--Mobilization and Demobilization, Web site, 501
- Reserve units. *See* U.S. Army Reserves
- Resetting the force
 - background, 276–278
 - Battlemind program (exhibit), 283
 - case studies, 280, 283
 - the characteristics of major wars, limited wars, and rapid deployment operations overlap in Operation Iraqi Freedom and Operation Enduring Freedom (figure), 277
 - demobilization and, 277, 280
 - Deployment Cycle Support Program, 276
 - description, 276
 - families and, 276, 277, 280–281, 284
 - health assessments after redeployment and, 279
 - Health Risk Appraisal questionnaires, 281
 - health services for returning service members, 280
 - identification of at-risk soldiers, 279
 - key components in decompression and reintegration (figure), 279
 - limited wars and, 277
 - major wars and, 277
 - National Guard and Army Reserve members and, 279–280
 - post-deployment health assessment form (exhibit), 288–290
 - pre-deployment health assessment form (exhibit), 286–287
 - rapid-deployment operations and, 277–278
 - redeployment programs, 281–284
 - reentry challenges by population, 278–281
 - regular Army soldiers and family members and, 278–279
 - Soldier Wellness Assessment Pilot Program, 281
 - Soldier Wellness Assessment Pilot Program (exhibit), 282–283
 - stigma of behavioral health problems and, 276
 - stressors in, 276
- Resilience. *See also* Provider Resiliency Training
 - Battlemind deployment support program and, 52
 - brain regions involved in, 47
 - collective efficacy characteristic, 46
 - coping self-efficacy characteristic, 45–46, 53
 - definitions, 45, 47–48, 219, 330, 377
 - dynamics of faith in soldier resilience and recovery, 167–168
 - evaluating resilience as an outcome, 48
 - factors in, 45–47
 - family support and, 52
 - future research ideas, 52–53
 - hardiness characteristic, 45
 - interventions for building resilience and preparedness, 49–52, 53
 - Landstuhl Regional Medical Center’s Combat and Operational Stress/Staff Resiliency program, 219–222
 - measurement of resilience factors in the military, 48–49
 - mechanisms of, 49
 - neurobiological factors, 46–47
 - postwar factors, 49
 - prewar factors, 48–49
 - provider fatigue and, 385–386
 - reinforcing skills through military training, 51–52
 - “resilient trajectories,” 47–48
 - self-confronting and, 385, 386
 - self-help programs and, 50
 - self-soothing and, 385–386
 - social support and, 46, 53, 564
 - Survival, Evasion, Resistance, and Escape schools and, 51–52
 - survival skills strategies and, 50–51
 - toughening responses to stress, 50, 52–53
 - training programs for building strengths, 50
 - unit cohesiveness and, 51–52
 - war-zone factors, 49
- Resources for Recovery--The Combat Injured Family: Guidelines for Care*, 517
- Response to Stressful Experiences Scale, description, 49
- Return to duty
 - combat and operational stress continuum model and, 117
 - combat and operational stress control and, 60, 66, 67, 69
 - mild traumatic brain injury and, 235
 - Operation Iraqi Freedom/Operation Enduring Freedom total evacuations compared to return to duty by year until February 2007 (figure), 214
- Rich Clarkson and Associates, *For Children of Valor: Arlington National Cemetery* gift book, 554
- Risperidone, bipolar disorder treatment, 158
- Ritalin. *See* Methylphenidate
- Ritchie, Col. Elspeth C.
 - disaster psychiatry research, 581
 - guidelines for becoming a division psychiatrist, 92
 - humanitarian assistance missions, 610, 611, 612, 613
 - Joint Conference on Postdeployment Mental Health and, 330
 - use of psychotropic medications during Operation Restore Hope in Somalia, 153
- Rivers, William H., military psychologist role, 658
- Robins, L.N., Vietnam veterans’ drug use, 27
- Rock, Col. Nicholas L.
 - suicide research, 404
 - War Psychiatry*, 92
- Roffman, R.A., survey of illegal drug use in the Vietnam War, 11, 17, 20, 24
- Roque, H., gender-based violence, 626
- Rosen, L.N.
 - children’s responses to deployment, 494
 - impact of deployment on service members and family well-being, 493
- Rosenheck, R., workplace and work performance issues for patients with PTSD, 308
- Rothberg, Dr. Joseph, suicide research, 404
- Rudd, M.D., suicide research, 395
- Rundell, J.R., aeromedical evacuation of psychiatric patients, 203
- Rwanda, complex humanitarian emergency example, 625, 626

S

- Saddam Hussein
 - invasion of Kuwait, 659
 - surrender of, 138
- SAFAC. *See* Soldier and Family Assistance Center

- Saint, Gen. Crosby, Battlemind program and, 72
- Salmon, Dr. Thomas, forward treatment of combat stress during World War I and, 5, 90, 658
- Salvation Army, September 11, 2001, terrorist attack response, 583
- SAMHSA. *See* Substance Abuse and Mental Health Services Administration
- Sanity boards
 - criminal responsibility issue, 695
 - on detainees, 695–696
 - membership of, 695
 - privacy issues, 695
- Sapol, E., survey of illegal drug use in the Vietnam War, 11, 17, 20, 24
- Sareen, J., posttraumatic stress disorder link with suicide, 305
- Sarin attack on the Tokyo subway system. *See* Aum Shinrikyo cult's sarin attack on the Tokyo subway system
- SARS. *See* Severe acute respiratory syndrome
- Savage, P.L., incidence of soldiers attacking their superiors (“fragging”), 25
- Savoca, E., workplace and work performance issues for patients with PTSD, 308
- Savola, O., relationship of alcohol use to trauma, 233
- SAVs. *See* Staff assistance visits
- Schaefer, Dan, *How Do We Tell Children: Helping Children Understand and Cope When Someone Dies*, 561
- Schizophrenia
 - age of onset, 442, 707
 - disabling nature of, 443
 - fitness for duty and, 180
 - pharmacologic treatment, 443, 707
 - women and, 707
- Schizophreniform disorder
 - description and symptoms, 442–443
 - progression to schizophrenia, 443
- Schlechte, J., eating disorder research, 454
- Schneider, B.J., rationale for using a formulary for military operations, 153–154
- Schneidman, Edwin S., key concepts in suicide, 404, 405
- Schnurr, P.P., posttraumatic stress disorder treatment, 309
- Schobitz, Capt. Richard, Soldier and Family Assistance Center and, 568
- Schofield Barracks, HI. *See also* Integrated behavioral health services at Schofield Barracks, HI
 - Health Clinic, 565, 566
 - high cost of living and, 565
 - number of active duty soldiers, civilian employees, and contract employees, 565
- School-age children
 - books recommended for dealing with trauma and grief, 556–559
 - effects of deployment on, 494
 - grief responses, 547
 - response to a combat-injured parent, 514–515
- Schoomaker, Lt. Gen. Eric, ProQOL Scale and, 383
- Schreiber, S., uncontrolled pain as a stressor, 246, 249
- Scott, Col. Brian, Battlemind program and, 73
- Seasonal affective disorder, gender factors, 707
- SEATO. *See* Southeast Asia Treaty Organization, U.S. involvement and
- Seki, K., overview of problems in civil-military cooperation, 623
- Selective serotonin reuptake inhibitors. *See also specific drugs*
 - anorexia nervosa treatment, 460
 - anxiety treatment, 253
 - bulimia nervosa treatment, 462
 - depressive disorder treatment, 158–159
 - full therapeutic response time, 303
 - generalized anxiety disorder treatment, 303
 - indications for use of, 153
 - introduction of, 152
 - panic disorder treatment, 253, 303
 - posttraumatic stress disorder treatment, 253, 303, 304
 - premenstrual dysphoric disorder treatment, 708
 - safety of use during pregnancy, 709
 - side effects, 303
 - social phobia treatment, 253
 - trauma patients and, 249, 253
- Self-hypnosis
 - anxiety and, 253
 - trauma treatment, 246, 249
- Seligman, Martin E.P.
 - Authentic Happiness: Using the New Positive Psychology to Realize Your Potential for Lasting Fulfillment*, 560
 - training to build strengths, 50
- Sense of achievement
 - definition, 378
 - provider fatigue and, 378, 379
- September 11, 2001, terrorist attacks
 - Americans' spiritual response to, 167–168
 - effects on civilians following, 580–581
 - family assistance center establishment, 583
 - lack of military administrative support and, 584–585
 - mental health impact of, 77
 - need for a joint doctrine of disaster response and, 584
 - Operation Solace and, 77, 679–680
 - principles of forward treatment of casualties and, 6
 - Project Liberty and, 582
 - Psychiatry Consultation Liaison Service role following, 244
 - psychiatry residents and, 584
 - rescue and recovery response, 583–585
 - “therapeutic debriefing” and, 583, 584
 - weaknesses in the response to, 584–585
- Seroquel, insomnia treatment, 250
- Serotonin, eating disorders and, 452
- Serotonin-norepinephrine reuptake inhibitors, trauma patients and, 249
- Sertraline
 - bulimia nervosa treatment, 462
 - posttraumatic stress disorder treatment, 303
- SeRV-MH. *See* Services for Returning Veterans-Mental Health
- Service-dog training, description, 361
- Services for Returning Veterans-Mental Health
 - goals, 332
 - role of, 332–333
 - teams for, 333
 - training and, 333
- Sesame Workshop Talk, Listen, Connect: Deployments, Homecomings, Changes, 517
- 706 boards. *See* Sanity boards
- Severe acute respiratory syndrome
 - description, 594
 - psychosocial effects, 598
 - survey findings, 596
- Severe psychiatric illness in the military. *See also specific disorders*
 - air evacuation and, 445–446
 - descriptions and symptoms, 442–445
 - remote site treatment considerations, 445
- Sexual assault and abuse
 - DoD policy, 141
 - eating disorders and, 453–454
 - posttraumatic stress disorder and, 298
 - traumatic brain injury and, 711
- Sexual Assault Prevention and Response Program, description, 141
- SGT Mom's, interactive Web site for military spouses, 501

- Shay, Jonathan, *Achilles in Vietnam*, 130
- Sherman, DeAnne, *Finding My Way: A Teen's Guide to Living With a Parent Who Has Experienced Trauma*, 560
- Sherman, Michelle D., *Finding My Way: A Teen's Guide to Living With a Parent Who Has Experienced Trauma*, 560
- Sibutramine, obesity treatment, 462
- SIT. *See* Stress inoculation training
- Sleep disorders
- alcohol use and abuse and, 475
 - anxiety and, 252
 - image reversal therapy and, 252
 - treatment, 250, 309
- Smith, Doris Buchanan, *A Taste of Blackberries*, 558
- Smith, Harold, *What Does That Mean? A Dictionary of Death, Dying and Grief Terms for Grieving Children and Those Who Love Them*, 558
- Smokeless tobacco. *See* Tobacco use
- Smoking. *See* Tobacco use
- Snyder, W.M., "communities of practice" concept, 565
- Social anxiety disorder, posttraumatic stress disorder and, 305, 307
- Social factors, eating disorders, 453
- Social phobia
- treatment, 253
 - women and, 709
- Social support
- mental well-being and, 564
 - resilience and, 46, 53
- Social workers. *See* Division psychiatrists and brigade behavioral health officers
- Society of Medical Consultants to the Armed Forces, military graduate education, 681
- Soldier and Family Assistance Center
- Adult Family Member Assistance Center and, 567, 568, 569
 - advertising campaign for, 568
 - algorithms for calculating provider numbers (exhibit), 567
 - Child and Adolescent Assistant Center and, 567, 568, 569
 - concept development, 566
 - current activities, 569
 - estimating the number of providers needed in each specialty, 566
 - five areas of care (exhibit), 567
 - funding for, 567
 - Marriage and Family Assistance Center and, 567, 569
 - monthly patient or client visits in the three Soldier and Family Assistance Center clinics, January 2005 to November 2006 (figure), 569
 - outcomes, 569
 - outreach activities, 569
 - principles for development, 566
 - projected demand for providers based on population (table), 568
 - purpose of, 566
 - recruitment of staff for, 568
 - Soldier Assistance Center and, 567, 568, 569
 - Soldier Readiness Program and, 568
 - staffing level issues, 575
 - Triage Assistance Center and, 567, 568
- Soldier Wellness Assessment Pilot Program
- description, 281
 - exhibit detailing, 282–283
- Soldiers Rehabilitation Act, 369
- Solomon Wellness Educational Program
- ages and gender of children evaluated at Solomon Elementary School in the Solomon Wellness Educational Program, from August 2001 to February 2007 (figure), 571
 - Child and Adolescent Psychiatry Service and, 569
 - early history, 570
 - future directions for, 571
 - goals of, 570
 - Primary School Adjustment Program, 571
 - program evaluation, 570–571
 - school enrollment, 569
 - special education students and, 569–570
 - Strengths and Difficulties Questionnaire and, 571
 - student demographics, 569, 570–571
 - tenets of, 570
 - vision for, 570
- Somalia, Operation Restore Hope and, 76, 153
- Southeast Asia Treaty Organization, U.S. involvement and, 12
- Soviet Union, biological warfare program, 594
- Special Psychiatric Rapid Intervention Teams
- combat and operational stress first aid and, 125
 - composition and mission, 124–125
 - critical incident stress management and, 125
 - history of, 124
 - intervention strategies, 125
 - training for, 125
 - unit leader responsibilities, 124–125
- Specimen Custody Document: Drug Testing (DD Form 2624), 479–480
- Spector, Ronald
- casualty rates of the Vietnam War compared with World War II, 13
 - demoralization of troops fighting in Vietnam, 20
 - illegal drug use by troops fighting in Vietnam, 28
- Spiegel, H.X., unit cohesiveness and resilience, 51–52
- Spiritual issues. *See* Religious and spiritual issues
- Spouse maltreatment. *See* Family maltreatment
- Spouses. *See* Deployment impact on military families and children; Families
- SPRINTs. *See* Special Psychiatric Rapid Intervention Teams
- Sri Lanka. *See* Indian Ocean tsunami
- SRMSO. *See* Suicide Risk Management and Surveillance Office
- SSRIs. *See* Selective serotonin reuptake inhibitors
- Staff assistance visits, Operation Iraqi Freedom 05-07 and, 145–146
- Staff issues
- contingency aeromedical staging facilities and, 200
 - Landstuhl Regional Medical Center and, 210, 212–214, 218–219
 - Operation Iraqi Freedom 05-07 and, 145–146
 - Operational Stress Control and Readiness program, 127
 - supportive counseling for medical staff who care for medically injured trauma victims, 255–256
- Stamm, B.H., provider fatigue and, 384
- Standard Form 513, Medical Record Consultation Sheet, 478
- Standardized Assessment of Concussion, description, 233
- Stanton, M.D., illegal drug use by troops during the Vietnam War, 20–21, 24, 27, 28
- State and community partnerships. *See also specific states*
- Area Health Education Centers, 335
 - chaplains and religious leaders and, 336
 - DoD and VA partnerships, 334–336
 - joint training efforts, 335
 - key elements, 335–336
 - National Association of State Directors of Veterans Affairs, 334
 - outreach efforts, 335
 - summit meetings and, 334–335
- States. *See also specific states*
- psychiatrist liability for violent actions of their patients and, 437
 - suicide prevention program managers, 408
- Staudenmeier, J.J., use of psychotropic medications during the Persian Gulf War, 153
- Steen, Joanne M., *Military Widow: A Survival Guide*, 551, 560
- Sterba, J.P., attitudes of soldiers fighting in Vietnam, 20
- Sternberg, Robert, "wisdom, intelligence, and creativity, synthe-

- sized" model and, 636
- Stetz, M.C., aeromedical evacuation of psychiatric patients, 203
- Stimulants. *See also* Amphetamines; *specific drugs*
 pain management and, 246
 potential for abuse of, 158
- Stress. *See also* Combat and operational stress continuum model;
 Combat and operational stress control; Oral health effects of
 combat stress
 adaptive stress reactions, 63
 brain regions involved in, 47
 deployment-related stressor link to subsequent health prob-
 lems, 60
 drinking alcohol as a coping mechanism, 260
 eating as a coping mechanism, 260
 factors in, 44
 family maltreatment and, 536–540
 "leaky bucket" metaphor for stress (figure), 114
 malingered and, 697
 mental stressors, 61
 mitigating stressors, 113–114
 model of stress and its potential soldier and family outcomes
 (figure), 63
 neurobiological factors, 46–47
 operations involving death and the dead and, 719–722
 physical and behavioral effects of, 61–62
 physical stressors, 61
 psychosocial stressors for women in military service, 704–707
 Response to Stressful Experiences Scale, 49
 smoking cigarettes as a coping mechanism, 260
 sources of, 61, 123
 theoretical models, 44, 66
 toughening responses to, 50, 52–53
- Stress inoculation training, posttraumatic stress disorder and, 302,
 308
- Substance Abuse and Mental Health Services Administration,
 Hurricane Katrina disaster response and, 587
- Substance use and abuse. *See also* Alcohol use and abuse; Tobacco
 use; *specific substances*
 alcohol and drug control officer role, 479
 Army substance abuse program, 480–482
 bulimia nervosa and, 453
 combat and operational stress continuum model red zone and,
 112
 DD Form 2624, Specimen Custody Document: Drug Testing
 (figure), 479–480
 Drug and Alcohol Management Information System and, 480
 drugs of abuse, 476–477
 installation biochemical testing coordinator role, 479
 medical review officer role, 477–480
 mild traumatic brain injury and, 233
 pain management and, 347, 349
 posttraumatic stress disorder and, 298, 305
 Standard Form 513, Medical Record Consultation Sheet (fig-
 ure), 478
 substance-induced psychosis, 443
 suicide and, 425, 426
 withdrawal and, 443
- Sudan, gender-based violence and, 626
- Suicide
 access to lethal methods and, 411
 anorexia nervosa and, 455
 Army Suicide Event Reports, 145, 397–400, 404
 Army suicide surveillance, 394–400
 during basic or preliminary combat training, 729–730
 behavioral changes and, 410
 career loss as a cause of, 410, 411
 causal factors (figure), 414
 chaplains and, 169
 Deployment Cycle Support program and, 169
 depression and, 410
 ethical issues, 729–730
 grieving process for families members, 551
 incidence of, 4
 increase in rate of, 404
 managing suicide and homicide risk during deployment
 (table), 435
 managing suicide and homicide risk in garrison (table), 427
 media reports on and increase in rates of, 147, 777
 "military-specific suicidal ideation" and, 425
 Operation Iraqi Freedom 05-07 and, 145, 147, 777
 posttraumatic stress disorder and, 305
 prison environments and, 436
 protective factors, 412
 relationship loss as a cause of, 410, 411, 426
 risk factors, 411, 426
 spectrum of suicide behaviors, 404
 stigma associated with seeking behavioral healthcare (exhibit),
 411
 suicidal or homicidal thoughts association with diagnosable
 mental illness, 424
 suicide factors to consider (figure), 414
 U.S. Army Center for Health Promotion and Preventive Medi-
 cine suicide awareness program, 169
 WRAIR epidemiological consultations of suicide clusters, 77
- Suicide prediction
 case-controlled studies, 397
 cohort studies, 397
 definition of, 394
 epidemiological surveillance studies, 396–397
 importance of, 395–396
 randomized controlled trials, 397
 "reasonably foreseeable" definition, 394
 research challenges, 394–395
 risk factors and, 394–395
 Suicide Risk Management and Surveillance Office, 397–400
- Suicide prevention
 active duty suicides in the U.S. Army January 1, 2001, through
 June 15, 2009 (figure), 405
 history of efforts, 404–405
 Los Angeles Suicide Prevention Center, 404
 Operation Iraqi Freedom and suicide prevention (exhibit), 410
 primary prevention description, 405
 "psychological autopsies" and, 404, 698–699
 secondary prevention description, 405
 tertiary prevention description, 405
 unit watch concept, 424–438
- Suicide Prevention: A Resource Manual for the United States Army*,
 405
- Suicide Prevention and Psychological Autopsy* (PAM 600-24), 405, 406
- Suicide Prevention Conference, description, 404
- Suicide Risk Management and Surveillance Office
 Army Suicide Event Reports and, 397–400
 future directions, 399–400
 history of, 397
 improving accessibility of ASER data, 399
 reports of findings, 399
 "Summary of Theater Suicides" and, 410–412
 user-friendly data reporting options, 399–400
- Sullivan, Harry Stack, development of screening interviews, 172
- Supportive therapy, psychiatry residency programs and compe-
 tency in, 677
- Survey of Health-Related Behaviors, obesity in the military popu-
 lation, 452
- Survival, Evasion, Resistance, and Escape schools, description,
 51–52
- Survival skills, resilience and, 50–51

SWAPP. *See* Soldier Wellness Assessment Pilot Program
SWEP. *See* Solomon Wellness Educational Program

T

- TAI. *See* Traumatic axonal injury
Takatch, Robert, *Annie Loses Her Leg But Finds Her Way*, 558
TAMC. *See* Tripler Army Medical Center
TAPS. *See* Tragedy Assistance Program for Survivors
Task Force Medical 115, behavioral healthcare for detainees and, 646–656
Task Force Medical 344, behavioral healthcare for detainees and, 646–656
Task Force on Mental Health
 barriers blocking access of bereaved military family members to care, 551
 recommendations, 126, 127
Task Force 30th Medical Brigade
 funding for humanitarian needs, 610
 mandate for, 610
 Medical Civil-Military Operations, 610–617
 Operation Iraqi Freedom 05-07 and, 610–617
A Taste of Blackberries (Smith), 558
Taylor, S.E., support for medical staff, 255
TBI. *See* Traumatic brain injury
TCAs. *See* Tricyclic antidepressants
Teenagers. *See* Adolescents
TEM. *See* Traumatic event management
Temporomandibular dysfunction
 causes, 268
 gender and age factors, 268
 oral contraceptives and, 268–269
 prevention, 269
 stress and, 268
 treatment, 269
Terrorism. *See* Chemical, biological, radiological, nuclear and explosive weapons; *specific attacks and locations*
Tet offensives of the Vietnam War, 18, 20, 34
TF30. *See* Task Force 30th Medical Brigade
Thailand. *See* Indian Ocean tsunami
That's My Hope: Featuring a Gallery of Multigenerational Artwork (Ingram), 517
Therapeutic debriefing
 September 11, 2001, terrorist attacks and, 583, 584
 treatment goals of (exhibit), 584
Therapeutic Intervention for the Prevention of Psychiatric Stress model
 components, 248
 countertransference and, 248, 376
 description, 247
 empathic supportive exposure therapy and, 249, 252
 group therapy and, 249
 hypnotherapy and, 249
 individual therapeutic components, 249–250
 insomnia and, 250
 pharmacological interventions and, 249
 support for medical staff, 255–256
 therapeutic alliance and, 248
 transference and, 248
 trauma patient's family and, 254–255
 treatment issues, 250–255
Therapeutic riding programs, description, 361
35 Ways to Help a Grieving Child, 561
30th Medical Brigade, Operation Iraqi Freedom 05-07 and, 139–148
Thomas, Pat, *I Miss You--A First Look at Death*, 557–558
Thompson, Tommy G., importance of healthcare in medical civil-military operations, 611
Thorazine, use of during the Vietnam War, 152
Thought disorders. *See specific disorders*
Three Mile Island, PA, nuclear accident, 599, 601
Tiagabine, posttraumatic stress disorder treatment and, 304
TIPPS. *See* Therapeutic Intervention for the Prevention of Psychiatric Stress model
TMD. *See* Temporomandibular dysfunction
TMI. *See* Three Mile Island, PA
Tobacco use
 bupropion for smoking cessation, 303
 coping with stress and, 260
 posttraumatic stress disorder and, 305, 476
 smoking cessation programs, 281
Toddlers
 effects of deployment on, 493
 grief responses, 547
 response to a combat-injured parent, 513–514
Topical lidocaine, pain management and, 344
Topiramate
 bulimia nervosa treatment, 462
 posttraumatic stress disorder treatment and, 304
TRAC2ES. *See* U.S. Transportation Command Regulating and Command and Control Evacuation System
Tragedy Assistance Program for Survivors
 description of services, 501, 550, 555
 Web site, 555
Traisman, Enid Samuel, *Fire in My Heart, Ice in My Veins--A Journal for Teenagers Experiencing Loss*, 559
Tramadol, pain management and, 344
Trammel v. U.S., Supreme Court case on confidentiality, 166
Transition from buildup to drawdown of the Vietnam War, 1968–1969
 atrocities and, 20
 demoralization of troops and, 20, 34
 illegal drug use and, 20
 psychiatric overview, 20–21
 psychiatrist reports, 21
 racial incidents and, 20
 Tet offensives and, 18, 20
Translators
 behavioral health terminology and, 650
 detained individuals and, 649–650
 rotating among sites, 649
 use of detainees as, 650
Trauma
 behavior changes after exposure to, 381–382
 intergenerational transmission of the effects of war and combat trauma, 495–497
Trauma Risk Management program, description, 662–663
Traumatic axonal injury
 description, 229–230
 neuroimaging findings, 230
Traumatic brain injury. *See also* Mild traumatic brain injury
 alteration of consciousness and, 227, 233
 burden on family members, 711
 causes of, 694, 710
 CDC estimates of prevalence and mortality, 226
 cognitive sequelae, 231–235, 253
 combat-related, 230–231
 contusions occur when the brain moves within the skull enough to impact bone, causing bruising (figure), 229
 cost of, 226
 Defense and Veterans Brain Injury Center and, 226–227, 233, 253
 definition of, 226–227, 710
 due to domestic violence, 711
 effect on children and families of service members, 504–505
 ethical issues, 743

- evolution of, 229–230
 family and vocational issues for women, 711–712
 forces that can cause the injury, 228
 Glasgow Coma Scale and, 227, 231
 hormone treatment, 710
 initial management of concussion in a deployed setting (figure), 234–235
 loss of consciousness and, 227, 233
 mortality rate, 710
 neuroimaging findings, 230
 outcome and, 710
 penetrating or closed types, 226
 the physical forces exerted on the brain during most of the events that can cause traumatic brain injury are reasonably well understood (figure), 228
 polytrauma and, 253
 posttraumatic amnesia and, 227, 230
 posttraumatic stress disorder and, 711
 Preventive Medical Psychiatry role, 253
 psychological sequelae in women, 711
 retrograde amnesia and, 227
 return to active duty and, 712
 risk of to military service members, 226
 screening for, 694
 sexual function and, 711–712
 traumatic axonal injury and, 229–230
 traumatic axonal injury (TAI) results when shearing, stretching, or angular forces pull on axons and small vessels (figure), 229
 traumatic brain injury description (table), 227
 traumatic subdural hemorrhage occurs when the brain moves within the skull enough to tear the vessels that bridge from the brain surface to the dural venous sinus (figure), 228
 underreporting of, 226
 vulnerable areas, 228–229
 women and, 710–712
- Traumatic event management**
 debriefings, 175
 description, 68, 175
 effectiveness of, 175
 goal of, 68
 leadership requests for assessments, 68–69
 potentially traumatic events examples, 68
 responses included, 69
- Traumatic grief**
 children and, 550
 posttraumatic stress disorder and, 550
 symptoms of, 550
 traumatic death compared with anticipated death, 549
- Traumatic injuries.** *See also* Potentially traumatic events
 adaptive functioning and, 247
 body part affected and, 246
 case studies, 247, 251, 253–254
 cognitive symptoms and, 245–246
 conversion disorder and, 253–254
 early psychiatric intervention importance, 246, 252, 256
 effect of, 245
 emotional trauma and, 245
 families and, 247, 253–255
 grieving over losses, 246, 250
 hospitalization and the meaning of injury, 246–247
 medical treatment and, 245
 normalization of feelings and, 250
 overwhelming emotion following, 244
 pain issues, 245, 246
 personality structures and, 247
 phantom limb pain and, 246
 posttraumatic stress disorder and, 44–45, 48
 psychiatric illness development risk and, 246
 psychological history of the patient and, 245
 psychological responses, 245–246
 regressive behavior and, 247
 role of psychiatry following, 247
 self-hypnosis treatment, 246, 249, 253
 stress of injuries following, 244–247
 survivor guilt and, 251
 theoretical models of trauma, 44–45, 53
- Traumatic recollections**
 definition, 378
 provider fatigue and, 378, 379–380
- Trazodone**
 insomnia treatment, 159
 posttraumatic stress disorder treatment, 303
- Treating Trauma and Traumatic Grief in Children and Adolescents* (Cohen), 562
- TRICARE**
 description and services, 335, 336, 554
 mental health treatment, 551
 Web site, 554
- Tricyclic antidepressants.** *See also* Antidepressants; *specific drugs*
 anorexia nervosa treatment, 460
 bulimia nervosa treatment, 461–462
 in-theater treatment and, 159
 pain management and, 344
 posttraumatic stress disorder treatment, 303
 safety of use during pregnancy, 709
 use of by Israeli forces, 153
 Vietnam War use, 11–12
- TRiM.** *See* Trauma Risk Management program
- Tripler Army Medical Center**
 behavioral health liaison project, 571–575
 child and adolescent psychiatry fellowship programs, 680
 Child and Adolescent Psychiatry Service, 565, 569, 570
 clinical clerkship rotations for psychiatric residents, 677
 location of, 565
- Turner, M.A., aeromedical evacuation of psychiatric patients, 203
- TWA Flight 800 disaster, Special Psychiatric Rapid Intervention Teams role, 125
- 24-hour watch**
 in deployed settings, 434
 in garrison, 431–433
- 25 Things to Do: Activities to Help Children Suffering Loss or Change* (Kanyer), 561
- 25th ID.** *See* 25th Infantry Division Light
- 25th Infantry Division Light**
 behavioral health liaison project and, 572, 574
 deployment to Afghanistan, 565
 funding for the Soldier and Family Assistance Center, 567
 integrated behavioral health services at Schofield Barracks, HI and, 565–566, 572
 Soldier and Family Assistance Center and, 566, 567–568
 Tropic Lighting University reunion program and, 574

U

- UCMJ.** *See* Uniform Code of Military Justice
- UH-60 Black Hawk helicopters, aeromedical evacuations and, 194
- UNHCR.** *See* United Nations High Commissioner for Refugees
- Uniform Code of Military Justice**
 description, 694
 expert witnesses and consultants and, 696
 levels of courts-martial, 694–695
 sanity boards and, 695
- Uniformed Services University of the Health Sciences**
 Center for the Study of Traumatic Stress, 513, 521–532, 555
 clinical clerkship rotations for psychiatric residents, 677

- concepts of team learning, practice, and interpersonal communication and, 677
- Disaster Psychiatry Fellowship, 680
- "Principles of Caring for Combat-Injured Families and Their Children," 517, 533–534
- survey instrument assessing the mental health effects of employees after the September 11, 2001, terrorist attacks, 77
- Workgroup on Intervention With Combat-Injured Families, 517
- Unit Behavioral Health Needs Assessment, description, 175
- Unit cohesion
 - combat and operational stress reaction and, 65
 - "80% solution" concept, 65
 - resilience and, 51–52
- Unit watch
 - access to lethal means and, 424, 425, 435, 437
 - alcohol and substance use and, 425
 - basic precaution elements, 434
 - basic precautions (exhibit), 434
 - buddy watch and, 428–431, 432
 - buddy watch memorandum (exhibit), 428
 - case studies, 434–435
 - caveats concerning, 426
 - command team and, 425
 - deployed settings and, 425–426, 434–436
 - documentation requirements, 426–427, 436
 - in garrison, 425–426, 427–433
 - incorporation into behavioral health training programs, 437–438
 - inexperience of the soldier performing the watch and, 436
 - information paper for commanders (exhibit), 430–431
 - interventions involved, 424
 - lack of research on, 426
 - lack of suicide risk factors and, 426–427
 - legal issues, 436–437
 - management of suicidal or homicidal patients in the military compared with civilian settings, 424
 - managing suicide and homicide risk during deployment (table), 435
 - managing suicide and homicide risk in garrison (table), 427
 - medical issues, 436–437
 - memorandum format and, 427–428
 - military duty avoidance and, 425
 - "military-specific homicidal ideation" and, 425
 - "military-specific suicidal ideation" and, 425
 - misperceptions about the soldier's condition and, 424
 - as part of a multifaceted treatment plan, 426
 - "patient holds" and, 434
 - PIES principles and, 424
 - psychiatric hospitalization and, 424
 - rationale for, 424–426
 - recommendations for procedures, 427–436
 - standard operating procedures for buddy watch and 24-hour watch (exhibit), 432
 - stigma and, 425
 - suicidal or homicidal thoughts association with diagnosable mental illness, 424
 - suicide risk assessment and, 426–427
 - 24-hour watch, 431–433, 434
 - 24-hour watch memorandum (exhibit), 429
 - unit watch discontinuation memorandum (exhibit), 433
- United Kingdom armed forces behavioral health
 - Academic Centre for Defence Mental Health, 664
 - chain of command and, 660
 - contemporary services, 660–663
 - current research and future directions, 663–664
 - defense mental health services and, 658, 660
 - Department of Community Mental Health and, 658, 660
 - during deployment, 661
 - field mental health teams, 658, 660, 661
 - historical background, 658–660
 - impact of military service on family life, 663
 - King's Centre for Military Health Research, 663
 - "lack of moral fiber" diagnosis and, 658–659
 - levels of mental healthcare provision, 660
 - Operation Banner and, 658
 - Operation Granby, 659
 - Operation Telic, 660
 - operational mental health referral flowchart (figure), 662
 - operational organization, 660–661
 - postdeployment, 661
 - posttraumatic stress disorder legal case, 661–662
 - predeployment, 661
 - Trauma Risk Management program, 662–663
- United Kingdom Department for International Development, complex humanitarian emergencies and, 621
- United Nations
 - Guidelines on the Use of Military and Civil Defence Assets in Disaster Relief*, 622
 - Office for Coordination of Humanitarian Affairs, 625
 - program for the reintegration of former child combatants, 626
- United Nations Children's Fund
 - complex humanitarian emergencies and, 621
 - Indian Ocean tsunami relief efforts and, 637–638
- United Nations Development Program, complex humanitarian emergencies and, 621
- United Nations High Commissioner for Refugees, complex humanitarian emergencies and, 621
- United Nations Inter-Agency Standing Committee
 - Civil-Military Relationship in Complex Emergencies*, 620
 - psychic environment of complex humanitarian emergencies, 624–625
- United States v. Toledo*, expert witnesses and, 696
- University of Minnesota, combat driving behavior modification brochures, 372
- Ursano, R.J., disaster psychiatry research, 581
- U.S. Agency for International Development, complex humanitarian emergencies and, 621
- U.S. Air Force
 - aeromedical evacuations and, 195
 - eating, drinking alcohol, and smoking as a means of coping with stress and, 260
 - eating disorders and, 456, 458
 - Operation Iraqi Freedom 05-07 and, 140, 142, 143
 - September 11, 2001, terrorist attack response, 583
- U.S. Army
 - Army Forensic Drug Testing Program, 141–142
 - Army Physical Disability Evaluation System, 328
 - Casualty and Mortuary Affairs operation center, 545
 - Comprehensive Behavioral Health System of Care, 749–750
 - Comprehensive Soldier Fitness Office, 74
 - current number of behavioral health providers, 750
 - Deployment Cycle Support Program and, 278–279
 - eating, drinking alcohol, and smoking as a means of coping with stress and, 260
 - eating disorders and, 456
 - Families First Casualty Call Center, 545
 - Family Advocacy Program, 536–537, 538, 539, 540
 - A Guide for the Survivors of Deceased Army Members*, 544
 - Guide to the Prevention of Suicide and Self-Destructive Behavior*, 405
 - Just the Facts...Dealing With the Stress of Recovering Human Dead Bodies*, 52
 - Manpower and Reserve Affairs, 328
 - Medical Specialist Corps, 359
 - military care team for children and families of fallen service

- members, 545–546
- Office of Strategic Services, 172
- Proponency Office for Rehabilitation and Reintegration, 369
- “Protecting the Force,” 749
- provider hiring difficulties, 750
- response to family stress and deployment, 539–540
- September 11, 2001, terrorist attack response, 583
- substance abuse program, 480–482
- Suicide Prevention and Psychological Autopsy* (PAM 600-24), 405
- suicide prevention programs, 404–419, 424–438
- Suicide Prevention Task Force, 749
- suicide rate increase, 404
- Suicide Risk Management and Surveillance Office, 397–400
- Survival, Evasion, Resistance, and Escape schools, 51–52
- Women’s Medical Specialist Corps, 359
- Wounded Warrior program and, 328
- U.S. Army Center for Health Promotion and Preventive Medicine. *See also* Public Health Command (Provisional)
 - ACE acronym development, 407, 408
 - “ACE” card developed by CHPPM (figure), 407
 - Army Knowledge Online Web site, 407
 - Behavioral and Social Health Outcomes Program, 749
 - EPICON mission and, 413
 - Health Information Operations Web site, 407
 - new parent educational materials, 539
 - posters for suicide awareness, 407
 - renaming of as Public Health Command (Provisional), 406
 - suicide awareness program, 169
 - suicide awareness training kits for chaplains, 406–407
 - survey assessing the mental health effects of employees after the September 11, 2001, terrorist attacks, 77
 - training courses, 595
 - Web site, 595
- U.S. Army Chaplain Corps. *See also* Chaplains
 - advanced civilian schooling program for midcareer chaplains, 165
 - chaplains as partners in operational psychology, 168–169
 - chaplains as religious strength facilitators, 167
 - combat and operational stress control and, 66
 - combat stress control teams and, 168–169
 - confidentiality issues, 165–166
 - dynamics of faith in soldier resilience and recovery, 167–168
 - familiarity with home situations of soldiers and, 168
 - Family Life Centers and, 165
 - historical background, 164, 165
 - pastoral care and, 165
 - pastoral counselor role, 164–168
 - pastoral education programs, 165
 - primary role of, 168
 - resource for mental health providers, 169
 - training in care and counseling, 165
 - unit ministry team membership, 165
- U.S. Army Family and Morale, Welfare, and Recreation Command, Family Advocacy Program, 536–537, 538, 539, 540
- U.S. Army National Guard
 - benefits available to service members, 409
 - Deployment Cycle Support Program and, 279–280
 - divorce rate relationship to deployment, 538–539
 - Hurricane Katrina response and, 586
 - mobilization of the Hawaii National Guard for Operation Enduring Freedom, 565
 - “One Army” concept and, 279
 - Operations Desert Shield/Storm deployment, 488
 - partnerships with DoD and VA for care, 334
 - suicide awareness posters, 407
 - Suicide Prevention Program, 408–409
 - Vietnam War and, 12, 16
- U.S. Army Reserves
 - Deployment Cycle Support Program and, 279–280
 - divorce rate relationship to deployment, 538–539
 - “One Army” concept and, 279
 - Operations Desert Shield/Storm deployment, 488
 - suicide awareness posters, 407
 - Suicide Prevention Program, 408–409
 - Vietnam War and, 12, 16
- U.S. Congress. *See also specific legislation*
 - Handoff or Fumble? Do DoD and VA Provide Seamless Health Care Coverage to Transitioning Veterans?*, 326
- U.S. Department of Defense
 - behavioral health issues for detained individuals and, 646, 647
 - civil-military operations centers description, 623–624
 - Clinical Practice Guidelines for Management of Post-Traumatic Stress, 116, 300–301, 310, 311, 326
 - combat and operational stress control implementation and, 108–109
 - department-wide psychological screening, 79
 - Health Affairs policy letter, 698
 - illegal drug use during the Vietnam War, 27
 - Integrated Mental Health Strategy, 750
 - Joint Conference on Postdeployment Mental Health and, 330
 - Joint VA/DoD Federal Recovery Coordination Program, 328, 332
 - military and family life consultants, 539
 - Military Assistance Program, 500
 - National Center on Shaken Baby Syndrome partnership, 539
 - policy changes for Operation Iraqi Freedom 05-07, 141–142
 - Policy Guidance for Deployment-Limiting Psychiatric Conditions and Medications*, 156
 - Post-Deployment Health Assessment, 77, 174, 288–290, 327
 - Post-Deployment Health Reassessment, 79, 174, 327, 331–332, 335–336
 - posttraumatic stress disorder treatment guidelines, 116
 - prevalence of mental health problems among soldiers returning from OEF, 333
 - Preventive Medicine* (PAM 40-11), 415
 - “radiation response syndrome” and, 600
 - September 11, 2001, terrorist attack response, 583
 - Sexual Assault Prevention and Response Program, 141
 - Suicide Event Reports, 406, 407
 - Survey of Health-Related Behaviors, 452
 - Task Force on Mental Health, 126, 127, 551
 - Technology and Telehealth Initiative, 280
- U.S. Department of Defense Base Realignment and Closure Act, provisions, 671
- U.S. Department of Defense Directive 3000.05: *Military Support for Stability, Security, Transition, and Reconstruction Operations*, 586, 613
- U.S. Department of Defense Directive 6025.13, medical malpractice and, 436–437
- U.S. Department of Defense Directive 6400.1, Family Advocacy Program and, 536
- U.S. Department of Defense Directive 6490.1, division psychiatrists and brigade behavioral health officers and, 99–100, 102
- U.S. Department of Defense Instructions 6490.4, command-directed mental health evaluations, 99–100
- U.S. Department of Defense Patient Movement System
 - aeromedical evacuation patient classification codes (table), 198
 - Global Patient Movement Requirements Center and, 195
 - Joint Patient Movement Requirement Centers and, 195
 - mission of, 195
 - patient classification codes, 197–198
 - patient movement precedence, 195, 197
 - patient movement records and, 198, 200
 - patient movement requests and, 195
 - sample patient movement request (exhibit), 199
- U.S. Transportation Command Regulating and Command and

- Control Evacuation System and, 195
- U.S. Department of Defense Survey of Health-Related Behaviors Among Active-Duty Military Personnel, oral health findings, 260
- U.S. Department of Defense Survey of Health-Related Behaviors in the Reserve Component, oral health findings, 260
- U.S. Department of Education, “outcomes” movement, 676
- U.S. Department of Health and Human Services, PsySTART program, 636, 640
- U.S. Department of State, medical civil-military operations in Iraq and, 610, 613, 616
- U.S. Department of the Army. *See* U.S. Army
- U.S. Department of Veterans Affairs. *See also* Vet Centers; Veterans Health Administration
 - annual spending, 326
 - Care Management and Social Work Service, 328
 - chaplains, 336
 - Clinical Practice Guidelines for Management of Post-Traumatic Stress, 116, 300–301, 310, 311, 326
 - 88th Regional Readiness Command COSC program and, 365
 - Environmental Epidemiology Service, 329
 - “Evolving Paradigms: Providing Health Care to Transitioning Combat Veterans” conference, 328
 - graduate medical education, 326
 - Integrated Mental Health Strategy, 750
 - Joint Conference on Postdeployment Mental Health and, 330
 - Joint VA/DoD Federal Recovery Coordination Program, 328, 332
 - Mental Illness Research, Education, and Clinic Centers, 333
 - National Center for Posttraumatic Stress Disorder, 49, 116, 501, 568, 628
 - overview, 326–328
 - partnership with the National Guard Bureau, 328
 - percentage of former soldiers who seek care through, 4
 - polytrauma call center, 328
 - posttraumatic stress disorder treatment guidelines, 116
 - program managers and, 328
 - Seamless Transition Office, 327–328
 - Services for Returning Veterans-Mental Health, 332–333
 - sites, 326
 - Suicide Prevention Conference participation, 404
 - transition of care for soldiers from active duty to the VA, 6
 - transition patient advocates, 328
 - Web site, 501
 - work internships and, 371
- U.S. Food and Drug Administration, categories and labeling requirements for drug use during pregnancy (exhibit), 708
- U.S. Marine Corps
 - combat and operational stress continuum model, 108–117
 - eating, drinking alcohol, and smoking as a means of coping with stress and, 260
 - eating disorders and, 456
 - family intervention program for service members, 52
 - Land Combat Study and, 78
 - Operation Iraqi Freedom 05-07 and, 141, 142, 143, 148
 - Operational Stress Control and Readiness program, 102, 116, 126–128
 - September 11, 2001, terrorist attack response, 583
 - Vietnam War role, 13, 18, 21, 26
 - Warrior Transition Program, 332, 336
- U.S. Navy
 - caregiver support, 131–133
 - carrier psychology program, 125–126, 133
 - casualty assistance call officers’ role in death notification, 544
 - combat and operational stress continuum model, 108–117, 122–133
 - combat and operational stress control elements, 124–128
 - disaster drills, 52
 - diversity of operations, 122
 - eating, drinking alcohol, and smoking as a means of coping with stress and, 260
 - eating disorders and, 456, 458
 - emerging challenges for operational Navy Medicine, 128–133
 - expeditionary medical facilities, 124
 - expeditionary medical platforms, 123–124, 133
 - family intervention program for service members, 52
 - global war on terror and, 122
 - hospital ships, 123
 - individual augmentation issues, 128–131, 133
 - Land Combat Study and, 78
 - Operation Iraqi Freedom 05-07 and, 141, 142
 - Operational Stress Control and Readiness, 126–128, 133
 - operational stress control assessment and response communication (exhibit), 132
 - prevalence of mental health problems, 122
 - September 11, 2001, terrorist attack response, 583
 - Special Psychiatric Rapid Intervention Teams, 124–125, 133
 - Vietnam War role, 13
 - Warrior Transition Program, 129–130
- U.S. Navy Medicine Support Command, combat and operational stress continuum model and, 122–133
- U.S. Public Health Service
 - Commissioned Corps, 634
 - Disaster Response Teams, 636
 - Mercy* model of population-based disaster relief and, 634–644
 - protective factors, 412
 - suicide risk factors, 411
- U.S. Transportation Command Regulating and Command and Control Evacuation System
 - description and uses, 202
 - patient movement requests and, 195
- US Army Vietnam Medical Journal*, articles on psychiatric issues, 11
- USAID. *See* U.S. Agency for International Development
- USAR. *See* U.S. Army Reserves
- USNS *Comfort*
 - description, 123
 - as first echelon of care in deployed locations, 195
 - Hurricane Katrina response and, 587
- USNS *Mercy*
 - description, 123
 - as first echelon of care in deployed locations, 195
 - Mercy* model of population-based disaster relief and, 634–644
 - Operation Unified Assistance and, 585–586
- USS *Belknap*, collision with the USS *John F. Kennedy*, 124
- USS *Carl Vinson*, number of medevacs for psychological problems, 126
- USS *Cole*
 - military burial for victims, 52
 - Special Psychiatric Rapid Intervention Teams role, 124–125
- USS *Enterprise*, number of medevacs for psychological problems, 126
- USS *John F. Kennedy*
 - collision with the USS *Belknap*, 124
 - number of medevacs for psychological problems, 126
- USUHS. *See* Uniformed Services University of the Health Sciences

V

- VA. *See* U.S. Department of Veterans Affairs
- Valium, use of during the Vietnam War, 152
- Valproate
 - posttraumatic stress disorder treatment and, 304
 - safety of use during pregnancy, 709
- Vanderwagen, Rear Admiral William C., support for *Mercy* model of population-based disaster relief, 636–637
- VBA. *See* Veterans Benefits Administration

- Venlafaxine
 anxiety disorder treatment, 159, 253
 depressive disorder treatment, 158
 pain management and, 344
 posttraumatic stress disorder treatment, 303
- Vet Centers
 description, 33, 327, 331
 early intervention efforts, 327
 establishment of, 327
 locations, 326
 number of, 326
 number of soldiers served by, 327
 outreach workers for, 327
 public health principles, 331
 readjustment counseling role, 327
 services included, 327
 stigma issues and, 327
- Veterans Administration, establishment of, 326
- Veterans Benefits Administration
 description of services, 326
 phone number, 501
 VA benefits counselors and, 327
- Veterans Health Administration
 description of services, 326
 Directive 2002-049 on hospital care, medical services, and nursing home care, 328
 number of people served by, 326
 phone number, 501
- VHA. *See* Veterans Health Administration
- Vietnam Veterans Against the War, 24
- Vietnam War
 Agent Orange exposure and, 600
 air war, 13
 American troop strength, 12, 21–22
 Americans killed in action, 12, 13, 14, 18
 Americans wounded in action, 12, 13, 14, 20
 antiwar protests, 10, 22–23, 33
 Army psychiatric component, 33
 black pride movement and, 23
 buildup phase, 1965–1967, 13–18
 civil rights movement and, 22, 23
 combat psychiatry “doctrine” of brief, simple, mostly field treatments and, 11, 14–15, 17, 35
 combat stress reactions and, 5, 16
 communication issues, 536
 cost of, 10
 “counterculture” youth movement and, 10, 22–23, 34
 counterinsurgency/guerrilla conflict, 10
 cultural polarization of Americans and, 12, 22–24
 demoralization of soldiers and, 10, 20, 25–26, 34
 “domino theory” and, 12
 draft issues, 12–13, 16–17, 22–23
 drawdown phase, 21–29
 effects on soldiers who served in Vietnam, 32–33
 effects on the Army as a whole, 32
 family notification of combat deaths, 544
 “generation gap” and, 22, 23
 ground war and, 10, 12
 helicopters used for aeromedical evacuations, 193
 high ratio of combat support and service support troops, 16
 history of Army psychiatry in, 11–12
 hostility toward returning soldiers, 277
 illegal drug use and, 11, 17, 20–21, 24, 25, 27–28, 32, 34, 152
 lack of psychiatric data, 11
 lack of psychiatric documentation and, 10
 lack of support for returning veterans, 496
 language issues, 13
 lingering questions and considerations, 32–34
 as “low-intensity” combat, 13, 35
 new pharmacologic agent use, 11–12, 34
 number of psychiatrists serving during, 11
 one-year duty tours and, 16–17, 25
 posttraumatic stress disorder and, 29–30, 33, 298, 306, 309
 postwar features, 29–32
 psychiatric casualty rate, 11, 20, 277
 psychosis rate, 27
 racial tensions and, 20, 23
 rationale and provocation of, 12
 readjustment problems of troops after, 29–30, 33
 relationship of U.S. troops to South Vietnamese citizens, 13–14
 role of psychiatry in providing preventive care, 172
 scope of American involvement, 12–13, 34
 selected publications by buildup-phase Army psychiatrists (including research reports) (exhibit), 19
 selected publications by drawdown-phase Army psychiatrists (including research reports) (exhibit), 29
 selected publications by transition-phase Army psychiatrists (including research reports) (exhibit), 21
 “short-timer’s syndrome” and, 18, 32
 social and political upheaval in the United States and, 10, 34
 social stress and “disease” model and, 33
 soldier resistance and, 23–24
 soldiers attacking their superiors (“fragging”), 25, 26, 34
 survey of veteran Army psychiatrists who served in Vietnam, 31–32
 survival rates of those injured in, 226
 terrain and weather issues, 13
 Tet offensives, 18, 20, 34
 transition from buildup to drawdown, 18–21
 types of wounds sustained, 13
 unit cohesiveness and, 51
 U.S. Army Vietnam rates per 1,000 for battle deaths, psychiatric hospitalization, and psychosis (figure), 27
 U.S. combat strategy, 14, 16
 use of psychotropic medications, 152
 Vistaril, use of during the Vietnam War, 152
 Vitamin E, Alzheimer’s disease and, 396
 Vomiting, oral health effects, 263, 264
- ## W
- Wain, H., “therapeutic debriefing” concept, 584
The Wall (Bunting), 557
 Walter Reed Army Institute of Research
 Army Medical Department general officers behavioral health summit, 81
 Battlemind program and, 72–74, 80–81
 deployment mental health screening research, 79
 EPICON mission and, 413
 EPICON surveys and, 417
 epidemiological consultations of suicide and homicide clusters, 77
 funding for posttraumatic stress disorder research, 81
 future directions for research, 82
 Health Risk Appraisal questionnaires, 281
 impact of September 11, 2001, terrorist attacks, 77
 Land Combat Study, 73, 77–78
 Land Combat Study and, 81
 leadership and unit factor research, 79–80
 lme4 software, 81
 ltm software, 81
 mental health advisory teams, 73, 78–79
Military Life: The Psychology of Serving in Peace and Combat, 81
 Operation Enduring Freedom and, 76–82
 Operation Iraqi Freedom and, 76–82
 pre-September 11, 2001, research on the impact of mental

- disorders, 77
- psychological autopsies and, 698
- soldiers diagnosed with PTSD and, 329
- statistical software development, 81
- study of physiological, psychological, and social correlates of stress, 11
- suicide prevention and, 404
- survey of veteran Army psychiatrists who served in Vietnam, 12, 31–32, 34
- Walter Reed Army Medical Center
 - child and adolescent psychiatry fellowship programs, 680
 - Child and Adolescent Psychiatry Service, 511, 512–513
 - evacuation of patients to, 201, 244
 - family assistance center, 254
 - forensic psychiatry fellowship program, 680, 697
 - geriatric psychiatry fellowship program, 680
 - Girls Time Out program, 510
 - National Capital Area Consortium and, 672
 - Parent Guidance Assessment--Combat Injury instrument and, 513, 521–532
 - Preventive Medical Psychiatry, 246–256, 509–510
 - proposed closure of, 672
 - Psychiatry Consultation Liaison Service, 244–246, 583, 584, 585
 - September 11, 2001, terrorist attack response, 583, 584
 - VA Seamless Transition Office and, 327
- War Psychiatry* (Jones), 6, 108
- War Psychiatry* (Kirkland), 276–277
- War Psychiatry* (Rock), 92
- Warner, C.H.
 - abnormal eating in military populations, 458
 - articles on the roles and responsibilities of division mental health units, 92
 - review of psychiatric service use during Operation Iraqi Freedom in 2005, 153
- Warrior Training and Rehabilitation Program, peak performance training and, 368, 369
- Warrior Transition Program
 - description, 129–130
 - goal of, 130
 - length of, 130
- Warrior transition units
 - active rehabilitation and, 370
 - comprehensive transition plans and, 370
 - goal of, 369
 - occupational therapy and, 361, 363, 369–372
 - Warrior Toolkits and, 370
 - work reintegration and, 369–370
- Washington, Gen. George, U.S. Army Chaplain Corps establishment and, 165
- Washington state, memorandum of agreement with federal agencies to shore up local reintegration and reentry of returning service members, 280
- Watchlist Project, gender-based violence and, 626
- Watson, P.J., disaster psychiatry research, 581
- Watson, T., eating disorder research, 454
- Webb, Maj. Gen. Joseph, Jr., Suicide Risk Management and Surveillance Office and, 397
- Wegner, E., “communities of practice” concept, 565, 574–575
- Weight control programs, physical fitness assessments and, 704
- Westmoreland, Gen. William
 - characterization of troops fighting in Vietnam, 17
 - replacement of by Gen. Creighton Abrams, 18
- What Does That Mean? A Dictionary of Death, Dying and Grief Terms for Grieving Children and Those Who Love Them* (Johnson and Smith), 558
- What We Do When Someone Dies* (Arnold), 559
- Whealin, Julia, PhD, instruction of primary care providers at Schofield Barracks and, 568
- When a Friend Dies: A Book for Teens about Grieving and Healing* (Gootman), 559
- When Dinosaurs Die: A Guide to Understanding Death* (Brown and Krasney), 557
- White, R., guidelines for becoming a division psychiatrist, 92
- WHO. *See* World Health Organization
- Wilford Hall Air Force Medical Center
 - clinical clerkship rotations for psychiatric residents, 677
 - merger with Brooke Army Medical Center, 672
- Winkenwerder, Assistant Secretary of Defense for Health Affairs
 - Dr. William Jr., goal of the U.S. Government in world health concerns, 613
- Wise, Col. (Ret.) Michael G., graduate medical education and, 670–671
- Wolfelt, Alan, *The Healing Your Grieving Heart Journal for Teens*, 559
- Wolfelt, Megan, *The Healing Your Grieving Heart Journal for Teens*, 559
- Women. *See also* Gender factors; Men
 - age of onset for schizophrenia, 442, 707
 - assignment locations and, 705
 - binge drinking definition, 475
 - deployments and, 705–706
 - drinking alcohol as a way to cope with stress, 260
 - eating as a way to cope with stress, 260
 - eating disorders and, 450, 453–454, 455–456, 459, 462–463
 - field conditions and, 705–706
 - gender-based violence in complex humanitarian emergencies, 626
 - heavy drinking amount for, 475
 - job assignments and, 705
 - light drinking amount for, 475
 - mental health disorders in, 707–710
 - moderate drinking amount for, 475
 - noncombat role, 704
 - number of psychiatric patients compared with men, 203
 - percentage of women in the military, 704
 - periodontal disease prevalence (figure), 266
 - periodontitis and, 267–268
 - physical fitness issues, 704–705
 - posttraumatic stress disorder and, 298, 309, 709
 - pregnancy issues, 706–707
 - provider fatigue and, 376
 - psychosocial stressors for, 704–707
 - smoking as a way to cope with stress, 260
 - social conflicts with unit mates and, 706
 - social support issues, 705
 - temporomandibular dysfunction and, 268–269
 - traumatic brain injury and, 226, 710–712
 - Women’s Medical Specialist Corps and, 359
- Woodruff, L. and B., *In an Instant: A Family’s Journey of Love and Healing*, 517
- Work reintegration programs
 - data collection and, 372
 - definition, 369
 - objectives of, 370–371
 - occupational therapy focus for, 371–372
 - work internships, 371
- World Bank, nongovernmental organization definition, 622
- World Food Program, complex humanitarian emergencies and, 621
- World Health Organization
 - complex humanitarian emergencies and, 621
 - Department of Mental Health and Substance Dependence, 627
 - traumatic brain injury outcome research, 231–232
- World War I
 - Army Alpha and Beta testing, 172
 - gas attacks, 597, 600
 - motorized ambulances and, 192

- noncombatant casualties, 625
- number of psychiatrists in the Army, 671
- occupational therapy and, 358, 373
- psychological casualties, 5
- United Kingdom armed forces behavioral health and, 658
- use of psychotropic medications, 152
- World War II
 - aeromedical evacuations and, 192
 - Americans' response to the invasion of Normandy, 167
 - battle fatigue casualties, 594, 597
 - casualty rates of the Vietnam War compared with, 13, 14
 - communication issues, 536
 - community mental healthcare in the military and, 564
 - family notification of combat deaths, 544
 - humanitarian assistance missions, 611
 - "lack of moral fiber" diagnosis and, 658–659
 - noncombatant casualties, 625
 - occupational therapy and, 358–359
 - Office of Strategic Services and, 172
 - psychiatric casualties, 5, 11, 26
 - psychological screening and, 172
 - survival rates of those injured in, 226
 - unit cohesiveness and, 51
 - United Kingdom armed forces behavioral health and, 658–659
 - use of psychiatrists in a preventive fashion, 172
 - use of psychotropic medications, 152
- Wounded Warrior Clothing Support Program, establishment of, 361
- Wounded Warrior program, description, 328
- WRAIR. *See* Walter Reed Army Institute of Research
- WRAMC. *See* Walter Reed Army Medical Center
- WTP. *See* Warrior Transition Program
- WTRP. *See* Warrior Training and Rehabilitation Program
- WTUs. *See* Warrior transition units

Y

- Yeltsin, Pres. Boris (Russia), biological warfare program, 594
- Yosick, Maj. Todd, Battlemind program and, 73
- You Are Not Alone: Teens Talk About Life After the Loss of a Parent* (Hughes), 559–560
- Yugoslavia, complex humanitarian emergency example, 625

Z

- Zero to Three, Coming Together Around Military Families program, description and Web site, 550, 555
- Zinberg, Norman, M.D., survey of illegal drug use in the Vietnam War, 11, 28
- Zinc deficiency, anorexia nervosa and, 460
- Ziprasidone, bipolar disorder treatment, 158
- Zoloft, depressive disorder treatment, 158
- "Zoloft with a Rifle" article, 147
- Zolpidem, insomnia treatment, 159
- Zonisamide, obesity treatment, 462
- Zyprexa, psychotic disorder treatment, 159

